

# Atala®

E-BIKE 2020



Atala WHISTLE



BOSCH

SHIMANO

YAMAHA

FAZUA

ANZO

ANZO agile

ecologic

## E BIKE 2020

Atala si è dedicata a studi approfonditi del mondo eBike dal lontano 2008, analizzando nei minimi dettagli l'integrazione tra i kit elettrici, la componentistica all'avanguardia e il design con un solo obiettivo: soddisfare le esigenze di tutti gli utenti.

Per la stagione 2020, Atala propone una gamma sempre più completa di eBike che spaziano dalle eUrban alle eMtb da enduro, introducendo una nuova categoria per un utilizzo gravel. Alloy è una eGravel veloce e resistente per viaggiare su strada e fuoristrada. L'elevata adattabilità, versatilità e robustezza la rendono perfetta per qualsiasi terreno e superficie. L'assistenza elettrica Fazua, aiuta a conquistare qualsiasi percorso.

Club è la nuova eFolding della gamma 2020 Atala. Pieghevole con il telaio in alluminio è pensata sia per il commuting urbano sia per veloci gite fuori porta. Sviluppata per essere compatta e leggera, è velocissima da aprire e chiudere e facilmente trasportabile sui mezzi pubblici.

Oltre ai brand Atala e Whistle, il Gruppo ingegnerizza le proprie eBike con il marchio Umberto Dei: Audere è l'eBike dalle linee distintive, eleganti e retrò che rispecchiano tradizione, componenti e dettagli, in chiave moderna. Per quanto riguarda le componenti elettriche, Atala si avvale della partnership con i migliori produttori mondiali di kit elettrici: Bosch, Shimano, Yamaha.

Dal 2017, il dipartimento Ricerca e Sviluppo di Atala, in collaborazione con i principali leader di fornitori di kit elettrici, ha sviluppato due kit a motore centrale, AM 80 e AM 80 Agile e EcoLogic, la gamma di motore al mozzo. Osare è quindi la parola chiave per Atala: proporre innovazioni, rompere gli schemi, nel rispetto della forte tradizione che ci contraddistingue.

*Atala has devoted itself to in-depth studies of the eBike world since 2008, developing the integration between electrical kit, high level components and design with a common goal: satisfy all users needs.*

*For 2020 season, Atala proposes a more complete range from eUrban till eEnduro introducing a new family, the eGravel. Alloy is a fast and durable eGravel to travel on and off road. High adaptability, versatility, and ruggedness make it a perfect performer on any sort of terrain and surfaces. The clever Fazua electric system helps to conquer any kind of route.*

*Club is the new eFolding of the Atala 2020 range. Foldable with an aluminum frame, it is designed both for urban commuting and for quick trips out of town. Developed to be compact and light, it is very fast to open and close and easily transportable on public transport.*

*In addition to the Atala and Whistle brands, the Group engineers its own eBikes with the Umberto Dei brand: Audere is the eBike with distinctive, elegant and retro lines that reflect the best of traditions, components and details, but in a modern key. As for the electrical components, Atala makes use of the partnership with the best world producers of electric kits: Bosch, Shimano, Yamaha.*

*From 2017, Atala's Research and Development department, in collaboration with leading electrical kit suppliers, has developed two mid-engine kits, AM 80 and AM 80 Agile and EcoLogic, the hub motor range.*

*"To dare" is therefore the key word for Atala 2019 eBike line up: introducing innovations, breaking the rules while respecting its strong tradition.*

# WE ARE ATALA

## NORMATIVA EUROPEA EUROPEAN REGULATION

La Normativa Europea EN15194 nomina le eBike E.P.A.C, Electrically Power Assisted Cycle. Da tale normativa è extrapolato l'Art. 50 del Codice della Strada che contempla le eBike come velocipedi:

"I velocipedi sono i veicoli con due o più ruote funzionanti a propulsione esclusivamente muscolare, per mezzo di pedali o di analoghi dispositivi, azionati dalle persone che si trovano sul veicolo; sono altresì considerati velocipedi le biciclette a pedalata assistita, dotate di un motore ausiliario elettrico avente potenza nominale continua massima di 0,25 kW cioè 250 W la cui alimentazione è progressivamente ridotta ed infine interrotta quando il veicolo raggiunge i 25 km/h o prima se il ciclista smette di pedalare."

Essendo classificate come velocipedi, le eBike sono utilizzabili senza necessità di immatricolazione, assicurazione, targa, patentino, oltre a poterle utilizzare tranquillamente sulle piste ciclabili

*The European Road Regulation EN15194 establishes that eBikes are called also E.P.A.C, Electrically Power Assisted Cycle:*

*"This European Standard is intended to cover electrically power assisted cycles of a type which have a maximum continuous rated power of 0,25 kW, of which the output is progressively reduced and finally cut off as the vehicle reaches a speed of 25 km/h, or sooner, if the cyclist stops pedalling."*

*As they are bicycles, eBikes can be used without any registration, insurance, licence plate and driving licence and they can be used on bicycle lanes.*

E ENDURO  
E ALL MOUNTAIN  
E TRAIL  
E GRAVEL  
E ROAD  
E TREKKING  
E URBAN

# E ENDURO

Pedalare fino alla cima e attaccare velocemente le discese più tecniche alla massima velocità. Le nostre eEnduro sono costruite per le competizioni, ma grazie alle robuste sospensioni, sono agili e divertenti anche sui sentieri vicino a casa.

*Ride to the top and quickly attack the most technical descents at maximum speed. Our eMtb are built for E-Enduro competitions but thanks to the sturdy suspensions, they are agile and fun even on trails near home. Benefit from a finely balanced system that delivers maximum performance for a sporty riding style.*



# E ALL MOUNTAIN

Rocce, radici, alta quota, flow e risparmio della batteria, divertimento assicurato fino alla fine del percorso.

*Rocks, roots, speed, high altitude, flow and battery saving to get to the end of the trail with fun. delivers maximum performance for a sporty riding style.*



# E TRAIL

Percorsi sterrati, salite da affrontare con agilità, discese impegnative. Le nostre eMtb hardtail e full suspended sono perfette per affrontare ogni tipo di trail.

*Dirt paths, agility climbs, demanding descents. Our hardtail and full suspended eMtb are perfect for all types of trails.*



# E GRAVEL

Scegliere i tuoi itinerari senza doverli pianificare, affrontando sia sentieri off-road sia lunghi tratti di asfalto, è possibile con una gravel eBike. Ideale per viaggi avventurosi e perfettamente performante anche in città, la gravel è agile, affidabile e confortevole.

*With a gravel is possible to choose your own routes without planning them, tackle both off-road trails and long stretches of asphalt. Ideal for adventurous trips and perfectly performing even in the city, the gravel is agile, reliable and comfortable.*



# E ROAD

Le nuovissime eRoad con telaio in alluminio e carbonio hanno kit elettrico Fazua per dominare la strada, per affrontare ripide pendenze con minor sforzo.

*The newest eRoad with carbon and aluminium frame is ePowered by Fazua to conquer the road, to face high slopes with less effort.*



# E TREKKING

Stare a contatto con la natura, esplorare, scoprire, combinando il relax con l'esercizio fisico. Solamente la tua eBike rende ogni viaggio più piacevole.

*Being surrounded by nature, discover, explore, combining relax with exercise. Your eBike makes every journey more pleasant.*



# E URBAN

Spostarsi velocemente in città è sempre più difficile: strade intasate, metro affollatissime, treni in ritardo fanno ormai parte del passato. L'eBike ti permette questo e molto altro, diventando parte integrante della mobilità urbana.


*Moving quickly in the city is more and more difficult: congested streets, stuffy subways, train delays. Not any more. The eBike makes commuting easier, becoming an essential part of urban mobility.*



# E ENDURO

Pedalare fino alla cima e attaccare velocemente le discese più tecniche alla massima velocità. Le nostre eEnduro sono costruite per le competizioni, ma grazie alle robuste sospensioni, sono agili e divertenti anche sui sentieri vicino a casa.

*Ride to the top and quickly attack the most technical descents at maximum speed. Our eMtb are built for E-Enduro competitions but thanks to the sturdy suspensions, they are agile and fun even on trails near home.*





# B-RUSH ENDURO SLS

## I TECHNOLOGIES

Estetica, funzionalità e prestazioni. Massimo controllo in discesa grazie alla geometria raccolta, pedalabilità in salita assicurata dall'assistenza elettrica. Il rocker di fissaggio di tipo Trunnion dell'ammortizzatore consente una migliore sovrapposizione degli steli e l'ottimizzazione dell'idraulica per garantire un grip superiore della ruota posteriore.

*Aesthetics, functionality and performance. Maximum downhill control thanks to the collected geometry, uphill pedaling guaranteed by electrical assistance. The Trunnion-type rocker of the shock absorber allows a better overlapping of the stems and the optimization of the hydraulic system to ensure a superior grip of the rear wheel.*

### GRAVITY REMOVABLE BATTERY



La batteria è facilmente removibile dal basso liberando lo spazio per il portaborraccia. Uno schermo protettivo in polipropilene protegge il telaio da sassi e fango.

*The battery is easily removable from below, freeing up space for the bottle cage. A protective polypropylene screen protects the frame from stones and mud.*

### INTERNAL ROUTING TECHNOLOGY



Tutti i cavi e i fili all'interno del carro posteriore, creando un telaio dall'aspetto pulito e elegante.

*Creates a clean looking bike by routing all cables and wires inside the chain stay.*

### SHOCK SHIELD



Scudo anti urto che protegge l'ammortizzatore, il motore, il telaio e la batteria da acqua, polvere, fango e detriti.

*Shock shield that protects the shock absorber, the engine, the frame and the battery from water, dust, mud and debris.*

### REVERSE SHOCK



Montaggio invertito dell'ammortizzatore con lo scopo di migliorare il bilanciamento dei pesi della bici e garantire una migliore guidabilità.

*Reverse shock absorber with the aim of improving the balance of the bike's weights, guaranteeing a better bike handling.*

SOSPENSIONE A 4 BARRE  
BAR SUSPENSION



INTERFACCIA FORGIATA CON TECNOLOGIA 3D  
GRAVITY CASTING INTEGRATED INTERFACE



PERNO PASSANTE BOOST  
BOOST ETHRUE AXLE



BATTERIA INTEGRATA AL TELAIO  
BATTERY INSIDE THE DOWNTUBE



RUOTE 29"  
29" WHEELS



150MM DI ESCURSIONE  
150MM OF TRAVEL



## 1 FORCELLA FACTORY FOX

Gli steli dorati sono la caratteristica della linea Factory. Dettaglio non solo estetico, ma è un processo di lavorazione che riveste con un film di disolfuro di molibdeno, per ridurre gli attriti, aumentare la scorrevolezza e più resistenza alle abrasioni.

*The golden colored stems are the characteristic of Factory line. It is not solely aesthetic, but represents a manufacturing process that covers the stems with a molybdenum disulfide film, with the aim of reducing friction, increasing smoothness and offering greater resistance to abrasion.*

## 2 RUOTE XT

Canale interno da 30 mm per ospitare coperture di dimensioni maggiorate riducendo le deformazioni della carcassa. Cerchio con offset per garantire il bilanciamento delle forze.

*30 mm internal width to assemble bigger tyres, reducing ply deformations. Offset rim to ensure stress balance. Aim of reducing friction, increasing smoothness and offering greater resistance to abrasion.*

## 3 DROPPER TELESCOPICO RACE FACE

Soluzione economica ma solida. Un sistema di smorzamento sigillato avvolto in alluminio 7075 lo rende leggero e in grado di sopportare i colpi. Passaggio dei cavi interno con il design del telaio.

*A budget friendly but solid option. A sealed damping system wrapped in 7075 aluminium makes for a lightweight dropper that can take the hits. Internal cable routing compatible for modern frame design.*





# B-RUSH

**B-RUSH**

powered by  
**BOSCH**






# E ALL MOUNTAIN

Rocce, radici, alta quota, flow e risparmio della batteria, divertimento assicurato fino alla fine del percorso.

*Rocks, roots, speed, high altitude, flow and battery saving to get to the end of the trail with fun.*



 **BOSCH**  
**SHIMANO**



# B-RUSH ALL SLS

## I TECHNOLOGIES

Salita e discesa allo stesso livello. Il telaio da All Mountain è stato progettato nelle forme e nella geometria per garantire il massimo equilibrio prestazionale, sia nella pedalabilità in salita, sia nella velocità in discesa. Meno estremo dell'enduro, permette di affrontare lunghe salite senza sforzo e discese tecniche in sicurezza.

*Uphill and downhill to the same performance level. The All Mountain frame has been designed in shape and geometry to ensure maximum performance balance, both in uphill pedaling and in downhill speed. Less extreme than enduro, it allows you to tackle long climbs without effort and technical descents in safety.*

### GRAVITY REMOVABLE BATTERY



La batteria è facilmente removibile dal basso liberando lo spazio per il portaborraccia. Uno schermo protettivo in polipropilene protegge il telaio da sassi e fango.

*The battery is easily removable from below, freeing up space for the bottle cage. A protective polypropylene screen protects the frame from stones and mud.*

### INTEGRATED SPEED SENSOR



*Sensore integrato nel carro con magnete sul disco.*

*Sensor integrated in the carriage with magnet on the disc.*

### COOLING DRIVE PACK ARMOR



*Il motore è equipaggiato con una cover protettiva, evitando il declassamento della potenza.*

*The engine is equipped with a protective cover, avoiding power downgrading.*

### RANGE EXTENDER OPTION



Opzione di batteria da 400 Wh in più per aumentare l'autonomia di oltre il 60%.

*Extra range of 400 Wh battery to increase the autonomy by over 60%.*

SOSPENSIONE A 4 BARRE  
BAR SUSPENSIONINTERFACCIA FORGIATA CON TECNOLOGIA 3D  
GRAVITY CASTING INTEGRATED INTERFACEPERNO PASSANTE BOOST  
BOOST ETHRU AXLEBATTERIA INTEGRATA AL TELAIO  
BATTERY INSIDE THE DOWNTUBERUOTE 29/27,5 PLUS  
29/27,5 PLUS WHEELS150MM DI ESCURSIONE  
150MM OF TRAVEL**1 FORCELLA  
35 ROCK SHOX**

Maggior rigidezza e precisione di guida. La molla pneumatica DebonAir™ riduce l'attrito da ogni singola parte in movimento, migliorando l'assorbimento degli urti e la risposta sotto carico e riducendo l'affaticamento del ciclista.

*Added stiffness and steering precision. DebonAir™ air spring reduces friction from every single moving part, improving bump absorption and response under load, and drastically reducing rider fatigue.*

**2 RUOTE XT**

La pinza a 4 pistoni garantisce maggiore superficie di contatto, mantenendo compatte le dimensioni. Aumento del 50% della potenza frenante e della modularità.

*The 4-piston brake ensures greater contact surface, while maintaining compact dimensions. 50% braking power and scalability increased.*

**3 REAR SHOCK FOX VAN PERFORMANCE**

Grazie alle regolazioni del precarico in compressione, ritorno e molla elicoidale, può essere impostato in tempo reale per il percorso, per spingere al limite con la massima sicurezza, indipendentemente dal terreno.

*Featuring compression, rebound and coil spring preload adjustments, you can set it for the route at hand, letting you push every ride to the limit with the utmost confidence, no matter the terrain.*

**WHISTLE**

# B-RUSH ALL SLS

 **BOSCH**

⚙ PERFORMANCE CX CRUISE

⚡ POWERTUBE 625

◻ PURION

⌚ 12 S



**FRAME** Alu, 29", hydroformed, integrated battery, tapered, Rear travel 150 mm, 12x148 mm, Gravity casting interface

**FORK** Rock Shox 35 Gold RL, 150 mm, Maxle Lite 15x110 mm, DebonAir, Motion Control, Tapered, Lockout

**REAR SHOCK** Fox Van Performance, 205x65 mm

**HEADSET** FSA No.57E tapered 1"1/2

**CRANKSET** FSA, Miche 34T

**REAR DERAILLEUR** Shimano XT RD-M8100 SGS, Shadow Plus

**SHIFTERS LEVERS** Shimano SLX SL-M7100 Rapidfire-Plus, 12s

**BRAKES** Shimano BR-MT520, Four piston, Rotor SM-RT30 203 mm/203 mm

**CASSETTE** Shimano CS-M7100 12s 10/51

**PEDALS** Alu MTB Full

**WHEELS** Shimano XT WH-MT620

**STEM** Alu Oversize, 35 mm, Bar bore 31,8 mm

**HANDLEBAR** Rise Alu Oversize, 780 mm

**SEATPOST** KindShock E20i, 31,6 mm, remote

**SADDLE** Fizik Taiga

**TYRES** Schwalbe Hans Dampf, 29"x2,4"

**MOTOR** Performance CX 36 V, 250 W

**MAX TORQUE** 75 Nm

**SENSOR TYPE** Torque

**BATTERY** Powertube 625 Horizontal, frametype, weight 3,5 kg

**CHARGER TYPE** 4 A

**CHARGE TIME** Up to 5 hours

**MAX ASSISTED SPEED** 25 km/h

**DISPLAY** PURION

**POWER** Eco: 60 %

Tour: 140 %

EMTB: 140 / 340 %

Turbo: 340 %

**BLACK/ANTHR./GREEN MATT**

16" - 40 cm 0116821300

17" - 43 cm 0116821310

18" - 46 cm 0116821320

€ 5.099,00

**WHISTLE**

# B-RUSH ALL SL

**BOSCH**

- PERFORMANCE CX CRUISE
- POWERTUBE 625
- PURION
- 12 S



**FRAME** Alu, 29", hydroformed, integrated battery, tapered, Rear travel 150 mm, 12x148 mm, Gravity casting interface

**FORK** Rock Shox Recon RL, 150 mm, Maxle Lite 15x110 mm, SoloAir, Motion Control, Tapered, Lockout

**REAR SHOCK** Rock Shox Deluxe Select R, Debonair, 205x65 mm

**HEADSET** FSA No.57E tapered 1"1/2

**CRANKSET** FSA, Miche 34T

**REAR DERAILLEUR** Shimano SLX RD-M7100 SGS, Shadow Plus

**SHIFTERS LEVERS** Shimano SLX SL-M7100 Rapidfire-Plus, 12s

**BRAKES** Tektro HD-M745, Four piston, Rotor 203 mm/203 mm

**CASSETTE** Shimano CS-M7100 12s 10/51

**PEDALS** Alu MTB Full

**WHEELS** Shimano XT WH-MT501

**STEM** Alu Oversize, 35 mm, Bar bore 31,8 mm

**HANDLEBAR** Rise Alu Oversize, 780 mm

**SEATPOST** KinkShock E20i, 31,6 mm, remote

**SADDLE** Fizik Taiga

**TYRES** Continental Trail King II, 29x2,4

**MOTOR** Performance CX 36 V, 250 W

**MAX TORQUE** 75 Nm

**SENSOR TYPE** Torque

**BATTERY** Powertube 625 Horizontal, frametype, weight 3,5 kg

**CHARGER TYPE** 4 A

**CHARGE TIME** Up to 5 hours

**MAX ASSISTED SPEED** 25 km/h

**DISPLAY** PURION

**POWER** Eco: 60 %

Tour: 140 %

EMTB: 140 / 340 %

Turbo: 340 %

**ORANGE/BLACK/WHITE MATT**

16" - 40 cm 0116821500

17" - 43 cm 0116821510

18" - 46 cm 0116821520

€ 4.699,00

E ALL MOUNTAIN





# WHISTLE SHOW

SHIMANO

- STEPS E8000
- SNAKE 500
- SC-E8000
- 11 S



**FRAME** Alu 27,5"+, hydroformed, Integrated battery, tapered, Rear travel 140 mm, 12x148 mm, Gravity casting interface

**FORK** Fox 34 Float Rhythm, 140 mm, 15x110 mm, Air, Tapered, Lockout

**REAR SHOCK** Fox Float DPS Performance EVOL, 210x55 mm

**HEADSET** FSA No.57E tapered 1"1/2

**CRANKSET** Shimano FC-E8000, 34T

**REAR DERAILLEUR** Shimano XT RD-M8000 GS, Shadow Plus

**SHIFTERS LEVERS** Shimano SLX SL-M7000 Rapidfire-Plus, 11s

**BRAKES** Shimano Deore BR-M6000, Rotor SM-RT64 203 mm/203 mm

**CASSETTE** Shimano CS-M7000 11s 11/46

**PEDALS** Alu MTB Full

**HUBS** Shimano Alivio MT400, 15x110 mm/12x148 mm, CL, 32h

**RIMS** Rodi Tryp35, 27,5", 32h, eBike ready

**STEM** Kyte Alu Oversize, 35 mm, Bar bore 31,8 mm

**HANDLEBAR** Kye Rise Alu Oversize, 780

**SEATPOST** KindShock E20i, 31,6 mm, remote

**SADDLE** Selle Royal Verve

**TYRES** Schwalbe Smart Sam 27,5"x2,60"

**MOTOR** E8000, 36 V, 250 W

**MAX TORQUE** 70 Nm

**SENSOR TYPE** Torque

**BATTERY** Simplio 500 Wh, in-type

**CHARGER TYPE** 4 A

**CHARGE TIME** Up to 5 hours

**MAX ASSISTED SPEED** 25 km/h

**DISPLAY** SC-E8000

**POWER** Eco: 70 %

Trail: 180 %

Boost: 300 %

**YELLOW/BLACK**

16,5" - 42 cm 0116804500

18" - 46 cm 0116804510

20" - 50 cm 0116804520

**NEW PRICE**

€ 4.199,00



**Atala****B-XGR8 S LTD GEN2**

**BOSCH**  
 ⚡ PERFORMANCE CX CRUISE GEN2  
 ⚡ POWERPACK 500  
 ⚡ PURION  
 ⚡ 9S




---

**FRAME** Alu 27,5"+, hydroformed, tapered, Rear travel 140 mm, 12x148 mm, Gravity casting interface

**FORK** Suntour XCM34-Coil, 130 mm, 15x110 mm, Tapered, Lockout

**REAR SHOCK** Suntour Raidon R, 190x50 mm

**HEADSET** FSA No.57B tapered 1"1/2

**CRANKSET** FSA Dyna Drive, 14T

**REAR DERAILLEUR** Shimano Alivio RD-M4000 SGS, Shadow

**SHIFTERS LEVERS** Shimano Altus SL-M2000 Rapidfire Plus, 9s

**BRAKES** Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm

**CASSETTE** Shimano CS-HG200 9s 11/36

**PEDALS** Alu MTB

**HUBS** Shimano Alivio MT400, 15x110 mm/12x148 mm, CL, 32h

**RIMS** Rodi Tryp25, 27,5", 32h, eBike ready

**STEM** Kyte Alu Oversize, 35 mm

**HANDLEBAR** Byte Alu Low Rise Oversize, 720 mm

**SEATPOST** Byte Alu 31,6 mm

**SADDLE** Selle Royal Sauris

**TYRES** Vittoria Barzo 27,5"x2,6"

---

**MOTOR** Performance CX 36 V, 250 W

**MAX TORQUE** 75 Nm

**SENSOR TYPE** Torque

**BATTERY** Powerpack 500, frametype,  
weight 2,6 kg

**CHARGER TYPE** 2 A

**CHARGE TIME** Up to 7,5 hours

**MAX ASSISTED SPEED** 25 km/h

**DISPLAY** PURION

**POWER** Eco: 50 %

Tour: 120 %

EMTB: 120 / 300 %

Turbo: 300 %

---

**BLACK/NEON ORANGE MATT**

16" - 41 cm 0115270050

17,5" - 44 cm 0115270060

19" - 49 cm 0115270070

**NEW PRICE**

€ 2.749,00

**WHISTLE**

# B-RUSH PLUS LTD GEN2

**BOSCH**

- ⚙ PERFORMANCE CX CRUISE GEN2
- ⚡ POWERPACK 400
- ☐ PURION
- ⌚ 9 S



**FRAME** Alu 27,5"+, hydroformed, tapered, Rear travel 140 mm, 12x148 mm, Gravity casting interface

**FORK** Suntour XCR34 LOR, 130 mm, 15x110 mm, Tapered, Lockout

**REAR SHOCK** Rock Shox Monarch R, 190x51 mm

**HEADSET** FSA No.57E tapered 1"1/2

**CRANKSET** FSA Dyna Drive, 14T

**REAR DERAILLEUR** Shimano Alivio RD-M4000 SGS, Shadow

**SHIFTERS LEVERS** Shimano Altus SL-M2000 Rapidfire Plus, 9s

**BRAKES** Shimano BR-M315, Rotor SM-RT10 180 mm/180 mm

**CASSETTE** Shimano CS-HG200 9s 11/36

**PEDALS** Alu MTB Full

**HUBS** Shimano Deore HB-M6010, 15x110 mm/12x148 mm, CL, 32h

**RIMS** Ambrosio Kono40, 27,5", 32h, E-Bike ready

**STEM** Kyte Alu Oversize, 35 mm

**HANDLEBAR** Kyte Rise Alu Oversize, 780 - 800 mm

**SEATPOST** Kyte Alu 31,6 mm

**SADDLE** Selle Royal Sauris

**TYRES** Schwalbe Rocket Ron 27,5"x2,80"

**MOTOR** Performance CX 36 V, 250 W

**MAX TORQUE** 75 Nm

**SENSOR TYPE** Torque

**BATTERY** Powerpack 400, frametype,  
weight 2,5 kg

**CHARGER TYPE** 4 A

**CHARGE TIME** Up to 3,5 hours

**MAX ASSISTED SPEED** 25 km/h

**DISPLAY** PURION

**POWER** Eco: 50 %

Tour: 120 %

SPORT: 210 %

Turbo: 300 %

**ULTRALIGHT/BLUE/GREEN MATT**

16" - 41 cm 0116788000

17,5" - 44 cm 0116788010

19" - 49 cm 0116788020

**NEW PRICE**

€ 2.599,00

**Atala**  
**B-XGR8 E12**

**BOSCH**  
 ⚡ PERFORMANCE CX CRUISE GEN2  
 ⚡ POWERPACK 400  
 🔑 PURION



**FRAME** Alu 27,5"+, hydroformed, tapered, Rear travel 140 mm, 12x148 mm, Gravity casting interface

**FORK** Suntour XCR32 RL-Coil, 120 mm, Tapered, Lockout

**REAR SHOCK** Suntour Raidon R, 190x50 mm

**HEADSET** FSA No.57B tapered 1"1/2

**CRANKSET** FSA Dyna Drive, 14T

**REAR DERAILLEUR** Shimano Alivio RD-M4000 SGS, Shadow

**SHIFTERS LEVERS** Shimano Altus SL-M2000 Rapidfire Plus, 9s

**BRAKES** Shimano BR-M315, Rotor SM-RT10 180 mm/180 mm

**CASSETTE** Shimano CS-HG200 9s 11/36

**PEDALS** Alu MTB Full

**HUBS** Shimano TX505 F, Deore HB-M6010, 12x148 mm R, CL, 32h

**RIMS** Ambrosio Sport, 27,5", 32h, E-Bike ready

**STEM** Kyte Alu Oversize, 35 mm

**HANDLEBAR** Byte Alu Low Rise Oversize, 720 mm

**SEATPOST** Byte Alu 31,6 mm

**SADDLE** Selle Royal Sauris

**TYRES** Schwalbe Smart Sam 27,5"x2,60"

**MOTOR** Performance CX 36 V, 250 W

**MAX TORQUE** 75 Nm

**SENSOR TYPE** Torque

**BATTERY** Powerpack 400, frametype,  
weight 2,5 kg

**CHARGER TYPE** 2 A

**CHARGE TIME** Up to 6,5 hours

**MAX ASSISTED SPEED** 25 km/h

**DISPLAY** PURION

**POWER** Eco: 50 %

Tour: 120 %

EMTB: 120 / 300 %

Turbo: 300 %

**ANTHRACITE/NEON YELLOW MATT**

16" - 41 cm 0115256200

17,5" - 44 cm 0115256210

19" - 49 cm 0115256220

**NEW PRICE**


€ 2.499,00



# |E TRAIL

Percorsi sterrati, salite da affrontare con agilità, discese impegnative. Le nostre eMtb hardtail sono perfette per affrontare ogni tipo di trail.

*Dirt paths, agility climbs, demanding descents. Our hardtail eMtbs are perfect for all types of trails.*



 FAZUA  
 BOSCH  
 YAMAHA  
 SHIMANO

# FLAME

## I TECHNOLOGIES

Il telaio perfetto per il cross country veloce. Geometria del telaio sviluppata per una perfetta stabilità, studiata per mantenere il busto disteso, migliorare la spinta sui pedali e l'efficienza aerodinamica.

*The perfect frame for fast cross country. Geometry developed to improve stability, designed to keep the torso relaxed, to improve the power on pedals and aerodynamic efficiency.*

### CARBON MONOCOQUE FRAME



I componenti grandi del telaio (come il triangolo anteriore) sono formati da un unico pezzo integrale. Questa struttura unificata distribuisce lo stress dinamico su una porzione più ampia della monoscocca. Sottoposto a stress minori a parità di rigidità, il telaio è più leggero.

*Large components of the frame (like the front triangle) are formed as a single integral piece, this unified structure distributes dynamic stress over a wider portion of the monocoque. Subjected to minor stresses with the same rigidity, the frame is lighter.*

### INTERNAL ROUTING TECHNOLOGY



Tutti i cavi e i fili all'interno del carro posteriore, creando un telaio dall'aspetto pulito e elegante.

*Creates a clean looking bike by routing all cables and wires inside the chain stay.*

### COOLING DRIVE PACK ARMOR



Il motore è equipaggiato con una cover protettiva, evitando il declassamento della potenza.

*The engine is equipped with a protective cover, avoiding power downgrading.*

### GRAVITY REMOVABLE BATTERY



La batteria è facilmente removibile dal basso liberando lo spazio per il portaborraccia. Uno schermo protettivo in polipropilene protegge il telaio da sassi e fango.

*The battery is easily removable from below, freeing up space for the bottle cage. A protective polypropylene screen protects the frame from stones and mud.*

CARBONIO MONOSCOPA  
MONOCOQUE CARBON



ATTACCO PINZA POST MOUNT  
POST MOUNT BRAKE BRACKET



PASSAGGIO CAVI INTERNO  
INTERNAL CABLE ROUTING



BATTERIA INTEGRATA AL TELAIO  
BATTERY INSIDE THE DOWNTUBE



RUOTE 29  
29 WHEELS



PERNO PASSANTE BOOST  
BOOST ETHRAX AXLE



## 1 FORK FOX 32 STEP CAST PERFORMANCE

Ottimizzata per 100 mm di corsa, il design del braccio inferiore Step-Cast e la distanza ridotta della piastra ne riduce il peso, mentre i tubi superiori da 32 mm mantengono la qualità di guida di FOX. È la forcella cross-country più leggera di sempre.

*Optimized for 100 mm of travel, the Step-Cast lower leg design and narrow crown spacing save weight while the 32 mm upper tubes maintain FOX ride quality. The fork is our lightest cross-country fork ever.*

## 2 SHIMANO XT 8100 GROUP SET

Gruppo di alta gamma, dotato di sistema di trasmissione avanzato HYPERGLIDE+ per continuare a pedalare mentre si esegue la cambiata e con un accesso alla leva più rapido per migliorare la concentrazione.

*High-end groupset by Shimano, equipped by HYPERGLIDE+ transmission system to continue pedalling during shifting and with quicker shifter operation to improve focus on the track.*

## 3 BLACK CHILI COMPOUND TYRES

La mescola BlackChili consente prestazioni veramente straordinarie. I pneumatici hanno il 26% di resistenza al rotolamento in meno, una presa maggiore del 30% e un aumento del 5% del chilometraggio.

*This compound is based on the latest findings on polymer and other raw material research. BlackChili tyres have 26% less rolling resistance, a 30% higher friction value (grip) and a 5% increase in mileage.*



# WHISTLE FLAME

FAZUA

E VATION 1.0

E VATION 255 WH

LED

29 12 S



E TRAIL

**FRAME** Carbon monocoque, Post mount disc brake bracket, tapered, 12x148 mm

**FORK** Fox 32 Step Cast Performance, 120 mm, Grip, 15x110 mm, Air, Tapered, 3Pos-Adj, Lockout

**HEADSET** FSA No.57E tapered 1"1/2

**CRANKSET** FSA, Miche 34T

**REAR DERAILLEUR** Shimano XT RD-M8100 SGS, Shadow Plus

**SHIFTERS LEVERS** Shimano XT SL-M8100 Rapidfire-Plus, 12s

**BRAKES** Shimano XT BR-M8100, Rotor SM-MT800 180 mm/180 mm

**CASSETTE** Shimano CS-M8100 12s 10/51

**WHEELS** Shimano XT WH-MT620

**STEM** Race Face Ride, Bar bore 35 mm

**HANDLEBAR** Race Face Ride, 760 mm

**SEATPOST** Race Face Ride, 30,9 mm x 400 mm

**SADDLE** Selle Royal Rampage

**TYRES** Continental Race King, Black Chili Compound, 29"x2,2"

**MOTOR** Fazua 36V, 250W

**MAX TORQUE** 60 Nm

**SENSOR TYPE** Torque

**BATTERY** Fazua Evation 255 Wh, weight 1,38 kg

**CHARGER TYPE** 2 A

**CHARGE TIME** Up to 4 hours

**MAX ASSISTED SPEED** 25 km/h

**DISPLAY LED**

**POWER** Breeze: 75 %

River: 150 %

Rocket: 240 %

**BLACK GLOSS/BLACK MATT**

**16,5" - 42 cm** 0116822200

**18" - 46 cm** 0116822210

**20" - 50 cm** 0116822220

€ 5.199,00

# B-RACE S

## I TECHNOLOGIES

Derivato direttamente dal bi-ammortizzato, il telaio hardtail utilizza la stessa tecnologia per integrare la batteria, riducendo le dimensioni dell'apertura per massimizzare la rigidità e spostando il tasto di accensione del sistema sul tubo orizzontale, per maggiore comodità. La presa di collegamento del caricabatterie è stata posizionata direttamente sull'interfaccia motore.

*Directly derived from the full suspended, the hardtail frame uses the same technology to integrate the battery into the diagonal tube, reducing the size of the opening to maximize stiffness and moving the power button on the top tube for maximum comfort. The charger connection socket has been positioned directly on the engine interface.*

### NEW FORGED INTERFACE



La nuova interfaccia forgiata garantisce maggior rigidità per un trasferimento della potenza più efficiente.

*The new forged interface guarantees greater rigidity for more efficient power transfer.*

### POWERTUBE 600WH READY



Compatibile con portfolio batterie integrate Bosch.

*Compatible with Bosch integrated battery portfolio.*

### SEAT TUBE CHARGE PORT



Ottimizzazione della geometria per una pedalata più efficace, accorciando l'orizzontale virtuale, spostando la presa di ricarica della batteria integrata sul tubo sella.

*Geometry optimization for a more effective pedaling, shortening the virtual horizontal and moving the integrated battery charge port on the seat tube.*

### COOLING DRIVE PACK ARMOR



Il motore è equipaggiato con una cover protettiva, evitando il declassamento della potenza.

*The engine is equipped with a protective cover, avoiding power downgrading.*

BATTERIA INTEGRATA AL TELAIO  
BATTERY INSIDE THE DOWNTUBE



RUOTE 29/27,5 PLUS  
29/27.5 PLUS WHEELS



INTERFACCIA FORGIATA  
FORGED INTERFACE



## 1 SRAM SX EAGLE

Il nuovo deragliatore SX Eagle è equipaggiato dalla tecnologia SRAM 1x X-HORIZON e facilita il passaggio tra i pignoni sulla cassetta 11-50, garantendo performance silenziose, consistenti e durevoli nel tempo.

*The new SX Eagle derailleur features the proven SRAM 1x-specific X-HORIZON™ design and easily facilitates 11- to 50-tooth cassette capacity, providing quiet, consistent performance and durability.*

## 2 TEKTRO FOUR PISTON

La miglior superficie della pastiglia garantisce non solo una potenza frenante maggiore ma anche una migliore modulabilità.

*Bigger braking pads equals to a high braking performance as well as an improved braking force modulable.*

## 3 RACING GEOMETRY

Spinotto di ricarica posizionato sul tubo sella al fine di garantire una minor lunghezza del tubo orizzontale per una bici più reattiva nei tratti più tecnici.

*Charging plug positioned on the seat tube in order to guarantee a shorter length of the horizontal tube for a more reactive bike in technical sections.*

WHISTLE

# B-RACE SL

BOSCH

⚙ PERFORMANCE CX CRUISE  
⚡ POWERTUBE 625  
▢ PURION  
⌚ 12 S



**FRAME** Alu 29", hydroformed, integrated battery, tapered, Internal routing, Forged interface

**FORK** Suntour XCR32, 120 mm, 15x110 mm, Coil, Tapered, Lockout

**HEADSET** FSA No.57B tapered 1"1/2

**CRANKSET** FSA Miche 34T

**REAR DERAILLEUR** Shimano XT RD-M8100 SGS, Shadow Plus

**SHIFTERS LEVERS** Shimano SLX SL-M7100 Rapidfire-Plus, 12s

**BRAKES** Shimano SLX BR-M7120, Four piston, Rotor SM-RT64 203 mm/180 mm

**CASSETTE** Shimano CS-M7100 12s 10/51

**PEDALS** Alu MTB

**HUBS** Shimano Alivio MT400, 15x110 mm/MT500, 12x148 mm, CL, 32h

**RIMS** Rodi Blackrock23, 23x622, 32h, eBike ready

**STEM** Alu, Bar bore 31,8 mm

**HANDLEBAR** Alu Low Rise, 720 mm

**SEATPOST** Alu 31,6 mm

**SADDLE** Selle Royal Sauris

**TYRES** F: Schwalbe Tough Tom, R: Schwalbe Rapid Rob, 29"x2,25"

**MOTOR** Performance CX 36 V, 250 W

**MAX TORQUE** 75 Nm

**SENSOR TYPE** Torque

**BATTERY** Powertube 625 Horizontal, frametype, weight 3,5 kg

**CHARGER TYPE** 2 A

**CHARGE TIME** Up to 9 hours

**MAX ASSISTED SPEED** 25 km/h

**DISPLAY** PURION

**POWER** Eco: 60 %

Tour: 140 %

EMTB: 140 / 340 %

Turbo: 340 %

**ANTHR/WHITE/BLACK MATT**

16" - 40 cm 0116822300

18" - 46 cm 0116822310

20" - 50 cm 0116822320

€ 3.499,00

# WHISTLE B-RACE S

 **BOSCH**  
⚙ PERFORMANCE CX CRUISE  
⚡ POWERTUBE 625  
◻ PURION  
⌚ 12 S



E TRAIL

---

**FRAME** Alu 29", hydroformed, integrated battery, tapered, Internal routing,  
Forged interface

**FORK** Suntour XCM LO, 100 mm, Coil, Lockout

**HEADSET** FSA No.57BP ZS-1 for 1"1/8 steerer

**CRANKSET** FSA Miche 34T

**REAR DERAILLEUR** Sram SX Eagle

**SHIFTERS LEVERS** Sram SX Eagle Single Click Trigger, 12s

**BRAKES** Tektro HD-M745, Four piston, Rotor 203 mm/180 mm

**CASSETTE** Sram PG1210 Eagle 12s, 11/50

**PEDALS** Alu MTB

**HUBS** Shimano M475, INT, 32h

**RIMS** Rodi Blackrock23, 23x622, 32h, eBike ready

**STEM** Alu, Bar bore 31,8 mm

**HANDLEBAR** Alu Low Rise, 720 mm

**SEATPOST** Alu 31,6 mm

**SADDLE** Selle Royal Sauris

**TYRES** F: Schwalbe Tough Tom, R: Schwalbe Rapid Rob, 29"x2,25"

---

**MOTOR** Performance CX 36 V, 250 W

**MAX TORQUE** 75 Nm

**SENSOR TYPE** Torque

**BATTERY** Powertube 625 Horizontal, frametype,  
weight 3,5 kg

**CHARGER TYPE** 2 A

**CHARGE TIME** Up to 9 hours

**MAX ASSISTED SPEED** 25 km/h

**DISPLAY** PURION

**POWER** Eco: 60 %

Tour: 140 %

EMTB: 140 / 340 %

Turbo: 340 %

---

**BLACK/WHITE/RED MATT**

16" - 40 cm 0116822400

18" - 46 cm 0116822410

20" - 50 cm 0116822420

---

€ 3.099,00

WHISTLE

# B-RACE 600

 **BOSCH**

- ⚙ PERFORMANCE CX CRUISE
- ⚡ POWERTUBE 625
- ◻ PURION
- 29 9 S



**FRAME** Alu 29", hydroformed, integrated battery, tapered, Internal routing,  
Forged interface

**FORK** Suntour XCM, 100 mm, Coil

**HEADSET** FSA No.57BP ZS-1 for 1"1/8 steerer

**CRANKSET** FSA, Miche 34T

**REAR DERAILLEUR** Shimano Altus RD-M2000 SGS, Shadow

**SHIFTERS LEVERS** Shimano Altus SL-M2010 Rapidfire, 9s

**BRAKES** Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm

**CASSETTE** Shimano CS-HG200 9s 11/36

**PEDALS** Alu MTB

**HUBS** Shimano TX505, CL, 32h

**RIMS** Rodi Blackrock23, 23x622, 32h, eBike ready

**STEM** Alu, Bar bore 31,8 mm

**HANDLEBAR** Alu Low Rise, 720 mm

**SEATPOST** Alu 31,6 mm

**SADDLE** Selle Royal Sauris

**TYRES** F: Schwalbe Tough Tom, R: Schwalbe Rapid Rob, 29"x2,25"

**MOTOR** Performance CX 36 V, 250 W

**MAX TORQUE** 75 Nm

**SENSOR TYPE** Torque

**BATTERY** Powertube 625 Horizontal, frametype,  
weight 3,5 kg

**CHARGER TYPE** 2 A

**CHARGE TIME** Up to 9 hours

**MAX ASSISTED SPEED** 25 km/h

**DISPLAY** PURION

**POWER** Eco: 60 %

Tour: 140 %

EMTB: 140 / 340 %

Turbo: 340 %

**ANTHR./WHITE/BLACK MATT**

16" - 40 cm 0116822450

18" - 46 cm 0116822460

20" - 50 cm 0116822470

€ 2.899,00

**Atala**

# B-CROSS

 BOSCH

⚙ PERFORMANCE CX CRUISE

⚡ POWERPACK 500

▢ PURION

27.5" 9 S



E TRAIL

**FRAME** Alu 27,5"+, hydroformed, integrated battery, tapered, Internal routing,  
Forged interface**FORK** Suntour XCM, 100 mm, Coil**HEADSET** FSA No.57BP ZS-1 for 1"1/8 steerer**CRANKSET** FSA Miche 34T**REAR DERAILLEUR** Shimano Altus RD-M2000 SGS, Shadow**SHIFTERS LEVERS** Shimano Altus SL-M2010 Rapidfire, 9s**BRAKES** Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm**CASSETTE** Shimano CS-HG200 9s 11/36**PEDALS** Alu MTB**HUBS** Shimano TX505, CL, 32h**RIMS** Rodi Blackrock23, 23x584, 32h, eBike ready**STEM** Alu, Bar bore 31,8 mm**HANDLEBAR** Alu Low Rise, 720 mm**SEATPOST** Alu 31,6 mm**SADDLE** Selle Royal Sauris**TYRES** Schwalbe Smart Sam 27,5"x2,6"**MOTOR** Performance CX 36 V, 250 W**MAX TORQUE** 75 Nm**SENSOR TYPE** Torque**BATTERY** Powertube 500 Horizontal, frametype,  
weight 2,9 kg**CHARGER TYPE** 2 A**CHARGE TIME** Up to 7,5 hours**MAX ASSISTED SPEED** 25 km/h**DISPLAY** PURION**POWER** Eco: 60 %

Tour: 140 %

EMTB: 140 / 340 %

Turbo: 340 %

**ULTRALIGHT/ANTHR./BLACK**

16" - 40 cm 0115286100

18" - 46 cm 0115286110

20" - 50 cm 0115286120

€ 2.699,00

**WHISTLE**

# B-RACE CX 500

**BOSCH**

⚛ PERFORMANCE CX CRUISE  
 ⚡ POWERPACK 500  
 ☐ PURION  
 29 9 S



FRAME Alu 29", hydroformed, custom tubing, Internal Routing, Forged interface

FORK Suntour XCM, 100 mm, Coil

HEADSET FSA No.57BP ZS-1 for 1"1/8 steerer

CRANKSET FSA, Miche 34T

REAR DERAILLEUR Shimano Altus RD-M2000 SGS, Shadow

SHIFTERS LEVERS Shimano Altus SL-M2010 Rapidfire, 9s

BRAKES Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm

CASSETTE Shimano CS-HG200 9s 11/36

PEDALS Alu MTB

HUBS Shimano TX505, CL, 32h

RIMS Rodi Blackrock23, 23x622, 32h, eBike ready

STEM Alu, Bar bore 31,8 mm

HANDLEBAR Alu Low Rise, 720 mm

SEATPOST Alu 31,6 mm

SADDLE Selle Royal Sauris

TYRES F: Schwalbe Tough Tom, R: Schwalbe Rapid Rob, 29"x2,25"

MOTOR Performance CX 36 V, 250 W

MAX TORQUE 75 Nm

SENSOR TYPE Torque

BATTERY Powerpack 500, frametype,  
weight 2,6 kg

CHARGER TYPE 2 A

CHARGE TIME Up to 7,5 hours

MAX ASSISTED SPEED 25 km/h

DISPLAY PURION

POWER Eco: 60 %

Tour: 140 %

EMTB: 140 / 340 %

Turbo: 340 %

ANTHR./BLACK/GREEN MATT	ORANGE/BLACK/WHITE MATT
16" - 40 cm 0116822500	16" - 40 cm 0116822503
18" - 46 cm 0116822510	18" - 46 cm 0116822513
20" - 50 cm 0116822520	20" - 50 cm 0116822523

€ 2.399,00

**Atala**

# B-CROSS CX 500

 **BOSCH**  
 ⚙ PERFORMANCE CX CRUISE  
 ⚡ POWERPACK 500  
 ☐ PURION  
 ⚡ 9 S



FRAME	Alu 27,5"+, hydroformed, custom tubing, Internal Routing, Forged interface
FORK	Suntour XCM, 100 mm, Coil
HEADSET	FSA No.57BP ZS-1 for 1"1/8 steerer
CRANKSET	FSA Miche 34T
REAR DERAILLEUR	Shimano Altus RD-M2000 SGS, Shadow
SHIFTERS LEVERS	Shimano Altus SL-M2010 Rapidfire, 9s
BRAKES	Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm
CASSETTE	Shimano CS-HG200 9s 11/36
PEDALS	Alu MTB
HUBS	Shimano TX505, CL, 32h
RIMS	Rodi Blackrock23, 23x584, 32h, eBike ready
STEM	Alu, Bar bore 31,8 mm
HANDLEBAR	Alu Low Rise, 720 mm
SEATPOST	Alu 31,6 mm
SADDLE	Selle Royal Sauris
TYRES	Continental Mountain King 27,5"x2,4"

MOTOR	Performance CX 36 V, 250 W
MAX TORQUE	75 Nm
SENSOR TYPE	Torque
BATTERY	Powerpack 500, frametype, weight 2,6 kg
CHARGER TYPE	2 A
CHARGE TIME	Up to 7,5 hours
MAX ASSISTED SPEED	25 km/h
DISPLAY	PURION
POWER	Eco: 60 % Tour: 140 % EMTB: 140 / 340 % Turbo: 340 %

ULTRALIGHT/RED/BLACK	BLACK/NEON GREEN/WHITE MATT
16" - 40 cm 0115286200	16" - 40 cm 0115286203
18" - 46 cm 0115286210	18" - 46 cm 0115286213
20" - 50 cm 0115286220	20" - 50 cm 0115286223

€ 2.399,00

E TRAIL

**WHISTLE**  
**YONDER**

 YAMAHA

- PW-X
- 500 WH
- DISPLAY A
- 29 S



**FRAME** Alu 29", hydroformed, custom tubing, Internal Routing, Forged interface

**FORK** Suntour XCM, 100 mm, Coil

**HEADSET** FSA No.57BP ZS-1 for 1"1/8 steerer

**CRANKSET** FSA, Miche 34T

**REAR DERAILLEUR** Shimano Altus RD-M2000 SGS, Shadow

**SHIFTERS LEVERS** Shimano Altus SL-M2010 Rapidfire, 9s

**BRAKES** Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm

**CASSETTE** Shimano CS-HG200 9s 11/36

**PEDALS** Alu MTB

**HUBS** Shimano TX505, CL, 32h

**RIMS** Rodi Blackrock23, 23x622, 32h, eBike ready

**STEM** Alu, Bar bore 31,8 mm

**HANDLEBAR** Alu Low Rise, 720 mm

**SEATPOST** Alu 31,6 mm

**SADDLE** Selle Royal Sauris

**TYRES** Schwalbe Smart Sam 29"x2,25"

**MOTOR** PW-ST, 36 V, 250 W

**MAX TORQUE** 70 Nm, 80 Nm peak

**SENSOR TYPE** Torque

**BATTERY** Yamaha 500 Wh, frametype, weight 3,0 kg

**CHARGER TYPE** 4 A

**CHARGE TIME** Up to 4 hours

**MAX ASSISTED SPEED** 25 km/h

**DISPLAY** Simple meter

**POWER** Eco: 60 %

Tour: 140 %

EMTB: 140 / 340 %

Turbo: 340 %

**BLACK/RED/WHITE MATT**

16" - 40,5 cm 0116822600

18" - 46 cm 0116822610

20" - 51,5 cm 0116822620

€ 2.299,00

**Atala**

# B-CROSS CX 400

 **BOSCH**  
⚙ PERFORMANCE CX CRUISE  
⚡ POWERPACK 400  
▢ PURION  
 

E TRAIL



---

**FRAME** Alu 27,5"+, hydroformed, custom tubing, Internal Routing, Forged interface**FORK** Suntour XCM, 100 mm, Coil**HEADSET** FSA No.57BP ZS-1 for 1"1/8 steerer**CRANKSET** FSA, Miche 34T**REAR DERAILLEUR** Shimano Altus RD-M2000 SGS, Shadow**SHIFTERS LEVERS** Shimano Altus SL-M2010 Rapidfire, 9s**BRAKES** Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm**CASSETTE** Shimano CS-HG200 9s 11/36**PEDALS** Alu MTB**HUBS** Shimano TX505, CL, 32h**RIMS** Rodi Blackrock23, 23x584, 32h, eBike ready**STEM** Alu, Bar bore 31,8 mm**HANDLEBAR** Alu Low Rise, 720 mm**SEATPOST** Alu 31,6 mm**SADDLE** Selle Royal Sauris**TYRES** Continental Mountain King 27,5"x2,4"

---

**MOTOR** Performance CX 36 V, 250 W**MAX TORQUE** 75 Nm**SENSOR TYPE** Torque**BATTERY** Powerpack 400, frametype, weight  
2,5 kg**CHARGER TYPE** 2 A**CHARGE TIME** Up to 6,5 hours**MAX ASSISTED SPEED** 25 km/h**DISPLAY** PURION**POWER** Eco: 60 %

Tour: 140 %

EMTB: 140 / 340 %

Turbo: 340 %

---

**BLACK/NEON GREEN/WHITE MATT**

16" - 40 cm 0115286300 16" - 40 cm 0115286303

18" - 46 cm 0115286310 18" - 46 cm 0115286313

20" - 50 cm 0115286320 20" - 50 cm 0115286323

---

€ 2.099,00

Atala

# YOUTH 400

 YAMAHA

PW-X  
400 WH  
DISPLAY A  
ZP 9 S



**FRAME** Alu 27,5"+, hydroformed, custom tubing, Internal Routing, Forged interface

**FORK** Suntour XCM, 100 mm, Coil

**HEADSET** FSA No.57BP ZS-1 for 1"1/8 steerer

**CRANKSET** FSA, Miche 34T

**REAR DERAILLEUR** Shimano Altus RD-M2000 SGS, Shadow

**SHIFTERS LEVERS** Shimano Altus SL-M2010 Rapidfire, 9s

**BRAKES** Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm

**CASSETTE** Shimano CS-HG200 9s 11/36

**PEDALS** Alu MTB

**HUBS** Shimano TX505, CL, 32h

**RIMS** Rodi Blackrock23, 23x584, 32h, eBike ready

**STEM** Alu, Bar bore 31,8 mm

**HANDLEBAR** Alu Low Rise, 720 mm

**SEATPOST** Alu 31,6 mm

**SADDLE** Selle Royal Sauris

**TYRES** Continental Mountain King 27,5"x2,4"

**MOTOR** PW-ST, 36 V, 250 W

**MAX TORQUE** 70 Nm, 80 Nm peak

**SENSOR TYPE** Torque

**BATTERY** Yamaha 400 Wh, frametype, weight 2,9 kg

**CHARGER TYPE** 4 A

**CHARGE TIME** Up to 3 hours

**MAX ASSISTED SPEED** 25 km/h

**DISPLAY** Simple meter

**POWER** Eco+: 50 %

Eco: 100 %

Standard: 190 %

High: 280 %

**BLACK/WHITE/NEON GREEN MATT**

16" - 40,5 cm 0115286400

18" - 46 cm 0115286410

20" - 51,5 cm 0115286420

€ 1.949,00

Atala

# B-CROSS i AM80 500

  
 • AM-80  
 ⚡ ENERGYTUBE 500  
 ☐ AM LCD  
 ⚡ 9 S



E TRAIL

---

**FRAME** Alu 27,5"+, hydroformed, integrated battery, Internal Routing, Forged interface

---

**FORK** Suntour XCM 100 mm

---

**HEADSET** FSA No.10, semi-integrated, 1"1/8

---

**CRANKSET** FSA, Miche 34T

---

**REAR DERAILLEUR** Shimano Altus RD-M2000 SGS, Shadow

---

**SHIFTERS LEVERS** Shimano Altus SL-M2010 Rapidfire, 9s

---

**BRAKES** Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm

---

**CASSETTE** Shimano CS-HG200 9s 11/36

---

**PEDALS** Alu MTB

---

**HUBS** Shimano TX505, CL, 32h

---

**RIMS** Rodi Blackrock23, 23x584, 32h, eBike ready

---

**STEM** Alu, Bar bore 31,8 mm

---

**HANDLEBAR** Alu Low Rise, 720 mm

---

**SEATPOST** Alu 31,6 mm

---

**SADDLE** Selle Royal Sauris

---

**TYRES** Schwalbe Smart Sam 27,5"x2,6"

---



---

**MOTOR** AM-80 36 V, 250 W

---

**MAX TORQUE** 80 Nm

---

**SENSOR TYPE** Torque

---

**BATTERY** EnergyTube 500, frametype, weight 2,9 kg

---

**CHARGER TYPE** 2 A

---

**CHARGE TIME** up to 7 hours

---

**MAX ASSISTED SPEED** 25 km/h

---

**DISPLAY** AM LCD

---

**POWER** Mode 1: 50%

Mode 2: 100%

Mode 3: 200%

Mode 4: 300%

Mode 5: 400%

---



---

BLACK/SILVER/NEON RED MATT	NEON GREEN/ANTHR./BLACK
----------------------------	-------------------------

---

16,5" - 42 cm	0115286800	16,5" - 42 cm	0115286830
---------------	------------	---------------	------------

---

18" - 46 cm	0115286810	18" - 46 cm	0115286840
-------------	------------	-------------	------------

---

20" - 50 cm	0115286820	20" - 50 cm	0115286850
-------------	------------	-------------	------------

€ 1.849,00

**WHISTLE****B-RACE SL EN2****BOSCH**

- ⚙ PERFORMANCE CX CRUISE GEN2
- ⚡ POWERTUBE 500
- ▢ KIOX
- ⌚ 11 S



**FRAME** Alu 29", hydroformed, integrated battery, tapered, 12x148 mm, Internal routing, Forged interface

**FORK** Fox 34 Float Performance, 120 mm travel, Kabolt 15X110 mm, Air, Tapered, Remote lockout

**HEADSET** FSA No.57E tapered 1"1/2

**CRANKSET** Fsa, 16T

**REAR DERAILLEUR** Shimano XT RD-M8000 GS, Shadow Plus

**SHIFTERS LEVERS** Shimano XT SL-M8000 Rapidfire-Plus, 11s

**BRAKES** Shimano XT BR-M8000, Rotor SM-RT70 203 mm/180 mm

**CASSETTE** Shimano CS-M8000 11s 11/46

**PEDALS** Alu MTB

**HUBS** Shimano Deore HB-M6010, 15x110 mm/12x148 mm, CL, 32h

**RIMS** Ambrosio Sport, 29", 32h, E-Bike ready

**STEM** Ergotec Integra-BK, 110 mm, Integrated display

**HANDLEBAR** Ergotec Low Riser, 720 mm

**SEATPOST** Kyte Alu 31,6 mm

**SADDLE** Selle Royal Rampage

**TYRES** Schwalbe Nobby Nic, 29"x2,25"

**MOTOR** Performance CX 36 V, 250 W

**MAX TORQUE** 75 Nm

**SENSOR TYPE** Torque

**BATTERY** Powertube 500 Horizontal, frametype, weight 2,8 kg

**CHARGER TYPE** 4 A

**CHARGE TIME** Up to 4,5 hours

**MAX ASSISTED SPEED** 25 km/h

**DISPLAY** KIOX

**POWER** Eco: 50 %

Tour: 120 %

EMTB: 120 / 300 %

Turbo: 300 %

**ANTHRACTITE/BLACK/RED MATT**

16" - 40 cm 0116803050

17" - 43 cm 0116803060

18" - 46 cm 0116803070

**NEW PRICE**

€ 3.199,00

# Atala

# SAEROS

**SHIMANO**

- STEPS E8000
- SNAKE 500
- SC-E8000
- 11 S



E TRAIL

**FRAME** Alu 27,5"+, hydroformed, Integrated battery, tapered, 12x148 mm,  
Gravity casting interface

**FORK** Suntour XCR34-Coil, 120 mm, 15x110 mm, Tapered, Lockout

**HEADSET** FSA No.57B tapered 1"1/2

**CRANKSET** Shimano FC-E8000, 34T

**REAR DERAILLEUR** Shimano XT RD-M8000 GS, Shadow Plus

**SHIFTERS LEVERS** Shimano SLX SL-M7000 Rapidfire-Plus, 11s

**BRAKES** Shimano BR-MT501, Four piston, Rotor SM-RT64 203 mm/180 mm

**CASSETTE** Shimano CS-M7000 11s 11/46

**PEDALS** Alu MTB

**HUBS** Shimano Alivio MT400, 15x110 mm/12x148 mm, CL, 32h

**RIMS** Rodi Tryp35, 27,5", 32h, eBike ready

**STEM** Byte Alu, Bar bore 31,8 mm

**HANDLEBAR** Byte Alu Low Rise, 720 mm

**SEATPOST** Byte Alu 31,6 mm

**SADDLE** Selle Royal Sauris

**TYRES** Schwalbe Smart Sam 27,5"x2,60"

**MOTOR** E8000, 36 V, 250 W

**MAX TORQUE** 70 Nm

**SENSOR TYPE** Torque

**BATTERY** Simplio 500 Wh, in-type

**CHARGER TYPE** 4 A

**CHARGE TIME** Up to 5 hours

**MAX ASSISTED SPEED** 25 km/h

**DISPLAY** SC-E8000

**POWER** Eco: 70 %

Trail: 180 %

Boost: 300 %

**BLACK/NEON RED/WHITE MATT**

16,5" - 42 cm 0115274500

18" - 46 cm 0115274510

20" - 50 cm 0115274520

**NEW PRICE**

€ 2.999,00

**WHISTLE**

# B-RACE S GEN2

**BOSCH**

- PERFORMANCE CX CRUISE GEN2
- POWERTUBE 500
- KIOX
- 11S



**FRAME** Alu 27,5"+, hydroformed, integrated battery, tapered, 12x148 mm  
Internal routing, Forged interface

**FORK** Rock Shox Reba RL, 120 mm, Maxle Stealth 15x110 mm, SoloAir, Tapered,  
Remote Lockout

**HEADSET** FSA No.57E tapered 1"1/2

**CRANKSET** Fsa, 16T

**REAR DERAILLEUR** Shimano XT RD-M8000 GS, Shadow Plus

**SHIFTERS LEVERS** Shimano SLX SL-M7000 Rapidfire-Plus, 11s

**BRAKES** Shimano SLX BR-M7000, Rotor SM-RT70 203 mm/180 mm

**CASSETTE** Shimano CS-M7000 11s 11/46

**PEDALS** Alu MTB

**HUBS** Shimano Deore HB-M6010, 15x110 mm/12x148 mm, CL, 32h

**RIMS** Ambrosio Kono40, 27,5", 32h, E-Bike ready

**STEM** Ergotec Integra-BK, 110 mm, Integrated display

**HANDLEBAR** Ergotec Low Riser, 720 mm

**SEATPOST** Kyte Alu 31,6 mm

**SADDLE** Selle Royal Rampage

**TYRES** Schwalbe Smart Sam 27,5"x2,60"

**MOTOR** Performance CX 36 V, 250 W

**MAX TORQUE** 75 Nm

**SENSOR TYPE** Torque

**BATTERY** Powertube 500 Horizontal, frametype,  
weight 2,8 kg

**CHARGER TYPE** 4 A

**CHARGE TIME** Up to 4,5 hours

**MAX ASSISTED SPEED** 25 km/h

**DISPLAY** KIOX

**POWER** Eco: 50 %

Tour: 120 %

EMTB: 120 / 300 %

Turbo: 300 %

**BLACK/NEON ORANGE MATT**

16" - 40 cm 0116803150

18" - 46 cm 0116803160

20" - 50 cm 0116803170

**NEW PRICE**

€ 2.899,00

**WHISTLE**  
**BISON GEN2**

**BOSCH**  
 ⚙ PERFORMANCE CX CRUISE GEN2  
 ⚡ POWERPACK 500  
 ☐ PURION  
 ⏱ 10 S



E TRAIL

**FRAME** Alu 26" FAT, hydroformed, tapered, 12x197 mm, Forged motor interface

**FORK** RST Renegade, 100 mm travel, 15x150 mm, Tapered, Lockout

**HEADSET** FSA No.57B tapered 1"1/2

**CRANKSET** Miranda Delta, 18T

**REAR DERAILLEUR** Shimano Deore RD-M6000 GS, Shadow Plus

**SHIFTERS LEVERS** Shimano Deore SL-M6000 Rapidfire-Plus, 10s

**BRAKES** Tektro HD-M745, 4 pistons, Rotor 203 mm/180 mm

**CASSETTE** Shimano CS-HG500 10s 11/42

**PEDALS** Alu MTB

**HUBS** Formula Alu, 32h, INT, F: 15x150 mm, R: 12x197 mm

**RIMS** Alu fat, 32h

**STEM** Byte Alu, Bar bore 31,8 mm

**HANDLEBAR** Byte Alu Low Rise, 720 mm

**SEATPOST** Byte Alu 30,9 mm

**SADDLE** Selle Royal Sauris

**TYRES** CST BFT 26" x 4,00"

**MOTOR** Performance CX 36 V, 250 W

**MAX TORQUE** 75 Nm

**SENSOR TYPE** Torque

**BATTERY** Powerpack 500, frametype, weight 2,6 kg

**CHARGER TYPE** 2 A

**CHARGE TIME** Up to 7,5 hours

**MAX ASSISTED SPEED** 25 km/h

**DISPLAY** PURION

**POWER** Eco: 50 %

Tour: 120 %

EMTB: 120 / 300 %

Turbo: 300 %

**BLACK/ANTHRACITE/GREEN MATT**

18" - 46 cm 0116789050

**NEW PRICE**

€ 2.899,00

**Atala**

# B-CROSS SLS

 **BOSCH**

⚙ PERFORMANCE CX CRUISE GEN2

⚡ POWERTUBE 500

◻ PURION

⌚ 11 S



**FRAME** Alu 27,5"+, hydroformed, integrated battery, tapered, Internal routing, Forged interface

**FORK** Suntour XCR34-Air, 120 mm, 15x110 mm, Tapered, Remote Lockout

**HEADSET** FSA No.57B tapered 1"1/2

**CRANKSET** Fsa Dyna Drive, Miche chain ring 15T

**REAR DERAILLEUR** Shimano XT RD-M8000 GS, Shadow Plus

**SHIFTERS LEVERS** Shimano SLX SL-M7000 Rapidfire-Plus, 11s

**BRAKES** Shimano Deore BR-M6000, Rotor SM-RT64 203 mm/180 mm

**CASSETTE** Shimano CS-M7000 11s 11/46

**PEDALS** Alu MTB

**HUBS** Shimano Alivio HB-MT400, 15x110 mm F, TX505 R, CL, 32h

**RIMS** Ambrosio Sport, 27,5", 32h, E-Bike ready

**STEM** Byte Alu Oversize, 60 - 75 - 90 mm

**HANDLEBAR** Byte Alu Low Rise Oversize, 720 mm

**SEATPOST** Byte Alu 31,6 mm

**SADDLE** Selle Royal Sauris

**TYRES** Schwalbe Smart Sam 27,5"x2,60"

**MOTOR** Performance CX 36 V, 250 W

**MAX TORQUE** 75 Nm

**SENSOR TYPE** Torque

**BATTERY** Powertube 500 Horizontal, frametype,  
weight 2,8 kg

**CHARGER TYPE** 2 A

**CHARGE TIME** Up to 7,5 hours

**MAX ASSISTED SPEED** 25 km/h

**DISPLAY** PURION

**POWER** Eco: 50 %

Tour: 120 %

EMTB: 120 / 300 %

Turbo: 300 %

**BLACK/ANTHR/NEON RED MATT**

16" - 40,5 cm 0115270550

18" - 46 cm 0115270560

20" - 51,5 cm 0115270570

**NEW PRICE**

€ 2.599,00

**Atala**

# B-CROSS SL GEN2

**BOSCH**

⚙ PERFORMANCE CX CRUISE GEN2  
 ⚡ POWERTUBE 500  
 ☐ PURION  
 ⚡ 10 S



E TRAIL

**FRAME** Alu 27,5"+, hydroformed, integrated battery, tapered, Internal routing, Forged interface

**FORK** Suntour XCR32 RL-C, 100 mm, Tapered, 15x100 mm, Remote Lockout

**HEADSET** FSA No.57B tapered 1"1/2

**CRANKSET** Fsa Dyna Drive, Miche chain ring 15T

**REAR DERAILLEUR** Shimano Deore RD-M6000 GS, Shadow Plus

**SHIFTERS LEVERS** Shimano Deore SL-M6000 Rapidfire-Plus, 10s

**BRAKES** Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm

**CASSETTE** Shimano CS-HG500 10s 11/42

**PEDALS** Alu MTB

**HUBS** Shimano Deore HB-M6010, 15x100 mm F CL, M475 R ITL, 32h

**RIMS** Ambrosio Sport, 27,5", 32h, E-Bike ready

**STEM** Byte Alu Oversize, 60 - 75 - 90 mm

**HANDLEBAR** Byte Alu Low Rise Oversize, 720 mm

**SEATPOST** Byte Alu 31,6 mm

**SADDLE** Selle Royal Sauris

**TYRES** Schwalbe Smart Sam 27,5"x2,60"

**MOTOR** Performance CX 36 V, 250 W

**MAX TORQUE** 75 Nm

**SENSOR TYPE** Torque

**BATTERY** Powertube 500 Horizontal, frametype, weight 2,8 kg

**CHARGER TYPE** 2 A

**CHARGE TIME** Up to 7,5 hours

**MAX ASSISTED SPEED** 25 km/h

**DISPLAY** PURION

**POWER** Eco: 50 %

Tour: 120 %

EMTB: 120 / 300 %

Turbo: 300 %

**ORANGE/ANTHRACITE**

16" - 40,5 cm 0115270650

18" - 46 cm 0115270660

20" - 51,5 cm 0115270670

**NEW PRICE**

€ 2.399,00

# Atala

# SHIVA

**SHIMANO**

- STEPS E8000
  - E8010
  - SC-E8000
- 29 9 S



**FRAME** Alu 29", custom tubing, tapered, Post, Forged interface

**FORK** Suntour XCM-RL-DS, 100 mm, Remote Lockout

**HEADSET** FSA No.57BP ZS-1 for 1"1/8 steerer

**CRANKSET** Shimano FC-E8000, 34T

**REAR DERAILLEUR** Shimano Alivio RD-M4000 SGS

**SHIFTERS LEVERS** Shimano Altus SL-M370 Rapidfire, 9s

**BRAKES** Shimano BR-M315, Rotor SM-RT10 180 mm/180 mm

**CASSETTE** Shimano CS-HG300 9s 12/36

**PEDALS** Alu MTB

**HUBS** Shimano TX505, CL, 32h

**RIMS** Ambrosio Crossover, 29", 32h

**STEM** Byte Alu, Bar bore 31,8 mm

**HANDLEBAR** Byte Alu Low Rise, 720 mm

**SEATPOST** Byte Alu 31,6 mm

**SADDLE** Selle Royal Sauris

**TYRES** Schwalbe Rapid Rob, 29"x2,25"

**MOTOR** E8000, 36 V, 250 W

**MAX TORQUE** 70 Nm

**SENSOR TYPE** Torque

**BATTERY** Shimano E8010 500 Wh, frametype

**CHARGER TYPE** 4 A

**CHARGE TIME** Up to 5 hours

**MAX ASSISTED SPEED** 25 km/h

**DISPLAY** SC-E8000

**POWER** Eco: 70 %

Trail: 180 %

Boost: 300 %

**BLACK/WHITE/SKY MATT**

16" - 40,5 cm 0115251700

18" - 46 cm 0115251710

20" - 51,5 cm 0115251720

**NEW PRICE**

€ 2.299,00

**WHISTLE**

# B-WARE HF S LTD GEN2

**BOSCH**

- PERFORMANCE CX CRUISE GEN2
- POWERTUBE 500
- PURION
- 10 S



E TRAIL

**FRAME** Alu 27,5"+, hydroformed, integrated battery, tapered, 12x148 mm, Internal routing, Forged interface

**FORK** Suntour XCM-Coil, 100 mm, remote lockout

**HEADSET** FSA No.57BP ZS-1 for 1"1/8 steerer

**CRANKSET** Fsa, 16T

**REAR DERAILLEUR** Shimano Deore RD-M6000 GS, Shadow Plus

**SHIFTERS LEVERS** Shimano Deore SL-M6000 Rapidfire-Plus, 10s

**BRAKES** Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm

**CASSETTE** Shimano CS-HG500 10s 11/42

**PEDALS** Alu MTB

**HUBS** Shimano TX505 F, Deore FH-M6010, 12x148 mm R, CL, 32h

**RIMS** Ambrosio Kono40, 27,5", 32h, E-Bike ready

**STEM** Kyte Alu Oversize, 70 - 90 mm

**HANDLEBAR** Kyte Top Flat Alu Oversize, 720 mm

**SEATPOST** Kyte Alu 31,6 mm

**SADDLE** Selle Royal Sauris

**TYRES** Schwalbe Smart Sam 27,5"x2,60"

**MOTOR** Performance CX 36 V, 250 W

**MAX TORQUE** 75 Nm

**SENSOR TYPE** Torque

**BATTERY** Powertube 500 Horizontal, frametype, weight 2,8 kg

**CHARGER TYPE** 4 A

**CHARGE TIME** Up to 4,5 hours

**MAX ASSISTED SPEED** 25 km/h

**DISPLAY** PURION

**POWER** Eco: 50 %

Tour: 120 %

EMTB: 120 / 300 %

Turbo: 300 %

**ULTRALIGHT/NEON RED/BLUE**

16" - 40 cm 0116788650

18" - 46 cm 0116788660

20" - 50 cm 0116788670

**BLACK/NEON YELLOW MATT**

20" - 50 cm 0116788673

**NEW PRICE**

€ 2.299,00

**Atala**

# B-CROSS S

 **BOSCH**

⚙ PERFORMANCE CX CRUISE GEN2

⚡ POWERTUBE 500

◻ PURION

 9 S



**FRAME** Alu 27,5"+, hydroformed, integrated battery, tapered, Internal routing,  
Forged interface

**FORK** Suntour XCR32 RL-C, 100 mm, Remote Lockout

**HEADSET** FSA No.57BP ZS-1 for 1"1/8 steerer

**CRANKSET** Fsa Dyna Drive, Miche chain ring 15T

**REAR DERAILLEUR** Shimano Altus RD-M2000 SGS

**SHIFTERS LEVERS** Shimano Altus SL-M2000 Rapidfire, 9s

**BRAKES** Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm

**CASSETTE** Shimano CS-HG200 9s 11/36

**PEDALS** Alu MTB

**HUBS** Shimano TX505, CL, 32h

**RIMS** Ambrosio Sport, 27,5", 32h, E-Bike ready

**STEM** Byte Alu Oversize, 60 - 75 - 90 mm

**HANDLEBAR** Byte Alu Low Rise Oversize, 720 mm

**SEATPOST** Byte Alu 31,6 mm

**SADDLE** Selle Royal Sauris

**TYRES** Schwalbe Smart Sam 27,5"x2,60"

**MOTOR** Performance CX 36 V, 250 W

**MAX TORQUE** 75 Nm

**SENSOR TYPE** Torque

**BATTERY** Powertube 500 Horizontal, frametype,  
weight 2,8 kg

**CHARGER TYPE** 4 A

**CHARGE TIME** Up to 4,5 hours

**MAX ASSISTED SPEED** 25 km/h

**DISPLAY** PURION

**POWER** Eco: 50 %

Tour: 120 %

EMTB: 120 / 300 %

Turbo: 300 %

**BLUE/NEON GREEN MATT**

16" - 40 cm 0115270750

18" - 46 cm 0115270760

20" - 50 cm 0115270770

**NEW PRICE**

€ 2.149,00

**WHISTLE**

# B-RACE CX 500

 **BOSCH**

⚙ PERFORMANCE CX CRUISE GEN2

⚡ POWERPACK 500

◻ PURION

29 9 S



E TRAIL

**FRAME** Alu 29", hydroformed, custom tubing, Internal Routing, Forged interface**FORK** Suntour XCM-Coil, 100 mm, hydraulic lockout**HEADSET** FSA No.10, semi-integrated, 1"1/8**CRANKSET** Fsa Dyna Drive, Miche chain ring 15T**REAR DERAILLEUR** Shimano Altus RD-M2000 SGS**SHIFTERS LEVERS** Shimano Altus SL-M2000 Rapidfire, 9s**BRAKES** Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm**CASSETTE** Shimano CS-HG200 9s 11/36**PEDALS** Alu MTB**HUBS** Shimano TX505, CL, 32h**RIMS** Rodi Blackrock23, 29", 32h, eBike ready**STEM** Byte Alu Oversize, 60 - 75 - 90 mm**HANDLEBAR** Byte Alu Low Rise Oversize, 720 mm**SEATPOST** Byte Alu 31,6 mm**SADDLE** Selle Royal Sauris**TYRES** Continental Mountain King 29"x2,2"**MOTOR** Performance CX 36 V, 250 W**MAX TORQUE** 75 Nm**SENSOR TYPE** Torque**BATTERY** Powerpack 500, frametype,  
weight 2,6 kg**CHARGER TYPE** 2 A**CHARGE TIME** Up to 7,5 hours**MAX ASSISTED SPEED** 25 km/h**DISPLAY** PURION**POWER** Eco: 50 %

Tour: 120 %

EMTB: 120 / 300 %

Turbo: 300 %

**NEON GREEN/BLACK MATT**

16" - 40,5 cm 0116803500

18" - 46 cm 0116803510

20" - 51,5 cm 0116803520

**NEW PRICE**

€ 2.049,00

**Atala**

# B-CROSS CX 500 GEN2




---

**FRAME** Alu 27,5"+, hydroformed, custom tubing, tapered, Internal Routing, Forged interface

---

**FORK** Suntour XCM-Coil, 100 mm, hydraulic lockout

---

**HEADSET** FSA No.10, semi-integrated, 1"1/8

---

**CRANKSET** Fsa Dyna Drive, Miche chain ring 15T

---

**REAR DERAILLEUR** Shimano Altus RD-M2000 SGS

---

**SHIFTERS LEVERS** Shimano Altus SL-M2000 Rapidfire, 9s

---

**BRAKES** Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm

---

**CASSETTE** Shimano CS-HG200 9s 11/36

---

**PEDALS** Alu MTB

---

**HUBS** Shimano TX505, CL, 32h

---

**RIMS** Rodi Blackrock23, 27,5", 32h, eBike ready

---

**STEM** Byte Alu Oversize, 60 - 75 - 90 mm

---

**HANDLEBAR** Byte Alu Low Rise Oversize, 720 mm

---

**SEATPOST** Byte Alu 31,6 mm

---

**SADDLE** Selle Royal Sauris

---

**TYRES** Continental Mountain King 27,5"x2,4"

---



---

**MOTOR** Performance CX 36 V, 250 W

---

**MAX TORQUE** 75 Nm

---

**SENSOR TYPE** Torque

---

**BATTERY** Powerpack 500, frametype, weight 2,6 kg

---

**CHARGER TYPE** 2 A

---

**CHARGE TIME** Up to 7,5 hours

---

**MAX ASSISTED SPEED** 25 km/h

---

**DISPLAY** PURION

---

**POWER** Eco: 50 %

Tour: 120 %

EMTB: 120 / 300 %

Turbo: 300 %

---

**YELLOW/BLACK MATT**

16" - 40,5 cm 0115270800 16" - 40,5 cm 0115270803

18" - 46 cm 0115270810 18" - 46 cm 0115270813

20" - 51,5 cm 0115270820 20" - 51,5 cm 0115270823

**NEW PRICE**

€ 2.049,00

**Atala**

# YOUTH 500

**YAMAHA**

- PW-X
- 500 WH
- PW-SE
- 9 S



E TRAIL

**FRAME** Alu 27,5", custom tubing, tapered, Internal routing, Forged interface**FORK** Suntour XCM-RL-DS, 100 mm, Remote Lockout**HEADSET** FSA No.57B tapered 1"1/2**CRANKSET** Fsa Metropolis, 38T**REAR DERAILLEUR** Shimano Altus RD-M2000 SGS**SHIFTERS LEVERS** Shimano Altus SL-M2000 Rapidfire, 9s**BRAKES** Shimano BR-M315, Rotor SM-RT10 180 mm/180 mm**CASSETTE** Shimano CS-HG200 9s 11/36**PEDALS** Alu MTB**HUBS** Shimano TX505, CL, 32h**RIMS** Ambrosio Crossover, 27,5", 32h**STEM** Byte Alu Oversize, 60 - 75 - 90 mm**HANDLEBAR** Byte Rise Alu Oversize, 720 mm**SEATPOST** Byte Alu 31,6 mm**SADDLE** Selle Royal Sauris**TYRES** F: Schwalbe Tough Tom 27,5"x2,25" / R: Schwalbe Rapid Rob 27,5"x2,25"**MOTOR** PW, 36 V, 250 W**MAX TORQUE** 70 Nm, 80 Nm peak**SENSOR TYPE** Torque**BATTERY** Yamaha 500 Wh, frametype,  
weight 3,0 kg**CHARGER TYPE** 4 A**CHARGE TIME** Up to 4 hours**MAX ASSISTED SPEED** 25 km/h**DISPLAY** Simple meter**POWER** Eco+: 50 %

Eco: 100 %

Standard: 190 %

High: 280 %

**ULTRALIGHT/NEON RED MATT**

16" - 40,5 cm 0115256055

18" - 46 cm 0115256065

20" - 51,5 cm 0115256075

**NEON GREEN/BLACK MATT**

16" - 40 cm 0115256050

17" - 43 cm 0115256060

18" - 46 cm 0115256070

**NEW PRICE**

€ 2.049,00

**WHISTLE**

# B-WARE HF GEN2

**BOSCH**

- PERFORMANCE CX CRUISE GEN2
- POWERPACK 400
- PURION
- 10 S

**FRAME** Alu 29", hydroformed, custom tubing, tapered, Internal Routing, Forged interface**FORK** Suntour XCR34 Coil RL, 120 mm, 15x110, Tapered, Remote Lockout**HEADSET** FSA No.57E tapered 1"1/2**CRANKSET** Fsa, Miche chain ring 15T**REAR DERAILLEUR** Shimano Deore RD-M6000 GS, Shadow Plus**SHIFTERS LEVERS** Shimano Deore SL-M6000 Rapidfire-Plus, 10s**BRAKES** Shimano BR-M315, Rotor SM-RT10 180 mm/180 mm**CASSETTE** Shimano CS-HG500 10s 11/42**PEDALS** Alu MTB**HUBS** Shimano Deore HB-M6010, 15x110 mm F, TX505 R, CL, 32h**RIMS** Ambrosio Sport, 29", 32h, E-Bike ready**STEM** Kyte Alu Oversize, 70 - 90 mm**HANDLEBAR** Kyte Top Flat Alu Oversize, 720 mm**SEATPOST** Kyte Alu 31,6 mm**SADDLE** Selle Royal Sauris**TYRES** Schwalbe Nobby Nic, 29"x2,25"**MOTOR** Performance CX 36 V, 250 W**MAX TORQUE** 75 Nm**SENSOR TYPE** Torque**BATTERY** Powerpack 400, frametype,  
weight 2,5 kg**CHARGER TYPE** 2 A**CHARGE TIME** Up to 6,5 hours**MAX ASSISTED SPEED** 25 km/h**DISPLAY** PURION**POWER** Eco: 50 %

Tour: 120 %

EMTB: 120 / 300 %

Turbo: 300 %

**BLUE/WHITE MATT****BLACK/NEON ORANGE MATT**

16" - 40 cm 0116788700 16" - 40 cm 0116788703

17" - 43 cm 0116788710 17" - 43 cm 0116788713

18" - 46 cm 0116788720 18" - 46 cm 0116788723

**NEW PRICE**

€ 1.999,00

**Atala**

# B-CROSS CX 400 GEN2

**BOSCH**  
 ⚙ PERFORMANCE CX CRUISE GEN2  
 ⚡ POWERPACK 400  
 ☐ PURION  
 ⚡ 9 S



E TRAIL

**FRAME** Alu 27,5"+, hydroformed, custom tubing, Internal Routing, Forged interface**FORK** Suntour XCM, 100 mm, Coil, Lockout**HEADSET** FSA No.10, semi-integrated, 1"1/8**CRANKSET** FSA Dyna Drive, Miche 15T**REAR DERAILLEUR** Shimano Altus RD-M2000 SGS, Shadow**SHIFTERS LEVERS** Shimano Altus SL-M2000 Rapidfire, 9s**BRAKES** Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm**CASSETTE** Shimano CS-HG200 9s 11/36**PEDALS** Alu MTB**HUBS** Shimano TX505, CL, 32h**RIMS** Rodi Blackrock23, 23x584, 32h, eBike ready**STEM** Byte Alu, Bar bore 31,8 mm**HANDLEBAR** Byte Alu Low Rise, 720 mm**SEATPOST** Byte Alu 31,6 mm**SADDLE** Selle Royal Sauris**TYRES** Continental Mountain King 27,5"x2,4"**MOTOR** Performance CX 36 V, 250 W**MAX TORQUE** 75 Nm**SENSOR TYPE** Torque**BATTERY** Powerpack 400, frametype,  
weight 2,5 kg**CHARGER TYPE** 2 A**CHARGE TIME** Up to 6,5 hours**MAX ASSISTED SPEED** 25 km/h**DISPLAY** PURION**POWER** Eco: 50 %

Tour: 120 %

EMTB: 120 / 300 %

Turbo: 300 %

**ULTRALIGHT/BLACK MATT**

16" - 41,5 cm 0115270900 16" - 41,5 cm 0115270903

18" - 46 cm 0115270910 18" - 46 cm 0115270913


20" - 51,5 cm 0115270920 20" - 51,5 cm 0115270923

**YELLOW/BLACK MATT****NEW PRICE**

€ 1.949,00

**Atala**

# YOUTH LITE PW KID




---

**FRAME** Alu 27,5", custom tubing, tapered, Internal routing, Forged interface

---

**FORK** Suntour XCT-DS, 100 mm

---

**HEADSET** FSA No.57BP ZS-1 for 1"1/8 steerer

---

**CRANKSET** Fsa, 38T

---

**REAR DERAILLEUR** Shimano Altus RD-M370 SGS

---

**SHIFTERS LEVERS** Shimano Altus SL-M370, Rapidfire, 9s

---

**BRAKES** Shimano BR-M315, Rotor SM-RT10 180 mm/180 mm

---

**CASSETTE** Shimano CS-HG300 9s 12/36

---

**PEDALS** Alu MTB

---

**HUBS** Shimano TX505, CL, 32h

---

**RIMS** Ryde, 27,5", 32h

---

**STEM** Byte Alu Oversize, 60 - 75 - 90 mm

---

**HANDLEBAR** Byte Rise Alu Oversize, 720 mm

---

**SEATPOST** Byte Alu 31,6 mm

---

**SADDLE** Selle Royal Mach

---

**TYRES** Kyte Manghen 27,5"x2,25"

---



---

**MOTOR** PW-ST, 36 V, 250 W

---

**MAX TORQUE** 70 Nm, 80 Nm peak

---

**SENSOR TYPE** Torque

---

**BATTERY** Yamaha 400 Wh, frametype, weight  
2,9 kg

---

**CHARGER TYPE** 4 A

---

**CHARGE TIME** Up to 3 hours

---

**MAX ASSISTED SPEED** 25 km/h

---

**DISPLAY** Simple meter

---

**POWER** Eco+: 50 %

Eco: 100 %

Standard: 190 %

High: 280 %

---



---

**ULTRALIGHT/NEON YELLOW/BLACK MATT**

13" - 33 cm 0115250130

**BLACK/NEON YELLOW/NEON RED MATT**

13" - 33 cm 0115250135

**NEW PRICE**

€ 1.949,00

**Atala**

# B-CROSS AM80 500

**AM80**  
 • AM-80  
 • ENERGYTUBE 500  
 • AM LCD  
 • 9 S



E TRAIL

**FRAME** Alu 27,5", hydroformed, custom tubing, tapered, Internal Routing, Forged interface

**FORK** Suntour XCM-Coil RL, 100 mm, Remote lockout

**HEADSET** FSA No.57BP ZS-1 for 1"1/8 steerer

**CRANKSET** Fsa Dyna Drive, chain ring 38T

**REAR DERAILLEUR** Shimano Altus RD-M2000 SGS

**SHIFTERS LEVERS** Shimano Altus SL-M2000 Rapidfire, 9s

**BRAKES** Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm

**CASSETTE** Shimano CS-HG200 9s 11/36

**PEDALS** Alu MTB

**HUBS** Shimano TX505, CL, 32h

**RIMS** Rodi Blackrock23, 27,5", 32h, eBike ready

**STEM** Byte Alu Oversize, 60 - 75 - 90 mm

**HANDLEBAR** Byte Alu Low Rise Oversize, 720 mm

**SEATPOST** Byte Alu 31,6 mm

**SADDLE** Selle Royal Mach

**TYRES** Impac Trailpac 27,5"x2,25"

**MOTOR** AM-80 36 V, 250 W

**MAX TORQUE** 80 Nm

**SENSOR TYPE** Torque

**BATTERY** EnergyTube 500, frametype, weight 2,9 kg

**CHARGER TYPE** 2 A

**CHARGE TIME** up to 7 hours

**MAX ASSISTED SPEED** 25 km/h

**DISPLAY** AM LCD

**POWER** Mode 1: 50%

Mode 2: 100%

Mode 3: 200%

Mode 4: 300%

Mode 5: 400%

**YELLOW/BLACK MATT**

16" - 40,5 cm 0115275100

16" - 40,5 cm 0115275110

20" - 51,5 cm 0115275120


**NEW PRICE**

€ 1.649,00

# E GRAVEL

Scegliere i tuoi itinerari senza doverli pianificare, affrontando sia sentieri off-road sia lunghi tratti di asfalto, è possibile con una gravel eBike. Ideale per viaggi avventurosi e perfettamente performante anche in città, la gravel è agile, affidabile e confortevole.

*With a gravel is possible to choose your own routes without planning them, tackle both off-road trails and long stretches of asphalt. Ideal for adventurous trips and perfectly performing even in the city, the gravel is agile, reliable and comfortable.*





FAZUA

E GRAVEL

# FLOW ADVENTURE

## I TECHNOLOGIES

Una eGravel veloce e resistente per viaggiare su strada e fuoristrada. L'elevata adattabilità, versatilità e robustezza la rendono perfetta per qualsiasi terreno e superficie. La geometria del telaio attentamente studiata, l'ergonomia e la selezione di componenti garantiscono maggiore stabilità e comfort su lunghe distanze. L'assistenza elettrica Fazua, aiuta a conquistare qualsiasi percorso.

*Fast and durable eGravel to travel on and off road. High adaptability, versatility, and ruggedness make it a perfect performer on any sort of terrain and surfaces. Carefully designed geometry of the frame, the ergonomics and selection of components guarantee extra stability and comfort over long distances. The clever Fazua electric system assist helps to conquer any route.*

### HIDDEN WELDING



*Cordone di saldatura completamente nascosto per un look più pulito e aggressivo, mantenendo la rigidità del telaio.*

*Completely hidden welding seam for a cleaner and more aggressive look, maintaining the frame stiffness.*

### TOP TUBE REMOTE CONTROL



*Display integrato nel tubo orizzontale che massimizza la presa alta della curva manubrio.*

*Top tube remote control that maximizes the handlebar curve high grip.*

### HIGH STIFFNESS SEAT TUBE



*Il motore è equipaggiato con una cover protettiva, evitando il declassamento della potenza.*

*The engine is equipped with a protective cover, avoiding power downgrading.*

### STIFF / FLEXIBLE SEAT AND CHAIN STAY



*Sviluppo di una forma differenziata tra foderi alti e foderi bassi per assicurare massimo comfort ed estrema reattività.*

*Development of a differentiated shape between seat and chain stay to ensure maximum comfort and extreme reactivity.*

PERNO PASSANTE POSTERIORE  
ETHRU AXLE REAR



PASSAGGIO CAVI INTERNO  
INTERNAL CABLE ROUTING



BATTERIA INTERNA AL TELAIO  
BATTERY INSIDE THE DOWNTUBE



## 1 SHIMANO GRX

Nuovo gruppo pensato specificatamente per le gravel bike. La forma migliorata della leva freno offre più sensibilità e rende più efficace l'azione di frenata. Il deragliatore è compatibile con una vasta varietà di cassette.

*New groupset designed specifically for gravel bikes. Improved shape of the brake lever offers more sensitivity and increase the brake power. Rear derailleur is compatible with a big variety of cassette.*

## 2 SCHWALBE G-ONE BYTE

Il nuovo G-One Bite si sente a suo agio sulla strada, ma la sua vera forza la dimostra off-road. Il battistrada molto aperto ed i tasselli laterali rinforzati, consentono di ottenere stabilità in curva, dando a questo G-One il perfetto grip.

*This G-One feels pretty good on the road but its true strength shines through offroad. The open tread design and strong outer blocks provide stability when cornering and deliver this G-One the perfect "Bite".*

## 3 FSA NS ADVENTURE

*La piega manubrio Adventure Compact è stata progettata per garantire comfort. Completamente ergonomicia, è dotata di una sezione ovale e costruita in alluminio a doppio spessore.*

*The Adventure Compact handlebar from FSA has been designed to ensure comfort. Completely ergonomic, the HB Adventure Compact handlebar features an ergonomic oval section and is made in double butted.*



FIRE  
ADVANTAGE

**WHISTLE**

# FLOW ADVENTURE

 FAZUA  
 ⚙ EVATION 2.0  
 ⚡ EVATION 255 WH  
 ☺ LED  
 ⚡ 11 S



E GRAVEL

---

**FRAME** Alu, hydroformed, smooth welding, Flat mount disc brake, tapered, 12x142 mm

**FORK** Carbon monocoque, Tapered, 12x100 mm, Flat mount disc brake

**HEADSET** FSA No.57E tapered 1"1/2

**CRANKSET** FSA CK-746, 40T

**REAR DERAILLEUR** Shimano GRX RD-R812

**SHIFTERS LEVERS** Shimano GRX ST-RX600 1x11s

**BRAKES** Shimano GRX BR-RX400, Rotor SM-RT64 160 mm/160 mm

**CASSETTE** Shimano CS-M7000 11s 11/42

**WHEELS** Shimano WH-RS370

**STEM** FSA ST-OS 97

**HANDLEBAR** FSA NS Adventure Compact

**SEATPOST** FSA Energy SBS

**SADDLE** Selle Royal Asphalt

**TYRES** Schwalbe G-One Bite, 700x40

---

**MOTOR** Fazua 36V, 250W

**MAX TORQUE** 60 Nm

**SENSOR TYPE** Torque

**BATTERY** Fazua Evation 255 Wh, weight 1,38 kg

**CHARGER TYPE** 2 A

**CHARGE TIME** Up to 3,5 hours

**MAX ASSISTED SPEED** 25 km/h

**DISPLAY LED**
**POWER** Breeze: 75 %

River: 150 %

Rocket: 240 %

---

**ANTHRACITE/NEON YELLOW**

44 cm 0116820600

50 cm 0116820610

54 cm 0116820620

58 cm 0116820630


---

 € 4.199,00

# |E ROAD

Le nuovissime eRoad con telaio in alluminio hanno kit elettrico Fazua per dominare la strada, per affrontare ripide pendenze con minor sforzo.

*The newest eRoad with aluminium frame is ePowered by Fazua to conquer the road, to face high slopes with less effort.*





FAZUA

# FLOW

## I TECHNOLOGIES

Nuove frontiere, nuovi obiettivi da raggiungere, nuove opportunità. Rendere elettrica una bici da strada significa andare contro ogni pregiudizio, sfidare i puristi ad intraprendere nuove vie. Un telaio pensato per ospitare motore e batteria all'interno del tubo diagonale, realizzato per resistere a potenze di picco elevate, generate sia dal ciclista che dal motore. Un telaio progettato per combinare le performance muscolari ed elettriche in un tutt'uno senza soluzione di continuità.

*New frontiers, new goals to be achieved, new opportunities. Making a road bike electric means going against all prejudices, challenging purists to take new paths. A frame designed to accommodate the engine and battery inside the diagonal tube, developed to withstand high peak powers, generated by both the cyclist and the engine. A frame designed to combine muscular and electrical performance in a seamless way.*



PERNO PASSANTE POSTERIORE  
ETHRU AXLE REAR

ATTACCO PINZA FLATMOUNT  
INTEGRATED FLATMOUNT

TUBO STERZO CONICO  
TAPERED HEAD TUBE

PASSAGGIO CAVI INTERNO  
INTERNAL CABLE ROUTING

BATTERIA INTERNA AL TELAIO  
BATTERY INSIDE THE DOWNTUBE

**WHISTLE**

# FLOW ALLOY

FAZUA

- EVATION 1.0
- EVATION 255 WH
- LED
- 22 S

**FRAME** Alu, hydroformed, smooth welding, Flat mount disc brake, tapered, 12x142 mm**FORK** Carbon monocoque, Tapered, 12x100 mm, Flat mount disc brake**HEADSET** FSA No.57E tapered 1"1/2**CRANKSET** FSA CK-746, 50-34T**REAR DERAILLEUR** Shimano Ultegra RD-R8000**SHIFTERS LEVERS** Shimano Ultegra ST-R8020 2x11s**BRAKES** Shimano Ultegra BR-R8070, Rotor SM-RT800 160 mm/160 mm**CASSETTE** Shimano CS-R7000 11s 11/32**WHEELS** Mavic Aksium Disc**STEM** Deda Elementi Zero**HANDLEBAR** Deda Elementi Zero**SEATPOST** Deda Elementi Zero**SADDLE** Fizik Antares R7**TYRES** Continental GranSport Race 700x25**MOTOR** Fazua 36V, 250W**MAX TORQUE** 60 Nm**SENSOR TYPE** Torque**BATTERY** Fazua Evation 255 Wh, weight 1,38 kg**CHARGER TYPE** 2 A**CHARGE TIME** Up to 3,5 hours**MAX ASSISTED SPEED** 25 km/h**DISPLAY LED****POWER** Breeze: 75 %

River: 150 %

Rocket: 240 %


BLACK/NEON RED MATT	RED/BLACK MATT
44 cm 0116800100	44 cm 0116800103
50 cm 0116800110	50 cm 0116800113
54 cm 0116800120	54 cm 0116800123
58 cm 0116800130	58 cm 0116800133


€ 4.399,00

# E TREKKING

Stare a contatto con la natura, esplorare, scoprire, combinando il relax con l'esercizio fisico. Solamente la tua eBike rende ogni viaggio più piacevole.

*Being surrounded by nature, discover, explore, combining relax with exercise. Your eBike makes every journey more pleasant.*





 **BOSCH**  
 **FAZUA**  
 **ANZO agile**

# AUDERE

## I TECHNOLOGIES

Siamo come eravamo: bellezza, tradizione, passione dal 1896.

Le biciclette Dei ripercorrono la propria storia tra mito e leggenda e si rifondano in un raffinato equilibrio di elementi moderni, attraversano il tempo, riscoprendo la memoria.

Ingegneri, designer e tecnici compiono la sintesi perfetta tra la totale tradizione, la qualità e pregio dei materiali e dei componenti e la continua ricerca di innovative soluzioni tecniche e stilistiche. Nasce Audere, l'eBike con linee distinte, eleganti e retrò che riprendono la migliore delle tradizioni, componenti e dettagli in chiave moderna. Una bicicletta d'eccezione per vivere lo spazio con la consapevolezza di una volta, supportati dal motore.

Assaporate momenti del passato, sentendosi padroni del presente.

*We are as we were: elegance, tradition and passion since 1896.*

*Umberto Dei bicycles retrace the history between myth and legend and are refounded in a refined balance of modern elements, passing through the time, rediscovering themselves in memory.*

*Engineers, graphic designers and technicians chose to dare with no prejudice, making the perfect synthesis between the total tradition of the brand, the absolute quality and value of the components and the continuous search for innovative technical and stylistic solutions. We introduce you Audere, the eBike with elegant, intage and distinctive traits recapturing the best of tradition, components and details, in a modern key.*

*An exceptional bike for living the space with the awareness of the past, but supported by the engine.*

PASSAGGIO CAVI INTERNO  
INTERNAL CABLE ROUTING



KIT FAZUA EVATION 2.0  
FAZUA EVATION 2.0 KIT



PORTAPACCHI SEMI INTEGRATO  
SEMI INTEGRATED REAR CARRIER





# AUDERE

FAZUA

- EVATION 2.0
- EVATION 255 WH
- LED
- 10 S



**FRAME** Alu, hydroformed, smooth welding, Post mount disc brake, Internal routing, tapered, 12x142 mm

**FORK** Suntour NXR, 63 mm, Coil, Tapered, Lockout

**HEADSET** FSA No.57B tapered 1"1/2

**CRANKSET** FSA Miche 38T

**REAR DERAILLEUR** Shimano XT RD-T8000 SGS, Shadow

**SHIFTERS LEVERS** Shimano Deore SL-M6000 Rapidfire-Plus, 10s

**BRAKES** Shimano Deore BR-T6000, Rotor SM-RT54 180 mm/180 mm

**CASSETTE** Shimano CS-HG50 10s 11/36

**PEDALS** Alu TKK

**HUBS** F: Shimano DH-3D37, Dynamo, 6V, 3W - R: Shimano MT400, 32h, 12x142 mm

**RIMS** Rodi Tryp25, 25x622, 32h, eBike ready

**STEM** Satori UP3e, Internal routing, Bar bore 31,8 mm

**HANDLEBAR** Satori Noirette City, 630 mm

**SEATPOST** Satori Xopic2, Suspended, 31,6 mm

**SADDLE** Selle Royal Lookin

**TYRES** Schwalbe Marathon E-Plus, Smartguard 2.0, Reflex, 700x50

**MUDGUARDS** SKS Evo55 Alu Sandwich

**CARRIERS** Racktime Shine Evo Imm

**LIGHTS** F: Trelock Bike-I Airflow 70, Daylight - R: B&M Shine Evo integrated

**MOTOR** Fazua 36V, 250W

**MAX TORQUE** 60 Nm

**SENSOR TYPE** Torque

**BATTERY** Fazua Evation 255 Wh, weight 1,38 kg

**CHARGER TYPE** 2 A

**CHARGE TIME** Up to 3,5 hours

**MAX ASSISTED SPEED** 25 km/h

**DISPLAY LED**

**POWER** Breeze: 75 %

River: 150 %

Rocket: 240 %

**DARK GREEN/SILVER**

49 cm 0111348100

54 cm 0111348110

59 cm 0111348120

€ 3.699,00

# B-TOUR XLS

## I TECHNOLOGIES

Dedicato al cicloturismo, all'escursionismo, alle gite fuori porta o semplicemente al commuting.

Il telaio integra all'interno la batteria, la struttura del portapacchi è rinnovata nel design, elegante e leggera, mantenendo la possibilità di carico e sostegno.

Il comfort è garantito dalla geometria che permette una postura rilassata in sella.

*Dedicated to touring, trekking, small trips or simply commuting. The frame integrates the battery and the luggage rack structure inside, maximizing the transportable loads, minimizing deformations due to them. Comfort is guaranteed by the geometry that allows a relaxed posture on the saddle.*

### BALLOON TYRE OPTION



*Predisposizione di montaggio delle gomme fino a una misura di 700x55 cm per garantire massimo comfort su ogni tipo di terreno.*

*Mouting provision tyres up to a size of 700x55 cm to ensure maximum comfort on all types of terrain.*

### INTERNAL ROUTING TECHNOLOGY



Tutti i cavi e i fili all'interno del carro posteriore, creando un telaio dall'aspetto pulito e elegante.

*Creates a clean looking bike by routing all cables and wires inside the chain stay.*

### SEAT TUBE CHARGE PORT



*Ottimizzazione della geometria per una pedalata più efficace, accorciando l'orizzontale virtuale, spostando la presa di ricarica della batteria integrata sul tubo sella.*

*Geometry optimization for a more effective pedaling, shortening the virtual horizontal and moving the integrated battery charge port on the seat tube.*

### ANTI-THEFT FRAME LOCK



*Il telaio è dotato di un sistema di aggancio antifurto per il fissaggio dei lucchetti ad arco.*

*Frame equipped with an anti-theft lock system for fixing U-locks.*

PASSAGGIO CAVI INTERNO  
INTERNAL CABLE ROUTING



INTERFACCIA FORGIATA  
FORGED INTERFACE



PORTAPACCHI SEMI INTEGRATO  
SEMI INTEGRATED REAR CARRIER



## 1 CLEAN COCKPIT

L'integrazione di tutti i cavi all'interno dell'attacco manubrio garantisce una linea pulita ed elegante del cockpit della bicicletta.

*Integration of all cables inside handlebar stem to ensure a clean and elegant design of the bicycle cockpit.*

## 2 SCHWALBE MARATHON E-PLUS

L'imperforabile ridisegnato per l'eBike. Dotato di un disegno del battistrada completamente nuovo ed equipaggiato con la nuova mescola Addix-E per la massima sicurezza di marcia.

*The flatless tyre designed specifically for eBike use. Equipped by a brand new tread design and by the Addix-E compound for 100% riding safety.*

## 3 LIGHTING SYSTEM

**Anteriore:** Grazie alla tecnologia Double-Lens, l'Airflow raggiunge 70 lux di potenza luminosa in soli 45 mm di diametro. Visibili fino a 5000 m, illumina fino a 90 m.

**Posteriore:** Potente e con funzione luce d'arresto. Visibile fino a 90 m.

**Front light:** Thanks to the Double-Lens Technology, the Airflow can achieve a full 70 Lux illuminance in a compact 45 mm housing. You are visible up to 5000 m and lights gets up to 90 m.

**Rear light:** Powerful and brake light equipped. Be seen up to 600 m.

**Atala**

# B-TOUR XLS MAN

**BOSCH**

- PERFORMANCE CRUISE
- POWERTUBE 500
- SMARTPHONE HUB
- 10 S

**FRAME** Alu 700C, hydroformed, integrated battery, custom tubing, Internal routing, Forged interface**FORK** Suntour NEX-E25, 63 mm, Coil, Lockout**HEADSET** FSA No.10, semi-integrated, 1"1/8**CRANKSET** Miranda Epsilon, Miranda 38T**REAR DERAILLEUR** Shimano XT RD-T8000 SGS, Shadow**SHIFTERS LEVERS** Shimano Deore SL-M6000 Rapidfire-Plus, 10s**BRAKES** Tektro HD-M745, 4 pistons, Rotor 180 mm/180 mm**CASSETTE** Shimano CS-HG50 10s 11/36**PEDALS** Alu TKK**HUBS** Shimano M475, INT, 32h**RIMS** Rodi Tryp25, 25x622, 32h, eBike ready**STEM** Satori UP3e, Internal routing, Bar bore 31,8 mm**HANDLEBAR** Satori Noirette City, 630 mm**SEATPOST** Satori Harmony, Suspended, 31,6 mm**SADDLE** Selle Royal Lookin**TYRES** Schwalbe Marathon E-Plus, Smartguard 2.0, Reflex, 700x50**MUDGUARDS** SKS Evo55 Alu Sandwich**CHAINCOVER** SKS Chainbow**CARRIERS** Alu, without brackets**LIGHTS** F: Trelock Bike-I Airflow 70 - R: Trelock LS 614, Brakelight**MOTOR** Performance 36 V, 250 W**MAX TORQUE** 65 Nm**SENSOR TYPE** Torque**BATTERY** Powertube 500 Vertical, frametype, weight 2,9 kg**CHARGER TYPE** 4 A**CHARGE TIME** Up to 4,5 hours**MAX ASSISTED SPEED** 25 km/h**DISPLAY** SMARTPHONE HUB**POWER** Eco: 55 %

Tour: 120 %

Sport: 200 %

Turbo: 300 %

**GREY/BLACK**

49 cm 0115287000

54 cm 0115287010

59 cm 0115287020

**€ 3.199,00**

**Atala**

# B-TOUR XLS LADY

**BOSCH**

- PERFORMANCE CRUISE
- POWERTUBE 500
- SMARTPHONE HUB
- 10 S

**FRAME** Alu 700C, hydroformed, integrated battery, custom tubing, Internal routing, Forged interface**FORK** Suntour NEX-E25, 63 mm, Coil, Lockout**HEADSET** FSA No.10, semi-integrated, 1"1/8**CRANKSET** Miranda Epsilon, Miranda 38T**REAR DERAILLEUR** Shimano XT RD-T8000 SGS, Shadow**SHIFTERS LEVERS** Shimano Deore SL-M6000 Rapidfire-Plus, 10s**BRAKES** Tektro HD-M745, 4 pistons, Rotor 180 mm/180 mm**CASSETTE** Shimano CS-HG50 10s 11/36**PEDALS** Alu TKK**HUBS** Shimano M475, INT, 32h**RIMS** Rodi Tryp25, 25x622, 32h, eBike ready**STEM** Satori UP3e, Internal routing, Bar bore 31,8 mm**HANDLEBAR** Satori Noirette City, 630 mm**SEATPOST** Satori Harmony, Suspended, 31,6 mm**SADDLE** Selle Royal Lookin**TYRES** Schwalbe Marathon E-Plus, Smartguard 2.0, Reflex, 700x50**MUDGUARDS** SKS Evo55 Alu Sandwich**CHAINCOVER** SKS Chainbow**CARRIERS** Alu, without brackets**LIGHTS** F: Trelock Bike-I Airflow 70 - R: Trelock LS 614, Brakelight**MOTOR** Performance 36 V, 250 W**MAX TORQUE** 65 Nm**SENSOR TYPE** Torque**BATTERY** Powertube 500 Vertical, frametype, weight 2,9 kg**CHARGER TYPE** 4 A**CHARGE TIME** Up to 4,5 hours**MAX ASSISTED SPEED** 25 km/h**DISPLAY** SMARTPHONE HUB**POWER** Eco: 55 %

Tour: 120 %

Sport: 200 %

Turbo: 300 %

**WHITE/ANTHR./BLACK MATT**

40 cm 0115287100

44 cm 0115287110

49 cm 0115287120

€ 3.199,00

**Atala**

# B-TOUR SLS MAN

**BOSCH**

- PERFORMANCE CRUISE
- POWERTUBE 500
- INTUVIA
- 10 S

**FRAME** Alu 700C, hydroformed, integrated battery, custom tubing, Internal routing, Forged interface**FORK** Suntour NEX-E25, 63 mm, Coil, Lockout**HEADSET** FSA No.10, semi-integrated, 1"1/8**CRANKSET** Miranda Epsilon, Miranda 38T**REAR DERAILLEUR** Shimano XT RD-T8000 SGS, Shadow**SHIFTERS LEVERS** Shimano Deore SL-M6000 Rapidfire-Plus, 10s**BRAKES** Shimano BR-MT401, 3 fingers, Rotor SM-RT10 180 mm/180 mm**CASSETTE** Shimano CS-HG50 10s 11/36**PEDALS** Alu TKK**HUBS** Shimano TX505, CL, 32h**RIMS** Rodi Tryp25, 25x622, 32h, eBike ready**STEM** Satori UP3e, Internal routing, Bar bore 31,8 mm**HANDLEBAR** Satori Noirette City, 630 mm**SEATPOST** Satori Harmony, Suspended, 31,6 mm**SADDLE** Selle Royal Essenza**TYRES** Schwalbe Energizer Plus, Greenguard 3 mm, Reflex, 700x50**MUDGUARDS** SKS Evo55 Alu Sandwich**CHAINCOVER** SKS Chainbow**CARRIERS** Alu, without brackets**LIGHTS** F: Trelock Bike-I Veo 50 – R: Axa BlueLine LED Lightguide**MOTOR** Performance 36 V, 250 W**MAX TORQUE** 65 Nm**SENSOR TYPE** Torque**BATTERY** Powertube 500 Vertical, frametype, weight 2,9 kg**CHARGER TYPE** 4 A**CHARGE TIME** Up to 4,5 hours**MAX ASSISTED SPEED** 25 km/h**DISPLAY** INTUVIA**POWER** Eco: 55 %

Tour: 120 %

Sport: 200 %

Turbo: 300 %

**WHITE/ANTHR./BLACK MATT**

49 cm 0115287200

54 cm 0115287210

59 cm 0115287220

€ 2.999,00

**Atala**

# B-TOUR SLS LADY

**BOSCH**

- PERFORMANCE CRUISE
- POWERTUBE 500
- INTUVIA
- 10 S

**FRAME** Alu 700C, hydroformed, integrated battery, custom tubing, Internal routing, Forged interface**FORK** Suntour NEX-E25, 63 mm, Coil, Lockout**HEADSET** FSA No.10, semi-integrated, 1"1/8**CRANKSET** Miranda Epsilon, Miranda 38T**REAR DERAILLEUR** Shimano XT RD-T8000 SGS, Shadow**SHIFTERS LEVERS** Shimano Deore SL-M6000 Rapidfire-Plus, 10s**BRAKES** Shimano BR-MT401, 3 fingers, Rotor SM-RT10 180 mm/180 mm**CASSETTE** Shimano CS-HG50 10s 11/36**PEDALS** Alu TKK**HUBS** Shimano TX505, CL, 32h**RIMS** Rodi Tryp25, 25x622, 32h, eBike ready**STEM** Satori UP3e, Internal routing, Bar bore 31,8 mm**HANDLEBAR** Satori Noirette City, 630 mm**SEATPOST** Satori Harmony, Suspended, 31,6 mm**SADDLE** Selle Royal Essenza**TYRES** Schwalbe Energizer Plus, Greenguard 3 mm, Reflex, 700x50**MUDGUARDS** SKS Evo55 Alu Sandwich**CHAINCOVER** SKS Chainbow**CARRIERS** Alu, without brackets**LIGHTS** F: Trelock Bike-I Veo 50 – R: Axa BlueLine LED Lightguide**MOTOR** Performance 36 V, 250 W**MAX TORQUE** 65 Nm**SENSOR TYPE** Torque**BATTERY** Powertube 500 Vertical, frametype, weight 2,9 kg**CHARGER TYPE** 4 A**CHARGE TIME** Up to 4,5 hours**MAX ASSISTED SPEED** 25 km/h**DISPLAY** INTUVIA**POWER** Eco: 55 %

Tour: 120 %

Sport: 200 %

Turbo: 300 %

**ANTHR./WHITE/BLACK MATT**

40 cm 0115287300

44 cm 0115287310

49 cm 0115287320

€ 2.999,00

**Atala**

# B-TOUR SL MAN

**BOSCH**

- ⚙ ACTIVE PLUS CRUISE
- ⚡ POWERTUBE 500
- ▢ INTUVIA
- 28 9 S



**FRAME** Alu 700C, hydroformed, integrated battery, custom tubing, Internal routing, Forged interface

**FORK** Suntour NEX-E25, 63 mm, Coil, Lockout

**HEADSET** FSA No.10, semi-integrated, 1"1/8

**CRANKSET** Miranda Epsilon, Miranda 38T

**REAR DERAILLEUR** Shimano Altus RD-M2000 SGS, Shadow

**SHIFTERS LEVERS** Shimano Altus SL-M2010 Rapidfire, 9s

**BRAKES** Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm

**CASSETTE** Shimano CS-HG200 9s 11/36

**PEDALS** Alu TKK

**HUBS** Shimano TX505, CL, 32h

**RIMS** Rodi Tryp25, 25x622, 32h, eBike ready

**STEM** Satori UP3e, Internal routing, Bar bore 31,8 mm

**HANDLEBAR** Satori Noirette City, 630 mm

**SEATPOST** Satori Harmony, Suspended, 31,6 mm

**SADDLE** Selle Royal Freccia

**TYRES** Schwalbe Big Apple, K-Guard, Relefex, 700x50

**MUDGUARDS** SKS A65R

**CHAINCOVER** SKS Chainbow

**CARRIERS** Alu, without brackets

**LIGHTS** F: Axa CompactLine LED 35 Lux – R: Axa BlueLine LED Lightguide

**MOTOR** Active Plus 36 V, 250 W

**MAX TORQUE** 50 Nm

**SENSOR TYPE** Torque

**BATTERY** Powertube 500 Vertical, frametype,  
weight 2,9 kg

**CHARGER TYPE** 4 A

**CHARGE TIME** Up to 4,5 hours

**MAX ASSISTED SPEED** 25 km/h

**DISPLAY** INTUVIA

**POWER** Eco: 40 %

Tour: 100 %

Sport: 180 %

Turbo: 270 %

**GREY/BLACK**

49 cm 0115287400

54 cm 0115287410

59 cm 0115287420

€ 2.699,00

**Atala**

# B-TOUR SL LADY

**BOSCH**

- ACTIVE PLUS CRUISE
- POWERTUBE 500
- INTUVIA
- 28 9 S

**FRAME** Alu 700C, hydroformed, integrated battery, custom tubing, Internal routing, Forged interface**FORK** Suntour NEX-E25, 63 mm, Coil, Lockout**HEADSET** FSA No.10, semi-integrated, 1"1/8**CRANKSET** Miranda Epsilon, Miranda 38T**REAR DERAILLEUR** Shimano Altus RD-M2000 SGS, Shadow**SHIFTERS LEVERS** Shimano Altus SL-M2010 Rapidfire, 9s**BRAKES** Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm**CASSETTE** Shimano CS-HG200 9s 11/36**PEDALS** Alu TKK**HUBS** Shimano TX505, CL, 32h**RIMS** Rodi Tryp25, 25x622, 32h, eBike ready**STEM** Satori UP3e, Internal routing, Bar bore 31,8 mm**HANDLEBAR** Satori Noirette City, 630 mm**SEATPOST** Satori Harmony, Suspended, 31,6 mm**SADDLE** Selle Royal Freccia**TYRES** Schwalbe Big Apple, K-Guard, Relefex, 700x50**MUDGUARDS** SKS A65R**CHAINCOVER** SKS Chainbow**CARRIERS** Alu, without brackets**LIGHTS** F: Axa CompactLine LED 35 Lux – R: Axa BlueLine LED Lightguide**MOTOR** Active Plus 36 V, 250 W**MAX TORQUE** 50 Nm**SENSOR TYPE** Torque**BATTERY** Powertube 500 Vertical, frametype, weight 2,9 kg**CHARGER TYPE** 4 A**CHARGE TIME** Up to 4,5 hours**MAX ASSISTED SPEED** 25 km/h**DISPLAY** INTUVIA**POWER** Eco: 40 %

Tour: 100 %

Sport: 180 %

Turbo: 270 %

**WHITE/ANTHR./BLACK MATT**

40 cm 0115287500

44 cm 0115287510

49 cm 0115287520

€ 2.699,00

**Atala**

# B-TOUR S MAN

**BOSCH**

- ACTIVE PLUS CRUISE
- POWERPACK 400
- INTUVIA
-  9 S



FRAME Alu 700C, hydroformed, custom tubing, Integrated carrier, Internal routing, Forged interface

FORK Suntour NEX-E25, 63 mm, Coil, Lockout

HEADSET FSA No.10, semi-integrated, 1"1/8

CRANKSET Miranda Epsilon, Miranda 38T

REAR DERAILLEUR Shimano Altus RD-M2000 SGS, Shadow

SHIFTERS LEVERS Shimano Altus SL-M2010 Rapidfire, 9s

BRAKES Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm

CASSETTE Shimano CS-HG200 9s 11/36

PEDALS Alu TKK

HUBS Shimano TX505, CL, 32h

RIMS Rodi Tryp25, 25x622, 32h, eBike ready

STEM Satori UP3e, Internal routing, Bar bore 31,8 mm

HANDLEBAR Satori Noirette City, 630 mm

SEATPOST Satori Harmony, Suspended, 31,6 mm

SADDLE Selle Royal Freccia

TYRES Schwalbe Big Apple, K-Guard, Relefex, 700x50

MUDGUARDS SKS A65R

CHAINCOVER SKS Chainbow

CARRIERS Alu integrated

LIGHTS F: Axa CompactLine LED 35 Lux – R: Axa BlueLine LED Lightguide

MOTOR Active Plus 36 V, 250 W

MAX TORQUE 50 Nm

SENSOR TYPE Torque

BATTERY Powerpack 400, frametype, weight  
2,5 kg

CHARGER TYPE 2 A

CHARGE TIME Up to 6,5 hours

MAX ASSISTED SPEED 25 km/h

DISPLAY INTUVIA

POWER Eco: 40 %

Tour: 100 %

Sport: 180 %

Turbo: 270 %

ULTRALIGHT/NEON RED MATT

49 cm 0115287600

54 cm 0115287610

59 cm 0115287620

€ 2.199,00

**Atala**

# B-TOUR S LADY

**BOSCH**

- ACTIVE PLUS CRUISE
- POWERPACK 400
- INTUVIA
- 28 | 9 S



FRAME Alu 700C, hydroformed, custom tubing, Integrated carrier, Internal routing, Forged interface

FORK Suntour NEX-E25, 63 mm, Coil, Lockout

HEADSET FSA No.10, semi-integrated, 1"1/8

CRANKSET Miranda Epsilon, Miranda 38T

REAR DERAILLEUR Shimano Altus RD-M2000 SGS, Shadow

SHIFTERS LEVERS Shimano Altus SL-M2010 Rapidfire, 9s

BRAKES Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm

CASSETTE Shimano CS-HG200 9s 11/36

PEDALS Alu TKK

HUBS Shimano TX505, CL, 32h

RIMS Rodi Tryp25, 25x622, 32h, eBike ready

STEM Satori UP3e, Internal routing, Bar bore 31,8 mm

HANDLEBAR Satori Noirette City, 630 mm

SEATPOST Satori Harmony, Suspended, 31,6 mm

SADDLE Selle Royal Freccia

TYRES Schwalbe Big Apple, K-Guard, Relefex, 700x50

MUDGUARDS SKS A65R

CHAINCOVER SKS Chainbow

CARRIERS Alu integrated

LIGHTS F: Axa CompactLine LED 35 Lux – R: Axa BlueLine LED Lightguide

MOTOR Active Plus 36 V, 250 W

MAX TORQUE 50 Nm

SENSOR TYPE Torque

BATTERY Powerpack 400, frametype, weight  
2,5 kg

CHARGER TYPE 2 A

CHARGE TIME Up to 6,5 hours

MAX ASSISTED SPEED 25 km/h

DISPLAY INTUVIA

POWER Eco: 40 %

Tour: 100 %

Sport: 180 %

Turbo: 270 %

ULTRALIGHT/NEON RED MATT

40 cm 0115287700

44 cm 0115287710

49 cm 0115287720

€ 2.199,00

**Atala**

# B-TOUR MAN

**BOSCH**

- ACTIVE PLUS CRUISE
- POWERPACK 400
- PURION
-  9 S

**FRAME** Alu 700C, hydroformed, custom tubing, Integrated carrier, Internal routing, Forged interface**FORK** Suntour NEX-E25, 63 mm, Coil**HEADSET** FSA No.10, semi-integrated, 1"1/8**CRANKSET** FSA, 38T**REAR DERAILLEUR** Shimano Altus RD-M2000 SGS, Shadow**SHIFTERS LEVERS** Shimano Altus SL-M2010 Rapidfire, 9s**BRAKES** Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm**CASSETTE** Shimano CS-HG200 9s 11/34**PEDALS** Alu TKK**HUBS** Shimano TX505, CL, 32h**RIMS** Rodi Blackrock23, 23x622, 32h, eBike ready**STEM** Ahead Adjustable, Bar bore 31,8 mm**HANDLEBAR** Alu City, 640 mm**SEATPOST** Alu, 31,6 mm**SADDLE** Selle Royal Freccia**TYRES** Schwalbe Big Apple, K-Guard, Releflex, 700x50**MUDGUARDS** SKS A65R Aluflex**CHAINCOVER** SKS Chainbow**CARRIERS** Alu integrated**LIGHTS** F: Axa CompactLine LED 20 Lux – R: Axa BlueLine LED Lightguide**MOTOR** Active Plus 36 V, 250 W**MAX TORQUE** 50 Nm**SENSOR TYPE** Torque**BATTERY** Powerpack 400, frametype, weight  
2,5 kg**CHARGER TYPE** 2 A**CHARGE TIME** Up to 6,5 hours**MAX ASSISTED SPEED** 25 km/h**DISPLAY** PURION**POWER** Eco: 40 %

Tour: 100 %

Sport: 180 %

Turbo: 270 %

**BLACK/ULTRALIGHT/ANTHR. MATT**

49 cm 0115287800

54 cm 0115287810

59 cm 0115287820

€ 2.099,00

**Atala**

# B-TOUR LADY

**BOSCH**

- ACTIVE PLUS CRUISE
- POWERPACK 400
- PURION
- 28 9 S

**FRAME** Alu 700C, hydroformed, custom tubing, Integrated carrier, Internal routing, Forged interface**FORK** Suntour NEX-E25, 63 mm, Coil**HEADSET** FSA No.10, semi-integrated, 1"1/8**CRANKSET** FSA, 38T**REAR DERAILLEUR** Shimano Altus RD-M2000 SGS, Shadow**SHIFTERS LEVERS** Shimano Altus SL-M2010 Rapidfire, 9s**BRAKES** Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm**CASSETTE** Shimano CS-HG200 9s 11/34**PEDALS** Alu TKK**HUBS** Shimano TX505, CL, 32h**RIMS** Rodi Blackrock23, 23x622, 32h, eBike ready**STEM** Ahead Adjustable, Bar bore 31,8 mm**HANDLEBAR** Alu City, 640 mm**SEATPOST** Alu, 31,6 mm**SADDLE** Selle Royal Freccia**TYRES** Schwalbe Big Apple, K-Guard, Relefex, 700x50**MUDGUARDS** SKS A65R Aluflex**CHAINCOVER** SKS Chainbow**CARRIERS** Alu integrated**LIGHTS** F: Axa CompactLine LED 20 Lux – R: Axa BlueLine LED Lightguide**MOTOR** Active Plus 36 V, 250 W**MAX TORQUE** 50 Nm**SENSOR TYPE** Torque**BATTERY** Powerpack 400, frametype, weight  
2,5 kg**CHARGER TYPE** 2 A**CHARGE TIME** Up to 6,5 hours**MAX ASSISTED SPEED** 25 km/h**DISPLAY** PURION**POWER** Eco: 40 %

Tour: 100 %

Sport: 180 %

Turbo: 270 %

**WHITE/ANTHRACITE/BLACK**

40 cm 0115287900

44 cm 0115287910

49 cm 0115287920

€ 2.099,00

**Atala**

# B-TOUR LTD MAN

**FRAME** Alu 700C, hydroformed, custom tubing, Integrated carrier, Internal routing, Forged interface**FORK** Suntour NEX-E25, 63 mm, Coil**HEADSET** FSA No.10, semi-integrated, 1"1/8**CRANKSET** FSA, 38T**REAR DERAILLEUR** Shimano RD-TY500D**SHIFTERS LEVERS** Shimano Tourney SL-RS36, Revoshift, 7s**BRAKES** Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm**CASSETTE** Shimano CS-HG200 7s 12/32**PEDALS** Alu TKK**HUBS** F: Shimano TX505 – R: Shimano TY505, CL, 32h**RIMS** Rodi Blackrock23, 23x622, 32h, eBike ready**STEM** Ahead Adjustable, Bar bore 25,4 mm**HANDLEBAR** Alu City, 630 mm**SEATPOST** Alu, 31,6 mm**SADDLE** Selle Royal Wave**TYRES** Schwalbe Big Apple, K-Guard, Relex, 700x50**MUDGUARDS** SKS A65R Aluflex**CHAINCOVER** SKS Chainbow**CARRIERS** Alu integrated**LIGHTS** F: Axa CompactLine LED 20 Lux – R: Axa BlueLine LED Lightguide**MOTOR** Active 36 V, 250 W**MAX TORQUE** 40 Nm**SENSOR TYPE** Torque**BATTERY** Powerpack 300, frametype, weight 2 kg**CHARGER TYPE** 2 A**CHARGE TIME** Up to 5 hours**MAX ASSISTED SPEED** 25 km/h**DISPLAY** PURION**POWER** Eco: 40 %

Tour: 100 %

Sport: 170 %

Turbo: 250 %

**ULTRALIGHT/NEON RED MATT**

49 cm 0115288000

54 cm 0115288010

59 cm 0115288020

€ 1.849,00

**Atala**

# B-TOUR LTD LADY

**BOSCH**

- ACTIVE CRUISE
- POWERPACK 300
- PURION
- 28 7 S

**FRAME** Alu 700C, hydroformed, custom tubing, Integrated carrier, Internal routing, Forged interface**FORK** Suntour NEX-E25, 63 mm, Coil**HEADSET** FSA No.10, semi-integrated, 1"1/8**CRANKSET** FSA, 38T**REAR DERAILLEUR** Shimano RD-TY500D**SHIFTERS LEVERS** Shimano Tourney SL-RS36, Revoshift, 7s**BRAKES** Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm**CASSETTE** Shimano CS-HG200 7s 12/32**PEDALS** Alu TKK**HUBS** F: Shimano TX505 – R: Shimano TY505, CL, 32h**RIMS** Rodi Blackrock23, 23x622, 32h, eBike ready**STEM** Ahead Adjustable, Bar bore 25,4 mm**HANDLEBAR** Alu City, 630 mm**SEATPOST** Alu, 31,6 mm**SADDLE** Selle Royal Wave**TYRES** Schwalbe Big Apple, K-Guard, Relfex, 700x50**MUDGUARDS** SKS A65R Aluflex**CHAINCOVER** SKS Chainbow**CARRIERS** Alu integrated**LIGHTS** F: Axa CompactLine LED 20 Lux – R: Axa BlueLine LED Lightguide**MOTOR** Active 36 V, 250 W**MAX TORQUE** 40 Nm**SENSOR TYPE** Torque**BATTERY** Powerpack 300, frametype, weight  
2 kg**CHARGER TYPE** 2 A**CHARGE TIME** Up to 5 hours**MAX ASSISTED SPEED** 25 km/h**DISPLAY** PURION**POWER** Eco: 40 %

Tour: 100 %

Sport: 170 %

Turbo: 250 %

**ULTRALIGHT/NEON RED MATT**

40 cm 0115288100

44 cm 0115288110

49 cm 0115288120

€ 1.849,00

# CUTE EVO SL

## I TECHNOLOGIES

Cute SL è l'evoluzione della Cute S 400. Che il tuo interesse sia esplorare, andare al lavoro e semplicemente divertiti, con la Cute SL, nessun percorso è off limits.

*Cute SL is the evolution of the Cute S 400. Whether your interest is exploring, going to work and simply having fun, with the Cute SL, no path is off limits.*



**1** | CAMBIO SHIMANO ACERA A 9  
9-SPEED SHIMANO ACERA GEARBOX



**2** | GOMME SCHWALBE ANTIFORATURA  
SCHWALBE ANTI-PUNCTURE TIRES



**3** | FANALI AXA CERTIFICATI  
AXA CERTIFIED LIGHTS



**4** | LA BATTERIA DA 500 WH  
500 WH BATTERY



**5** | PEDALI IN ALLUMINIO  
ALUMINUM PEDALS



**6** | FORCELLA BLOCCABILE  
LOCKABLE FORK



**Atala**

# CUTE EVO SL MAN

ANT3D agile

⚙ 80Nm/Torque Smart  
 ⚡ 504Wh  
 ☐ AM80 AGILE LCD  
 28 9S

**FRAME** Alu. Hydroformed 700c, integrated battery, integrated carrier, internal cables**FORK** Suntour NEX E25 HLO 700c, alu with alu crown, 50mm, whith hydraulic lockout**HEADSET** FSA integrated 1"1/8**CRANKSET** AM80 alu crank arm, Miche 38T**REAR DERAILLEUR** Shimano Acera RD-M3000**SHIFTERS LEVERS** Shimano Acera SL-M3000, 9s**BRAKES** Shimano BR-MT200 hydraulic disc, Rotor 180 mm CL**CASSETTE** Shimano HG200 9s 11-36**PEDALS** Alu TKK**HUBS** Shimano TX505 32h, CL, quick release**RIMS** Rodi 700c, double wall w/eylets, 32h, disc**STEM** Byte alu over, ahead, adjustable**HANDLEBAR** Byte alu over, TKK**SEATPOST** Byte suspended 40mm, 27,2mm**SADDLE** Selle Royal Lancia**TYRES** Schwalbe Energizer Plus 700x47c, with reflecting line, puncture proof**MUDGUARDS** Single stay safety-clip**CHAINCOVER** Plastic, L type**CARRIERS** Integrated with frame, 25kg load**LIGHTS** Axa front (15 lux) and rear LED, controlled by display and twilight sensor**MOTOR** AM80 Agile CAN, 36V 250W**MAX TORQUE** 80 Nm**SENSOR TYPE** Torque**BATTERY** Li-Ion 36V, 504Wh, on frame, Samsung cells with Smart BMS CAN**RANGE** level1: up to 170km – level2: up to 110km  
level3: up to 85km – level4: up to 80km  
level5: up to 65km**CHARGER TYPE** 2 A**CHARGER TIME** 100%: 6h / 80%: 4h40m**MAX ASSISTED SPEED** 25 km/h**DISPLAY** Atala A10 LCD Smart CAN, with remote control**POWER ADJUST** 5 levels, Power adjust – level1: 50%  
level2: 100% – level3: 150%  
level4: 200% – level5: 250%**OTHER FUNCTIONS** Soft start: 0 – 6km/h, with no pedaling  
External light control  
Speed information – Battery information**BLACK/NEON RED MATT**

49 cm 0115289200

€ 1.799,00

**Atala**

# CUTE EVO SL LADY

ANTONIO agile

- 80Nm/Torque Smart
- 504Wh
- AM80 AGILE LCD
- 28 | 9 S

**FRAME** Alu. Hydroformed 700c, integrated battery, integrated carrier, internal cables**FORK** Suntour NEX E25 HLO 700c, alu with alu crown, 50mm, whith hydraulic lockout**HEADSET** FSA integrated 1"1/8**CRANKSET** AM80 alu crank arm, Miche 38T**REAR DERAILLEUR** Shimano Acera RD-M3000**SHIFTERS LEVERS** Shimano Acera SL-M3000, 9s**BRAKES** Shimano BR-MT200 hydraulic disc, Rotor 180 mm CL**CASSETTE** Shimano HG200 9s 11-36**PEDALS** Alu TKK**HUBS** Shimano TX505 32h, CL, quick release**RIMS** Rodi 700c, double wall w/eylets, 32h, disc**STEM** Byte alu over, ahead, adjustable**HANDLEBAR** Byte alu over, TKK**SEATPOST** Byte suspended 40mm, 27,2mm**SADDLE** Selle Royal Lancia**TYRES** Schwalbe Energizer Plus 700x47c, with reflecting line, puncture proof**MUDGUARDS** Single stay safety-clip**CHAINCOVER** Plastic, L type**CARRIERS** Integrated with frame, 25kg load**LIGHTS** Axa front (15 lux) and rear LED, controlled by display and twilight sensor**MOTOR** AM80 Agile CAN, 36V 250W**MAX TORQUE** 80 Nm**SENSOR TYPE** Torque**BATTERY** Li-Ion 36V, 504Wh, on frame, Samsung cells with Smart BMS CAN**RANGE** level1: up to 170km – level2: up to 110km  
level3: up to 85km – level4: up to 80km  
level5: up to 65km**CHARGER TYPE** 2 A**CHARGER TIME** 100%: 6h / 80%: 4h40m**MAX ASSISTED SPEED** 25 km/h**DISPLAY** Atala A10 LCD Smart CAN, with remote control**POWER ADJUST** 5 levels, Power adjust – level1: 50%  
level2: 100% – level3: 150%  
level4: 200% – level5: 250%**OTHER FUNCTIONS** Soft start: 0 – 6km/h, with no pedaling  
External light control  
Speed information – Battery information**WHITE/NEON RED**

45 cm 0115289205

€ 1.799,00

**Atala**

# CUTE EVO S MAN

ANTONIO agile

- 80Nm/Torque Smart
- 418Wh
- ATALA A10 LCD SMART CAN
- 28 8S

**FRAME** Alu. Hydroformed 700c, integrated battery, integrated carrier, internal cables**FORK** Suntour NEX 700c, alu with alu crown, 50mm**HEADSET** FSA integrated 1"1/8**CRANKSET** AM80 alu crank arm, Miche 38T**REAR DERAILLEUR** Shimano Acera RD-M360**SHIFTERS LEVERS** Shimano SL-M315 PushPull, 8s**BRAKES** Shimano BR-MT200 hydraulic disc, Rotor 180 mm CL**CASSETTE** Shimano HG200 8s 11-32**PEDALS** Resin antislip**HUBS** Shimano TX505 32h, CL, quick release**RIMS** Rodi 700c, double wall w/eylets, 32h, disc**STEM** Byte alu over, ahead, adjustable**HANDLEBAR** Byte alu over, TKK**SEATPOST** Byte suspended 40mm, 27,2mm**SADDLE** Selle Royal Lancia**TYRES** Byte Trento 700x38c**MUDGUARDS** Single stay safety-clip**CHAINCOVER** Plastic, L type**CARRIERS** Integrated with frame, 25kg load**LIGHTS** Axa front (15 lux) and rear LED, controlled by display and twilight sensor**MOTOR** AM80 Agile CAN, 36V 250W**MAX TORQUE** 80Nm**SENSOR TYPE** Torque**BATTERY** Li-Ion 36V, 504Wh, on frame, Samsung cells with Smart BMS CAN**RANGE** level1: up to 140km – level2: up to 90km  
level3: up to 70km – level4: up to 65km  
level5: up to 55km**CHARGER TYPE** 2 A**CHARGER TIME** 100%: 6h / 80%: 4h40m**MAX ASSISTED SPEED** 25 km/h**DISPLAY** Atala A10 LCD Smart CAN, with remote control**POWER ADJUST** 5 levels, Power adjust – level1: 50%  
level2: 100% – level3: 150%  
level4: 200% – level5: 250%**OTHER FUNCTIONS** Soft start: 0 – 6km/h, with no pedaling  
External light control  
Speed information – Battery information**ANTHRAHITE/LIGHT BLUE MATT**

49 cm 0115289230

54 cm 0115289233

**€ 1.649,00**

**Atala**

# CUTE EVO S LADY

ANT3D agile

- 80Nm/Torque Smart
- 418Wh
- ATALA A10 LCD SMART CAN
- 28 8S

**FRAME** Alu. Hydroformed 700c, integrated battery, integrated carrier, internal cables**FORK** Suntour NEX 700c, alu with alu crown, 50mm**HEADSET** FSA integrated 1"1/8**CRANKSET** AM80 alu crank arm, Miche 38T**REAR DERAILLEUR** Shimano Acera RD-M360**SHIFTERS LEVERS** Shimano SL-M315 PushPull, 8s**BRAKES** Shimano BR-MT200 hydraulic disc, Rotor 180 mm CL**CASSETTE** Shimano HG200 8s 11-32**PEDALS** Resin antislip**HUBS** Shimano TX505 32h, CL, quick release**RIMS** Rodi 700c, double wall w/eylets, 32h, disc**STEM** Byte alu over, ahead, adjustable**HANDLEBAR** Byte alu over, TKK**SEATPOST** Byte suspended 40mm, 27,2mm**SADDLE** Selle Royal Lancia**TYRES** Byte Trento 700x38c**MUDGUARDS** Single stay safety-clip**CHAINCOVER** Plastic, L type**CARRIERS** Integrated with frame, 25kg load**LIGHTS** Axa front (15 lux) and rear LED, controlled by display and twilight sensor**MOTOR** AM80 Agile CAN, 36V 250W**MAX TORQUE** 80Nm**SENSOR TYPE** Torque**BATTERY** Li-Ion 36V, 504Wh, on frame, Samsung cells with Smart BMS CAN**RANGE** level1: up to 140km – level2: up to 90km  
level3: up to 70km – level4: up to 65km  
level5: up to 55km**CHARGER TYPE** 2 A**CHARGER TIME** 100%: 6h / 80%: 4h40m**MAX ASSISTED SPEED** 25 km/h**DISPLAY** Atala A10 LCD Smart CAN, with remote control**POWER ADJUST** 5 levels, Power adjust – level1: 50%  
level2: 100% – level3: 150%  
level4: 200% – level5: 250%**OTHER FUNCTIONS** Soft start: 0 – 6km/h, with no pedaling  
External light control  
Speed information – Battery information**ANTHRACITE/BLACK MATT**

45 cm 0115289235

49 cm 0115289237

€ 1.649,00

**Atala**

# CUTE EVO MAN

ANT3D agile

- 80Nm/Torque Smart
- 418Wh
- ATALA A15 LCD SMART CAN
- 28 7 S

**FRAME** Alu. Hydroformed 700c", integrated battery, internal cables**FORK** Suntour NEX 700c, alu with alu crown, 50mm**HEADSET** FSA integrated 1"1/8**CRANKSET** AM80 alu crank arm, Miche 38T**REAR DERAILLEUR** Shimano Altus RD-M310**SHIFTERS LEVERS** Shimano SL-M315 PushPull, 7s**BRAKES** Shimano BR-MT200 hydraulic disc, Rotor 160 mm INT**CASSETTE** Shimano HG200 7s 12-32**PEDALS** Resin antislip**HUBS** Shimano TX505 32h, CL, quick release**RIMS** Rodi 700c, double wall w/eylets, 32h, disc**STEM** Byte alu, ahead, adjustable**HANDLEBAR** Byte steel TKK**SEATPOST** Byte alu with clamp, 27,2mm**SADDLE** Selle Royal Lancia**TYRES** Byte Trento 700x38c**MUDGUARDS** Single stay safety-clip**CHAINCOVER** Plastic, L type**CARRIERS** Alloy rear carrier with spring, 25kg load**LIGHTS** Axa front (15 lux) and rear LED, controlled by display**MOTOR** AM80 Agile CAN, 36V 250W**MAX TORQUE** 80 Nm**SENSOR TYPE** Torque**BATTERY** Li-Ion 36V, 504Wh, on frame, Samsung cells with Smart BMS CAN**RANGE** level1: up to 140km – level2: up to 90km  
level3: up to 70km – level4: up to 65km  
level5: up to 55km**CHARGER TYPE** 2 A**CHARGER TIME** 100%: 6h / 80%: 4h40m**MAX ASSISTED SPEED** 25 km/h**DISPLAY** Atala A15 LED CAN, Power +/-**POWER ADJUST** 5 levels, Power adjust – level1: 50%  
level2: 100% – level3: 150%  
level4: 200% – level5: 250%**OTHER FUNCTIONS** Soft start: 0 – 6km/h, with no pedaling  
External light control**ULTRALIGHT/BLACK MATT**

49 cm 0115289270

€ 1.549,00

**Atala**

# CUTE EVO LADY

ANT3D agile

- 80Nm/Torque Smart
- 418Wh
- ATALA A15 LCD SMART CAN
- 28 7 S

**FRAME** Alu. Hydroformed 700c, integrated battery, internal cables**FORK** Suntour NEX 700c, alu with alu crown, 50mm**HEADSET** FSA integrated 1"1/8**CRANKSET** AM80 alu crank arm, Miche 38T**REAR DERAILLEUR** Shimano Altus RD-M310**SHIFTERS LEVERS** Shimano SL-M315 PushPull, 7s**BRAKES** Shimano BR-MT200 hydraulic disc, Rotor 160 mm INT**CASSETTE** Shimano HG200 7s 12-32**PEDALS** Resin antislip**HUBS** Shimano TX505 32h, CL, quick release**RIMS** Rodi 700c, double wall w/eylets, 32h, disc**STEM** Byte alu, ahead, adjustable**HANDLEBAR** Byte steel TKK**SEATPOST** Byte alu with clamp, 27,2mm**SADDLE** Selle Royal Lancia**TYRES** Byte Trento 700x38c**MUDGUARDS** Single stay safety-clip**CHAINCOVER** Plastic, L type**CARRIERS** Alloy rear carrier with spring, 25kg load**LIGHTS** Axa front (15 lux) and rear LED, controlled by display**MOTOR** AM80 Agile CAN, 36V 250W**MAX TORQUE** 80Nm**SENSOR TYPE** Torque**BATTERY** Li-Ion 36V, 504Wh, on frame, Samsung cells with Smart BMS CAN**RANGE** level1: up to 140km – level2: up to 90km

level3: up to 70km – level4: up to 65km

level5: up to 55km

**CHARGER TYPE** 2 A**CHARGER TIME** 100%: 6h / 80%: 4h40m**MAX ASSISTED SPEED** 25 km/h**DISPLAY** Atala A15 LED CAN, Power +/-**POWER ADJUST** 5 levels, Power adjust – level1: 50%  
level2: 100% – level3: 150%  
level4: 200% – level5: 250%**OTHER FUNCTIONS** Soft start: 0 – 6km/h, with no pedaling  
External light control**ULTRALIGHT/LIGHT BLUE MATT**

45 cm 0115289275

€ 1.549,00

**Atala**

# B-TOUR SE MAN

**BOSCH**

- ACTIVE PLUS CRUISE
- POWERPACK 400
- INTUVIA
- 28 9 S

**FRAME** Alu 700C, hydroformed, custom tubing, Integrated carrier, Internal routing, Forged interface**FORK** Suntour NEX-E25 DS-700C, 50 mm, Hydraulic lockout**HEADSET** FSA No.10, semi-integrated, 1"1/8**CRANKSET** FSA CK-200, 38T**REAR DERAILLEUR** Shimano Alivio RD-M4000 SGS**SHIFTERS LEVERS** Shimano Altus SL-M2000 Rapidfire, 9s**BRAKES** Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm**CASSETTE** Shimano CS-HG200 9s 11/36**PEDALS** Alu TKK**HUBS** Shimano TX505, CL, 32h**RIMS** Ambrosio Sport, 29", 32h, E-Bike ready**STEM** Byte Ahead Adjustable Oversize, 110 mm**HANDLEBAR** Byte Alu City Oversize, 640 mm**SEATPOST** Byte Alu, Suspended, 31,6 mm**SADDLE** Selle Royal Freccia**TYRES** Schwalbe Road Cruiser, 700x40, Reflex**MUDGUARDS** SKS CAB Stingray2**CHAINCOVER** SKS Chainbow**CARRIERS** Alu integrated**LIGHTS** F: Axa BlueLine LED 30 Lux / R: Axa BlueLine LED Lightguide**MOTOR** Active Plus 36 V, 250 W**MAX TORQUE** 52 Nm**SENSOR TYPE** Torque**BATTERY** Powerpack 400, frametype,  
weight 2,5 kg**CHARGER TYPE** 2 A**CHARGE TIME** Up to 6,5 hours**MAX ASSISTED SPEED** 25 km/h**DISPLAY** INTUVIA**POWER** Eco: 40 %

Tour: 100 %

Sport: 180 %

Turbo: 270 %

**BLACK/ULTRALIGHT MATT**

49 cm 0115272250

54 cm 0115272260

59 cm 0115272270

**NEW PRICE**

€ 2.139,00

**Atala**

# B-TOUR SE LADY

**BOSCH**

- ACTIVE PLUS CRUISE
- POWERPACK 400
- INTUVIA
- 28 9 S

**FRAME** Alu 700C, hydroformed, custom tubing, Integrated carrier, Internal routing, Forged interface**FORK** Suntour NEX-E25 DS-700C, 50 mm, Hydraulic lockout**HEADSET** FSA No.10, semi-integrated, 1"1/8**CRANKSET** FSA CK-200, 38T**REAR DERAILLEUR** Shimano Alivio RD-M4000 SGS**SHIFTERS LEVERS** Shimano Altus SL-M2000 Rapidfire, 9s**BRAKES** Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm**CASSETTE** Shimano CS-HG200 9s 11/36**PEDALS** Alu TKK**HUBS** Shimano TX505, CL, 32h**RIMS** Ambrosio Sport, 29", 32h, E-Bike ready**STEM** Byte Ahead Adjustable Oversize, 110 mm**HANDLEBAR** Byte Alu City Oversize, 640 mm**SEATPOST** Byte Alu, Suspended, 31,6 mm**SADDLE** Selle Royal Freccia**TYRES** Schwalbe Road Cruiser, 700x40, Reflex**MUDGUARDS** SKS CAB Stingray2**CHAINCOVER** SKS Chainbow**CARRIERS** Alu integrated**LIGHTS** F: Axa BlueLine LED 30 Lux / R: Axa BlueLine LED Lightguide**MOTOR** Active Plus 36 V, 250 W**MAX TORQUE** 52 Nm**SENSOR TYPE** Torque**BATTERY** Powerpack 400, frametype,  
weight 2,5 kg**CHARGER TYPE** 2 A**CHARGE TIME** Up to 6,5 hours**MAX ASSISTED SPEED** 25 km/h**DISPLAY** INTUVIA**POWER** Eco: 40 %

Tour: 100 %

Sport: 180 %

Turbo: 270 %

**ULTRALIGHT/BLACK MATT**

40 cm 0115272350

44 cm 0115272360

49 cm 0115272370


**NEW PRICE**


€ 2.139,00

# |E URBAN

Spostarsi velocemente in città è sempre più difficile: strade intasate, metro affollatissime, treni in ritardo fanno ormai parte del passato. L'eBike ti permette questo e molto altro, diventando parte integrante della mobilità urbana.

*Moving quickly in the city is more and more difficult: congested streets, stuffy subways, train delays. Not any more. The eBike makes commuting easier, becoming an essential part of urban mobility.*





 **BOSCH**

**ANEO** *agile*

**eco***logic*

# B-EASY SLS

## I TECHNOLOGIES

Con il telaio eUrban muoversi in città è più facile.

Il motore integrato nel telaio è silenzioso, la taratura è specifica per un utilizzo cittadino perché reagisce rispetto al livello di forza che imprimi sui pedali. Più spingi, più il motore supporta. La batteria si integra perfettamente nel telaio ed è facilmente removibile per la ricarica. La geometria del telaio eUrban con tubo ribassato rende questa eBike semplice nell'utilizzo, rendendola una ebike da commuting ideale.

*Getting around the city is easier with the eUrban frame.*

*The engine has been designed to work properly because it reacts to the level of force you impart to the pedals. The more you push, the more the engine supports. The battery is perfectly integrated into the frame and is easily removable for recharging. The eUrban frame geometry with low-profile tube makes this eBike easy to use, an ideal commuter ebike.*

### EASY ACCESS FRAME



*Quota di standover mantenuta bassa per facilitare l'ingresso delle gambe al telaio.*

*Standover rate kept low to facilitate leg entry to the frame.*

### INTERNAL ROUTING TECHNOLOGY



Tutti i cavi e i fili all'interno del carro posteriore, creando un telaio dall'aspetto pulito e elegante.

*Creates a clean looking bike by routing all cables and wires inside the chain stay.*

### SEAT TUBE CHARGE PORT



Ottimizzazione della geometria per una pedalata più efficace, accorciando l'orizzontale virtuale, spostando la presa di ricarica della batteria integrata sul tubo sella.

*Geometry optimization for a more effective pedaling, shortening the virtual horizontal and moving the integrated battery charge port on the seat tube.*

### ANTI-THEFT FRAME LOCK



*Il telaio è dotato di un sistema di aggancio antifurto per il fissaggio dei lucchetti ad arco.*

*Frame equipped with an anti-theft lock system for fixing U-locks.*

PASSAGGIO CAVI INTERNO  
INTERNAL CABLE ROUTING



INTERFACCIA FORGIATA  
FORGED INTERFACE



PORTAPACCHI SEMI INTEGRATO  
SEMI INTEGRATED REAR CARRIER



## 1 SELLE ROYAL LOOKIN

Lookin è una sella dal design accattivante e pulito. La finestra sulla superficie rivela l'innovativa tecnologia 3D Skingel e il rivestimento sui lati con Superfabric rappresenta una protezione ottimale da graffi e abrasioni.

*Lookin is a saddle with an attractive, clean design. The window on the surface reveals the innovative 3D Skingel technology and the saddle sides are finished with Superfabric for optimal protection against scratches and abrasions.*

## 2 SUSPENDED SEATPOST

Componente di fondamentale importanza per garantire il massimo comfort di marcia anche su strade o sentieri sconnessi, riducendo i colpi sulla schiena del ciclista.

*Fundamental component to ensure maximum riding comfort even on road or hard trails, thus reducing hits on the rider's back.*

## 3 VICTORY LOCK

Prodotto Premium all'interno della gamma AXA e, optionalmente, si può collegare ad un cavo o catena plugin in modo da poter legare la bici ad un oggetto fisso. Il lucchetto a telaio è completamente saldato e romperlo è praticamente impossibile.

*Premium product within the AXA range and has the option to link a plug in cable or -chain to the lock so you can lock your bike to a fixed object. The frame lock is completely welded all around and breaking it open is almost impossible.*

**Atala**

# B-EASY SLS

**BOSCH**

- PERFORMANCE CRUISE
- POWERTUBE 500
- INTUVIA
- 10 S

**FRAME** Alu 700C, hydroformed, easy access, integrated battery, custom tubing, internal routing, Forged interface**FORK** Suntour NEX-E25, 63 mm, Coil, Lockout**HEADSET** FSA No.10, semi-integrated, 1"1/8**CRANKSET** Miranda Epsilon, Miranda 38T**REAR DERAILLEUR** Shimano Deore RD-T6000 SGS, Shadow**SHIFTERS LEVERS** Shimano Deore SL-T6000 Rapidfire-Plus, 10s**BRAKES** Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm**CASSETTE** Shimano CS-HG50 10s 11/36**PEDALS** Alu TKK**HUBS** Shimano TX505, CL, 32h**RIMS** Rodi Tryp25, 25x622, 32h, eBike ready**STEM** Satori UP3e, Internal routing, Bar bore 31,8 mm**HANDLEBAR** Satori Noirette City, 630 mm**SEATPOST** Satori Harmony, Suspended, 31,6 mm**SADDLE** Selle Royal Lookin**TYRES** Schwalbe Marathon E-Plus, Smartguard 2.0, Reflex, 700x50**MUDGUARDS** SKS Evo55 Alu Sandwich**CHAINCOVER** SKS Chainbow**CARRIERS** Alu, without brackets**LIGHTS** F: Trelock Bike-I Airflow 70 - R: Trelock LS 614, Brakelight**MOTOR** Performance 36 V, 250 W**MAX TORQUE** 65 Nm**SENSOR TYPE** Torque**BATTERY** Powertube 500 Vertical, frametype, weight 2,9 kg**CHARGER TYPE** 4 A**CHARGE TIME** Up to 4,5 hours**MAX ASSISTED SPEED** 25 km/h**DISPLAY** INTUVIA**POWER** Eco: 55 %

Tour: 120 %

Sport: 200 %

Turbo: 300 %

**WHITE/DARK RED**

45 cm 0115288500

50 cm 0115288510

€ 2.999,00

**Atala**

# B-EASY SL 500

**BOSCH**

- ACTIVE PLUS CRUISE
- POWERTUBE 500
- INTUVIA
- 28 | 9 S**



**FRAME** Alu 700C, hydroformed, easy access, integrated battery, custom tubing,  
Internal routing, Forged interface

**FORK** Suntour NEX-E25, 63 mm, Coil, Lockout

**HEADSET** FSA No.10, semi-integrated, 1"1/8

**CRANKSET** Miranda Epsilon, Miranda 38T

**REAR DERAILLEUR** Shimano Altus RD-M2000 SGS, Shadow

**SHIFTERS LEVERS** Shimano Altus SL-M2010 Rapidfire, 9s

**BRAKES** Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm

**CASSETTE** Shimano CS-HG200 9s 11/34

**PEDALS** Alu TKK

**HUBS** Shimano TX505, CL, 32h

**RIMS** Rodi Blackrock23, 23x622, 32h, eBike ready

**STEM** Satori UP3e, Internal routing, Bar bore 31,8 mm

**HANDLEBAR** Satori Noirette City, 630 mm

**SEATPOST** Satori Harmony, Suspended, 31,6 mm

**SADDLE** Selle Royal Rio Plus

**TYRES** Schwalbe Energizer Plus, Greenguard 3 mm, Reflex, 700x50

**MUDGUARDS** SKS A65R

**CHAINCOVER** SKS Chainbow

**CARRIERS** Alu, without brackets

**LIGHTS** F: Axa CompactLine LED 35 Lux – R: Axa BlueLine LED Lightguide

**MOTOR** Active Plus 36 V, 250 W

**MAX TORQUE** 50 Nm

**SENSOR TYPE** Torque

**BATTERY** Powertube 500 Vertical, frametype,  
weight 2,9 kg

**CHARGER TYPE** 2 A

**CHARGE TIME** Up to 7,5 hours

**MAX ASSISTED SPEED** 25 km/h

**DISPLAY** INTUVIA

**POWER** Eco: 40 %

Tour: 100 %

Sport: 180 %

Turbo: 270 %

**BLACK/NEON GREEN MATT**

45 cm 0115288600

50 cm 0115288610

€ 2.699,00

**Atala**

# B-EASY SL 400

**BOSCH**

- ACTIVE PLUS CRUISE
- POWERTUBE 400
- INTUVIA
- 28 | 9 S**

**FRAME** Alu 700C, hydroformed, easy access, integrated battery, custom tubing, internal routing, Forged interface**FORK** Suntour NEX-E25, 63 mm, Coil, Lockout**HEADSET** FSA No.10, semi-integrated, 1"1/8**CRANKSET** Miranda Epsilon, Miranda 38T**REAR DERAILLEUR** Shimano Altus RD-M2000 SGS, Shadow**SHIFTERS LEVERS** Shimano Altus SL-M2010 Rapidfire, 9s**BRAKES** Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm**CASSETTE** Shimano CS-HG200 9s 11/34**PEDALS** Alu TKK**HUBS** Shimano TX505, CL, 32h**RIMS** Rodi Blackrock23, 23x622, 32h, eBike ready**STEM** Satori UP3e, Internal routing, Bar bore 31,8 mm**HANDLEBAR** Satori Noirette City, 630 mm**SEATPOST** Satori Harmony, Suspended, 31,6 mm**SADDLE** Selle Royal Rio Plus**TYRES** Schwalbe Energizer Plus, Greenguard 3 mm, Reflex, 700x50**MUDGUARDS** SKS A65R**CHAINCOVER** SKS Chainbow**CARRIERS** Alu, without brackets**LIGHTS** F: Axa CompactLine LED 35 Lux – R: Axa BlueLine LED Lightguide**MOTOR** Active Plus 36 V, 250 W**MAX TORQUE** 50 Nm**SENSOR TYPE** Torque**BATTERY** Powertube 400 Vertical, frametype, weight 2,9 kg**CHARGER TYPE** 2 A**CHARGE TIME** Up to 6,5 hours**MAX ASSISTED SPEED** 25 km/h**DISPLAY** INTUVIA**POWER** Eco: 40 %

Tour: 100 %

Sport: 180 %

Turbo: 270 %

**WHITE/DARK RED**

45 cm 0115288700

50 cm 0115288710

**€ 2.499,00**

**Atala**

# B-EASY S LTD

**BOSCH**

- ACTIVE PLUS CRUISE
- POWERTUBE 400
- PURION
- 28 | 9 S

**FRAME** Alu 700C, hydroformed, easy access, integrated battery, custom tubing,

Internal routing, Forged interface

**FORK** Suntour NEX, 63 mm, Coil**HEADSET** FSA No.10, semi-integrated, 1"1/8**CRANKSET** FSA, 38T**REAR DERAILLEUR** Shimano Altus RD-M310**SHIFTERS LEVERS** Shimano Tourney SL-RS45, Revoshift, 8s**BRAKES** Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm**CASSETTE** Shimano CS-HG200 8s 11/32**PEDALS** Alu TKK**HUBS** Shimano TX505, CL, 32h**RIMS** Rodi Blackrock23, 23x622, 32h, eBike ready**STEM** Ahead Adjustable, Bar bore 25,4 mm**HANDLEBAR** Alu City, 630 mm**SEATPOST** Alu, 31,6 mm**SADDLE** Selle Royal Wave RVS**TYRES** Schwalbe Energizer Plus, Greenguard 3 mm, Reflex, 700x50**MUDGUARDS** SKS A65R**CHAINCOVER** SKS Chainbow**CARRIERS** Steel powder coated**LIGHTS** F: Axa CompactLine LED 20 Lux – R: Axa BlueLine LED Lightguide**MOTOR** Active Plus 36 V, 250 W**MAX TORQUE** 50 Nm**SENSOR TYPE** Torque**BATTERY** Powertube 400 Vertical, frametype,  
weight 2,9 kg**CHARGER TYPE** 2 A**CHARGE TIME** Up to 6,5 hours**MAX ASSISTED SPEED** 25 km/h**DISPLAY** PURION**POWER** Eco: 40 %

Tour: 100 %

Sport: 180 %

Turbo: 270 %

**BLACK/NEON GREEN MATT**

45 cm 0115288750

50 cm 0115288760

€ 2.199,00

**Atala**

# B-EASY XWAVE

**BOSCH**

ACTIVE PLUS CRUISE  
POWERPACK 300  
PURION  
28 7 S



**FRAME** Alu 700C, easy access, custom tubing, Internal routing, Forged interface

**FORK** Suntour NEX HLO P-700C, 50 mm, Hydraulic lockout

**HEADSET** FSA No.10, semi-integrated, 1"1/8

**CRANKSET** FSA, 38T

**REAR DERAILLEUR** Shimano Nexus SG-C3000

**SHIFTERS LEVERS** Shimano Nexus SL-C3000, 7s

**BRAKES** Alu V-Brake

**CASSETTE** Shimano 18T

**PEDALS** Alu TKK

**HUBS** Shimano DH-3N31, F, Nexus R, 32h

**RIMS** Alu, double wall, 32h

**STEM** Byte Ahead Alu, adjustable

**HANDLEBAR** Byte Alu City

**SEATPOST** Byte Alu, 31,6 mm

**SADDLE** Selle Royal Wave RVS

**TYRES** Schwalbe Citizen, Relfex, 700x40

**MUDGUARDS** SKS AluFlex

**CHAINCOVER** Herrmans B-Slyde

**CARRIERS** Alu battery carrier

**LIGHTS** F: Trelock LS-884 30 Lux / R: Busch & Mueller TopLight Flat

**MOTOR** Active Plus 36 V, 250 W

**MAX TORQUE** 50 Nm

**SENSOR TYPE** Torque

**BATTERY** Powerpack 300, frametype, weight  
2 kg

**CHARGER TYPE** 2 A

**CHARGE TIME** Up to 5 hours

**MAX ASSISTED SPEED** 25 km/h

**DISPLAY** PURION

**POWER** Eco: 40 %

Tour: 100 %

Sport: 180 %

Turbo: 270 %

**WHITE**

45 cm 0115273500

€ 2.099,00

**Atala**

# B-EASY S

**BOSCH**

- ACTIVE PLUS CRUISE
- POWERPACK 300
- PURION
- 28 8 S**



**FRAME** Alu 700C, hydroformed, easy access, custom tubing, Integrated carrier, Internal routing, Forged interface

**FORK** Suntour NEX, 63 mm, Coil

**HEADSET** FSA No.10, semi-integrated, 1"1/8

**CRANKSET** FSA, 38T

**REAR DERAILLEUR** Shimano Altus RD-M310

**SHIFTERS LEVERS** Shimano Tourney SL-RS45, Revoshift, 8s

**BRAKES** Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm

**CASSETTE** Shimano CS-HG200 8s 11/32

**PEDALS** Alu TKK

**HUBS** Shimano TX505, CL, 32h

**RIMS** Rodi Blackrock23, 23x622, 32h, eBike ready

**STEM** Ahead Adjustable, Bar bore 25,4 mm

**HANDLEBAR** Alu City, 630 mm

**SEATPOST** Alu, 31,6 mm

**SADDLE** Selle Royal Wave RVS

**TYRES** Schwalbe Big Apple, K-Guard, Relex, 700x50

**MUDGUARDS** SKS A65R

**CHAINCOVER** SKS Chainbow

**CARRIERS** Alu integrated

**LIGHTS** F: Axa CompactLine LED 20 Lux – R: Axa BlueLine LED Lightguide

**MOTOR** Active Plus 36 V, 250 W

**MAX TORQUE** 50 Nm

**SENSOR TYPE** Torque

**BATTERY** Powerpack 300, frametype, weight  
2 kg

**CHARGER TYPE** 2 A

**CHARGE TIME** Up to 5 hours

**MAX ASSISTED SPEED** 25 km/h

**DISPLAY** PURION

**POWER** Eco: 40 %

Tour: 100 %

Sport: 180 %

Turbo: 270 %

**ULTRALIGHT/BLUE**

48 cm 0115288800

52 cm 0115288810

€ 1.999,00

**Atala**

# B-EASY S 26"

 **BOSCH**  
 ACTIVE PLUS CRUISE  
 POWERPACK 300  
 PURION  
 26 8S




---

**FRAME** Alu 26", hydroformed, easy access, custom tubing, Integrated carrier, Internal routing, Forged interface

**FORK** Suntour NEX, 63 mm, Coil

**HEADSET** FSA No.10, semi-integrated, 1"1/8

**CRANKSET** FSA, 38T

**REAR DERAILLEUR** Shimano Altus RD-M310

**SHIFTERS LEVERS** Shimano Tourney SL-RS45, Revoshift, 8s

**BRAKES** Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm

**CASSETTE** Shimano CS-HG200 8s 11/32

**PEDALS** Alu TKK

**HUBS** Shimano TX505, CL, 32h

**RIMS** Rodi Blackrock23, 23x559, 32h, eBike ready

**STEM** Ahead Adjustable, Bar bore 25,4 mm

**HANDLEBAR** Alu City, 630 mm

**SEATPOST** Alu, 31,6 mm

**SADDLE** Selle Royal Wave RVS

**TYRES** Schwalbe Road Cruiser, Reflex, 26"x1,75"

**MUDGUARDS** SKS Aluflex

**CHAINCOVER** SKS Chainbow

**CARRIERS** Alu integrated

**LIGHTS** F: Axa CompactLine LED 20 Lux – R: Axa BlueLine LED Lightguide

---

**MOTOR** Active Plus 36 V, 250 W

**MAX TORQUE** 50 Nm

**SENSOR TYPE** Torque

**BATTERY** Powerpack 300, racktype, weight 2,4 kg

**CHARGER TYPE** 2 A

**CHARGE TIME** Up to 5 hours

**MAX ASSISTED SPEED** 25 km/h

**DISPLAY** PURION

**POWER** Eco: 40 %

Tour: 100 %

Sport: 180 %

Turbo: 270 %

---

**ULTRALIGHT/BLUE**

42 cm 0115288900

---

€ 1.999,00

**Atala**

# B-EASY

**BOSCH**

- ACTIVE CRUISE
- POWERPACK 300
- PURION
- 28 7 S



**FRAME** Alu 700C, hydroformed, easy access, custom tubing, Integrated carrier, Internal routing, Forged interface

**FORK** Suntour NEX, 63 mm, Coil

**HEADSET** FSA No.10, semi-integrated, 1"1/8"

**CRANKSET** FSA, 38T

**REAR DERAILLEUR** Shimano RD-TY500D

**SHIFTERS LEVERS** Shimano Tourney SL-RS36, Revoshift, 7s

**BRAKES** Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm

**CASSETTE** Shimano CS-HG200 7s 12/32

**PEDALS** Alu TKK

**HUBS** F: Shimano TX505 – R: Shimano TY505, CL, 32h

**WHEELS** Rodi Blackrock23, 23x622, 32h, eBike ready

**HANDLEBAR** Ahead Adjustable, Bar bore 25,4 mm

**SEATPOST** Alu City, 630 mm

**SADDLE** Alu, 31,6 mm

**TYRES** Selle Royal Wave RVS

**MUDGUARDS** Schwalbe Big Apple, K-Guard, Relfex, 700x50

**CHAINCOVER** SKS A65R

**CARRIERS** Alu integrated

**LIGHTS** F: Axa CompactLine LED 20 Lux – R: Axa BlueLine LED Lightguide

**MOTOR** Active 36 V, 250 W

**MAX TORQUE** 40 Nm

**SENSOR TYPE** Torque

**BATTERY** Powerpack 300, frametype, weight  
2 kg

**CHARGER TYPE** 2 A

**CHARGE TIME** Up to 5 hours

**MAX ASSISTED SPEED** 25 km/h

**DISPLAY** PURION

**POWER** Eco: 40 %

Tour: 100 %

Sport: 170 %

Turbo: 250 %

**ANTHRACTITE/NEON GREEN MATT**

48 cm 0115289000

52 cm 0115289010

€ 1.799,00

**Atala**

# CULT EVO SL

ANT3D agile

- 80Nm/Torque Smart
- 504Wh
- ATALA A10 LCD SMART CAN
- 26 8 S

**FRAME** Alu. Hydroformed 26", integrated battery, integrated carrier, internal cables**FORK** Suntour NEX 26", alu with alu crown, 50mm**HEADSET** FSA integrated 1"1/8**CRANKSET** AM80 alu crank arm, Miche 38T**REAR DERAILLEUR** Shimano Acera RD-M360**SHIFTERS LEVERS** Shimano Tourney SL-RS45 RevoShift, 8s**BRAKES** Shimano BR-MT200 hydraulic disc, Rotor 180 mm CL**CASSETTE** Shimano HG200 8s 12-32**PEDALS** Alu TKK**HUBS** Shimano TX505 32h, CL, quick release**RIMS** Rodi 26", double wall w/eylets, 32h, disc**STEM** Byte alu over, ahead, adjustable**HANDLEBAR** Byte alu over, City**SEATPOST** Byte suspended 40mm, 27,2mm**SADDLE** Selle Royal Aurora e w/elastomer**TYRES** Schwalbe Road Cruiser 26"x1,75", with reflecting line, puncture proof**MUDGUARDS** Single stay safety-clip**CHAINCOVER** Plastic, L type**CARRIERS** Integrated with frame, 25kg load**LIGHTS** Axa front (15 lux) and rear LED, controlled by display and twilight sensor**MOTOR** AM80 Agile CAN, 36V 250W**MAX TORQUE** 80 Nm**SENSOR TYPE** Torque**BATTERY** Li-Ion 36V, 504Wh, on frame, Samsung cells with Smart BMS CAN**RANGE** level1: up to 170km – level2: up to 110km  
level3: up to 85km – level4: up to 80km  
level5: up to 65km**CHARGER TYPE** 2 A**CHARGER TIME** 100%: 6h / 80%: 4h40m**MAX ASSISTED SPEED** 25 km/h**DISPLAY** Atala A10 LCD Smart CAN, with remote control**POWER ADJUST** 5 levels, Power adjust – level1: 50%  
level2: 100% – level3: 150%  
level4: 200% – level5: 250%**OTHER FUNCTIONS** Soft start: 0 – 6km/h, with no pedaling  
External light control  
Speed information – Battery information**BLACK/SILVER MATT**

45 cm 0115289100

€ 1.799,00

**Atala**

# CULT EVO S 28"

ANTONIO agile

- 80Nm/Torque Smart
- 418Wh
- ATALA A10 LCD SMART CAN
- 28 7S

**FRAME** Alu. Hydroformed 700c, integrated battery, integrated carrier, internal cables**FORK** Suntour NEX 700c, alu with alu crown, 50mm**HEADSET** FSA integrated 1"1/8**CRANKSET** AM80 alu crank arm, Miche 38T**REAR DERAILLEUR** Shimano Altus RD-M310**SHIFTERS LEVERS** Shimano Tourney SL-RS35 RevoShift, 7s**BRAKES** Shimano BR-MT200 hydraulic disc, Rotor 160 mm INT**CASSETTE** Shimano HG200 7s 12-32**PEDALS** Resin antislip**HUBS** Shimano TX505 32h, CL, quick release**RIMS** Rodi 700c, double wall w/eylets, 32h, disc**STEM** Byte alu over, ahead, adjustable**HANDLEBAR** Byte alu over, City**SEATPOST** Byte alu with clamp, 27,2mm**SADDLE** Selle Royal Aurora w/elastomer**TYRES** Byte Trento 700x38c**MUDGUARDS** Single stay safety-clip**CHAINCOVER** Plastic, L type**CARRIERS** Integrated with frame, 25kg load**LIGHTS** Axa front (15 lux) and rear LED, controlled by display and twilight sensor**MOTOR** AM80 Agile CAN, 36V 250W**MAX TORQUE** 80Nm**SENSOR TYPE** Torque**BATTERY** Li-Ion 36V, 504Wh, on frame, Samsung cells with Smart BMS CAN**RANGE** level1: up to 140km – level2: up to 90km  
level3: up to 70km – level4: up to 65km  
level5: up to 55km**CHARGER TYPE** 2 A**CHARGER TIME** 100%: 6h / 80%: 4h40m**MAX ASSISTED SPEED** 25 km/h**DISPLAY** Atala A10 LCD Smart CAN, with remote control**POWER ADJUST** 5 levels, Power adjust – level1: 50%  
level2: 100% – level3: 150%  
level4: 200% – level5: 250%**OTHER FUNCTIONS** Soft start: 0 – 6km/h, with no pedaling  
External light control  
Speed information – Battery information**ULTRALIGHT/NEON GREEN MATT**

45 cm 0115289135

€ 1.649,00

**Atala**

# CULT EVO S 26"

ANTONIO agile

- 80Nm/Torque Smart
- 418Wh
- ATALA A10 LCD SMART CAN
- 26 7S

**FRAME** Alu. Hydroformed 26", integrated battery, integrated carrier, internal cables**FORK** Suntour NEX 26", alu with alu crown, 50mm**HEADSET** FSA integrated 1"1/8**CRANKSET** AM80 alu crank arm, Miche 38T**REAR DERAILLEUR** Shimano Altus RD-M310**SHIFTERS LEVERS** Shimano Tourney SL-RS35 RevoShift, 7s**BRAKES** Shimano BR-MT200 hydraulic disc, Rotor 160 mm INT**CASSETTE** Shimano HG200 7s 12-32**PEDALS** Resin antislip**HUBS** Shimano TX505 32h, CL, quick release**RIMS** Rodi 26", double wall w/eylets, 32h, disc**STEM** Byte alu over, ahead, adjustable**HANDLEBAR** Byte alu over, City**SEATPOST** Byte alu with clamp, 27,2mm**SADDLE** Selle Royal Aurora w/elastomer**TYRES** Byte Garda 26"x1,75"**MUDGUARDS** Single stay safety-clip**CHAINCOVER** Plastic, L type**CARRIERS** Integrated with frame, 25kg load**LIGHTS** Axa front (15 lux) and rear LED, controlled by display and twilight sensor**MOTOR** AM80 Agile CAN, 36V 250W**MAX TORQUE** 80Nm**SENSOR TYPE** Torque**BATTERY** Li-Ion 36V, 504Wh, on frame, Samsung cells with Smart BMS CAN**RANGE** level1: up to 140km – level2: up to 90km  
level3: up to 70km – level4: up to 65km  
level5: up to 55km**CHARGER TYPE** 2 A**CHARGER TIME** 100%: 6h / 80%: 4h40m**MAX ASSISTED SPEED** 25 km/h**DISPLAY** Atala A10 LCD Smart CAN, with remote control**POWER ADJUST** 5 levels, Power adjust – level1: 50%  
level2: 100% – level3: 150%  
level4: 200% – level5: 250%**OTHER FUNCTIONS** Soft start: 0 – 6km/h, with no pedaling  
External light control  
Speed information – Battery information**ULTRALIGHT/NEON GREEN MATT**

45 cm 0115289130

€ 1.649,00

**Atala**

# CULT EVO

ANT3D agile

- ⚙ 80Nm/Torque Smart
- ⚡ 418Wh
- ⌚ ATALA A15 LED CAN, POWER +/-
- ⌚ 26 7S

**FRAME** Alu. Hydroformed 26", integrated battery, internal cables**FORK** Hi-Ten Tig 26"**HEADSET** FSA integrated 1"1/8**CRANKSET** AM80 alu crank arm, Miche 38T**REAR DERAILLEUR** Shimano Tourney RD-TY500**SHIFTERS LEVERS** Shimano Tourney SL-RS35 RevoShift, 7s**BRAKES** Promax alu, V-Brake, levers 3 fingers**CASSETTE** Shimano HG200 7s 12-32**PEDALS** Resin antislip**HUBS** Shimano TX500 36h, quick release**RIMS** Beretta 26", double wall w/eylets, 36h**STEM** Byte alu, ahead, adjustable**HANDLEBAR** Byte steel City**SEATPOST** Byte alu with clamp, 27,2mm**SADDLE** Selle Royal Wave**TYRES** Byte Garda 26"x1,75"**MUDGUARDS** Single stay safety-clip**CHAINCOVER** Plastic, L type**CARRIERS** Steel rear carrier with spring, 25kg load**LIGHTS** Axa front (15 lux) and rear LED, controlled by display**MOTOR** AM80 Agile CAN, 36V 250W**MAX TORQUE** 80 Nm**SENSOR TYPE** Torque**BATTERY** Li-Ion 36V, 504Wh, on frame, Samsung cells with Smart BMS CAN**RANGE** level1: up to 140km – level2: up to 90km  
level3: up to 70km – level4: up to 65km  
level5: up to 55km**CHARGER TYPE** 2 A**CHARGER TIME** 100%: 6h / 80%: 4h40m**MAX ASSISTED SPEED** 25 km/h**DISPLAY** Atala A15 LED CAN, Power +/-**POWER ADJUST** 5 levels, Power adjust – level1: 50%  
level2: 100% – level3: 150%  
level4: 200% – level5: 250%**OTHER FUNCTIONS** Soft start: 0 – 6km/h, with no pedaling  
External light control**WHITE/NEON RED**

45 cm 0115289170

€ 1.449,00

# CLUB

## I TECHNOLOGIES

Club è la nuova eFolding della gamma 2020. Pieghevole con il telaio in alluminio, pensata sia per il commuting urbano sia per veloci gite fuori porta. Sviluppata per essere compatta e leggera, è velocissima da aprire e chiudere e facilmente trasportabile sui mezzi pubblici.

*Club is the new eFolding of the 2020 range. Foldable with an aluminum frame, it is designed both for urban commuting and for quick trips out of town. Developed to be compact and light, it is very fast to open and close and easily transportable on public transport.*



RUOTA DA 20"  
20 "WHEEL



MOTORE CENTRALE COMPATTO AM80 AGILE  
AM80 COMPACT CENTRAL MOTOR AGILE



PORTAPACCHI ALLUMINIO, PARAFANGHI,  
COPRICATENA E LUCI, PER USO URBANO  
ALUMINUM LUGGAGE RACK, MUDGUARDS,  
CHAINGUARD AND LIGHT, FOR URBAN USE



REGGISELLA TELESCOPICO  
TELESCOPIC SEATPOST



FRENI A DISCO IDRAULICO  
HYDRAULIC DISC BRAKES



BATTERIA INTEGRATA DA 313 WH  
313 WH BUILT-IN BATTERY



GOMME SCHWALBE ANTIFORATURA  
SCHWALBE ANTI-PUNCTURE TIRES



FANALI AXA CERTIFICATI  
AXA CERTIFIED LIGHTS



PEDALI PIEGHEVOLI  
FOLDING PEDALS



# Atala

# CLUB

**ANT30 agile**  
 ⚙ 80Nm/Torque  
 ⚡ 313Wh  
 ☺ ATALA A15 LED CAN  
 20 7S



**FRAME** Alu 20", foldable, with integrated battery

**FORK** Hi-Ten Tig 26"

**HEADSET** Integrated 1"1/8, threaded, with cap

**CRANKSET** AM80 alu 152mm, FSA 44T

**REAR DERAILLEUR** Shimano Tourney RD-TY500

**SHIFTERS LEVERS** Shimano Tourney SL-RS35 RevoShift, 7s

**BRAKES** Shimano BR-MT200 hydraulic disc, Rotor 160 mm INT

**CASSETTE** Shimano HG200 7s 12-32

**PEDALS** Resin foldable

**HUBS** Shimano TX505 32h, CL, quick release

**RIMS** Rodi 20", double wall w/eylets, 32h, disc

**STEM** Alu, foldable, adjustable

**HANDLEBAR** Alu, 30mm rise

**SEATPOST** Alu with clamp, 34,9mm, telescopic

**SADDLE** Selle Royal Lancia

**TYRES** Schwalbe Big Apple 20"x2,00", with reflecting line, puncture proof

**MUDGUARDS** Single stay safety-clip

**CHAINCOVER** Plastic, L type

**CARRIERS** Alu rear carrier with spring

**LIGHTS** Axa front (15 lux) and rear LED, controlled by display

**MOTOR** AM80 Agile CAN, 36V 250W

**MAX TORQUE** 80 Nm

**SENSOR TYPE** Torque

**BATTERY** Li-Ion 36V, 313Wh, inside down tube, Samsung cells with BMS

**RANGE** level1: up to 140km – level2: up to 90km  
level3: up to 70km – level4: up to 65km  
level5: up to 55km

**CHARGER TYPE** 2 A

**CHARGER TIME** 100%: 4h50m / 80%: 3h10m

**MAX ASSISTED SPEED** 25 km/h

**DISPLAY** Atala A15 LED CAN, Power +/-

**POWER ADJUST** 5 levels, Power adjust – level1: 50%  
level2: 100% – level3: 150%  
level4: 200% – level5: 250%

**OTHER FUNCTIONS** Soft start: 0 – 6km/h, with no pedaling  
External light control

**ULTRALIGHT/NEON RED MATT**

33 cm 0115289300

€ 1.449,00

**Atala**

# E-SPIKE EVO MAN

ecologic

⚙ 45Nm  
⚡ 418Wh  
LCD A10  
⌚ 7S

**FRAME** Alu. 700c, integrated battery, integrated HT, disc brake**FORK** Suntour NEX 700c, alu with alu crown, 50mm**HEADSET** FSA integrated 1"1/8**CRANKSET** Byte alu 42T cartridge**REAR DERAILLEUR** Shimano Tourney RD-TY500**SHIFTERS LEVERS** Shimano SL-M310 PushPull, 7s**BRAKES** Tektro Aries MD-M300, Mechanic disk, Rotor 160 mm, with brake lever switch**FREEWHEEL** Shimano Tourney 7s 14-28**PEDALS** Resin antislip**HUBS** Alu 36h, quick release front, motor on rear, INT**RIMS** Beretta 700c alu, double wall w/eylets, 36h, disc**STEM** Byte alu over, ahead, adjustable**HANDLEBAR** Byte alu over, TKK**SEATPOST** Byte alu with clamp, 27,2mm**SADDLE** Selle Royal Lancia**TYRES** Byte Trento 700x38c**MUDGUARDS** Single stay safety-clip**CHAINCOVER** SKS Chainbow**CARRIERS** Alloy rear carrier with spring, 25kg**LIGHTS** Front and rear LED, controlled by display**MOTOR** Brushless 36V 250W, on rear hub**MAX TORQUE** 45Nm**SENSOR TYPE** Speed sensor w/12 pulses**BATTERY** Li-Ion 36V, 418Wh, inside the frame, Samsung cells with Smart BMS CAN**RANGE** level1: up to 100km – level2: up to 80km  
level3: up to 75km – level4: up to 55km  
level5: up to 45km**CHARGER TYPE** 2 A**CHARGER TIME** 100%: 6h / 80%: 4h40m**MAX ASSISTED SPEED** 25 km/h**DISPLAY** Atala A10 LCD Smart CAN, with remote control**POWER ADJUST** 5 levels, Speed/Torque adjustlevel1: 11km, 27Nm – level2: 14km, 30Nm  
level3: 17km, 33Nm – level4: 21km, 39Nm  
level5: 25km, 45Nm**OTHER FUNCTIONS** Soft start: 0 – 6km/h, with no pedaling  
External light control – Speed information  
Battery information**ULTRALIGHT/NEON GREEN MATT**

49 cm 0115289500

€ 1.349,00

**Atala**

# E-SPIKE EVO LADY

ecologic

⚙ 45Nm  
⚡ 418Wh  
LCD A10  
⌚ 7S

**FRAME** Alu. 700c, integrated battery, integrated HT, disc brake**FORK** Suntour NEX 700c, alu with alu crown, 50mm**HEADSET** FSA integrated 1"1/8**CRANKSET** Byte alu 42T cartridge**REAR DERAILLEUR** Shimano Tourney RD-TY500**SHIFTERS LEVERS** Shimano SL-M310 PushPull, 7s**BRAKES** Tektro Aries MD-M300, Mechanic disk, Rotor 160 mm, with brake lever switch**FREEWHEEL** Shimano Tourney 7s 14-28**PEDALS** Resin antislip**HUBS** Alu 36h, quick release front, motor on rear, INT**RIMS** Beretta 700c alu, double wall w/eylets, 36h, disc**STEM** Byte alu over, ahead, adjustable**HANDLEBAR** Byte alu over, TKK**SEATPOST** Byte alu with clamp, 27,2mm**SADDLE** Selle Royal Lancia**TYRES** Byte Trento 700x38c**MUDGUARDS** Single stay safety-clip**CHAINCOVER** SKS Chainbow**CARRIERS** Alloy rear carrier with spring, 25kg**LIGHTS** Front and rear LED, controlled by display**MOTOR** Brushless 36V 250W, on rear hub**MAX TORQUE** 45Nm**SENSOR TYPE** Speed sensor w/12 pulses**BATTERY** Li-Ion 36V, 418Wh, inside the frame, Samsung cells with Smart BMS CAN**RANGE** level1: up to 100km – level2: up to 80km  
level3: up to 75km – level4: up to 55km  
level5: up to 45km**CHARGER TYPE** 2 A**CHARGER TIME** 100%: 6h / 80%: 4h40m**MAX ASSISTED SPEED** 25 km/h**DISPLAY** Atala A10 LCD Smart CAN, with remote control**POWER ADJUST** 5 levels, Speed/Torque adjustlevel1: 11km, 27Nm – level2: 14km, 30Nm  
level3: 17km, 33Nm – level4: 21km, 39Nm  
level5: 25km, 45Nm**OTHER FUNCTIONS** Soft start: 0 – 6km/h, with no pedaling  
External light control – Speed information  
Battery information**ULTRALIGHT/NEON GREEN MATT**

45 cm 0115289550

€ 1.349,00

# E-SPACE

## I TECHNOLOGIES

Design elegante, caratteristiche funzionali e assetto agile: la E-Space è una bici da commuting ben equipaggiata per affrontare il traffico cittadino con stile.

*Elegant design, functional features and agile structure: the E-Space is a well-equipped commuting bike to tackle city traffic in style.*

POTENTE MOTORE CON 45 NM  
DI COPPIA.  
POWERFUL ENGINE WITH 45 NM  
OF TORQUE.



DISPLAY LCD CON SCHERMO IN VETRO  
E COMANDO REMOTO A 5 TASTI.  
LCD DISPLAY WITH GLASS SCREEN  
AND 5-KEY REMOTE CONTROL.



BATTERIA TOTALMENTE  
INTEGRATA POSIZIONATA SUL  
TUBO TELAIO E NON PIÙ SUL  
PORTAPACCO PER UNA MIGLIORE  
DISTRIBUZIONE DEI PESI E UN  
DESIGN PIÙ PULITO E MODERNO.  
FULLY INTEGRATED BATTERY  
POSITIONED ON THE FRAME  
TUBE AND NO LONGER ON THE  
RACK FOR A MORE STABLE  
WEIGHT DISTRIBUTION AND A  
CLEANER AND MORE MODERN  
DESIGN.



LA BATTERIA HA UNA ELETTRONICA DI  
CONTROLLO INTELLIGENTE CHE GRAZIE  
ALLA COMUNICAZIONE SU RETE  
CAN TRASMETTE ALLA CENTRALINA  
PARAMETRI DI STATO E AVARIA, POI  
VISUALIZZATI SUL CRUSCOTTO.  
THE BATTERY HAS AN INTELLIGENT  
CONTROL ELECTRONICS WHICH,  
THANKS TO THE CAN NETWORK  
COMMUNICATION, TRANSMITS STATUS  
AND FAULT PARAMETERS TO THE  
CONTROL UNIT, WHICH ARE THEN  
DISPLAYED ON THE DASHBOARD.



OGNI COMPONENTE ELETTRICO È  
COLLEGATO CON DEI CONNETTORI  
SALDATI E IMPERMEABILI, PER UNA  
SICURA CONNESSIONE DI TUTTO IL  
SISTEMA A PROVA DI ANOMALIE E  
UNA RAPIDA E FACILE ASSISTENZA.  
EACH ELECTRICAL COMPONENT  
IS CONNECTED WITH WELDED  
AND WATERPROOF CONNECTORS,  
FOR A SECURE CONNECTION OF  
THE ENTIRE SYSTEM TO TEST FOR  
ANOMALIES AND A QUICK AND  
EASY ASSISTANCE.



**Atala**

# E-SPACE EVO

ecologic

⚙ 45Nm  
⚡ 418Wh  
LCD A10  
26 7S



**FRAME** Alu. 26", easy access, integrated battery, integrated HT, disc brake

**FORK** HL CH-187 26", alu with alu crown, 40mm

**HEADSET** Integrated 1"1/8, threaded, with cap

**CRANKSET** Byte steel 42T cartridge, with cap

**REAR DERAILLEUR** Shimano Tourney RD-TY500

**SHIFTERS LEVERS** Shimano Tourney SL-RS35 RevoShift, 7s

**BRAKES** Tektro Aries MD-M300, Mechanic disk, Rotor 160 mm, with brake lever switch

**FREEWHEEL** Shimano Tourney 7s 14-28

**PEDALS** Resin antislip

**HUBS** Alu 36h, quick release front, motor on rear, INT

**RIMS** Beretta 26" alu, double wall w/eylets, 36h, disc

**STEM** Byte alu, adjustable

**HANDLEBAR** Byte steel City

**SEATPOST** Byte alu with clamp, 27,2mm

**SADDLE** Selle Royal Wave

**TYRES** Byte Garda 26"x1,75"

**MUDGUARDS** Single stay safety-clip

**CHAINCOVER** Steel painted, L type

**CARRIERS** Rear carrier with spring, 25kg / front carrier

**LIGHTS** Front and rear LED, controlled by display

**MOTOR** Brushless 36V 250W, on rear hub

**MAX TORQUE** 45Nm

**SENSOR TYPE** Speed sensor w/12 pulses

**BATTERY** Li-Ion 36V, 418Wh, inside the frame, Samsung cells with Smart BMS CAN

**RANGE** level1: up to 100km – level2: up to 80km  
level3: up to 75km – level4: up to 55km  
level5: up to 45km

**CHARGER TYPE** 2 A

**CHARGER TIME** 100%: 6h / 80%: 4h40m

**MAX ASSISTED SPEED** 25 km/h

**DISPLAY** Atala A10 LCD Smart CAN, with remote control

**POWER ADJUST** 5 levels, Speed/Torque adjust

level1: 11km, 27Nm – level2: 14km, 30Nm  
level3: 17km, 33Nm – level4: 21km, 39Nm  
level5: 25km, 45Nm

**OTHER FUNCTIONS** Soft start: 0 – 6km/h, with no pedaling  
External light control – Speed information  
Battery information

**BLACK/LIGHT BLUE MATT**

45 cm 0115289700

€ 1.269,00

**Atala**

# E-RUN FS 500 MAN

ecologic

- 35Nm
- 518Wh
- A15 LED
- 6 S

**FRAME** Alu. Formed 700c, trekking, internal cables**FORK** HL CH-187 700c, alu with alu crown, 40mm**HEADSET** Steel 1"1/8, threaded, with cap**CRANKSET** Byte steel 42T cartridge, with cap**REAR DERAILLEUR** Shimano Tourney RD-TY300**SHIFTERS LEVERS** Shimano Tourney SL-RS36 RevoShift, 6s**BRAKES** Promax alu, V-Brake, with brake lever switch**FREEWHEEL** Shimano Tourney 6s 14-28**PEDALS** Resin City**HUBS** Alu 36h, Shimano front, motor on rear**RIMS** Beretta 700c alu, double wall w/eylets, 36h**STEM** Byte alu, adjustable**HANDLEBAR** Byte steel TKK**SEATPOST** Byte alu with clamp, 27,2mm**SADDLE** Selle Royal Wave**TYRES** Byte Trento 700x38c**MUDGUARDS** Single stay safety-clip**CHAINCOVER** Steel painted, L type**CARRIERS** Battery rear carrier with spring, 25kg**LIGHTS** Front and rear LED, controlled by display**MOTOR** Brushless 36V 250W, on rear hub**MAX TORQUE** 35Nm**SENSOR TYPE** Speed sensor w/12 pulses**BATTERY** Li-Ion 36V, 518Wh, under carrier, with Smart BMS, integrated rear light**RANGE** level1: up to 130km – level2: up to 100km  
level3: up to 80km – level4: up to 62km  
level5: up to 50km**CHARGER TYPE** 2 A**CHARGER TIME** 100%: 7h30m / 80%: 5h40m**MAX ASSISTED SPEED** 25 km/h**DISPLAY** Atala A15 LED UART, Power +/- Light**POWER ADJUST** 5 levels, Speed/Torque adjustlevel1: 11km, 26Nm – level2: 14km, 28Nm  
level3: 17km, 30Nm – level4: 21km, 32Nm  
level5: 25km, 35Nm**OTHER FUNCTIONS** Soft start: 0 – 6km/h, with no pedaling  
External light control**BLACK/NEON GREEN MATT**

49 cm 0115289900

€ 1.149,00

**Atala**

# E-RUN FS 500 LADY

ecologic

- ⚙ 35Nm
- ⚡ 518Wh
- ◻ A15 LED
- ㉖ 6 S

**FRAME** Alu. Formed 26", easy access, internal cables**FORK** HL CH-187 26", alu with alu crown, 40mm**HEADSET** Steel 1"1/8, threaded, with cap**CRANKSET** Byte steel 42T cartridge, with cap**REAR DERAILLEUR** Shimano Tourney RD-TY300**SHIFTERS LEVERS** Shimano Tourney SL-RS36 RevoShift, 6s**BRAKES** Promax alu, V-Brake, with brake lever switch**FREEWHEEL** Shimano Tourney 6s 14-28**PEDALS** Resin City**HUBS** Alu 36h, Shimano front, motor on rear**RIMS** Beretta 26" alu, double wall w/eylets, 36h**STEM** Byte alu, adjustable**HANDLEBAR** Byte steel City**SEATPOST** Byte alu with clamp, 27,2mm**SADDLE** Selle Royal Wave**TYRES** Byte Garda 26"x1,75"**MUDGUARDS** Single stay safety-clip**CHAINCOVER** Steel painted, L type**CARRIERS** Battery rear carrier with spring, 25kg / front carrier**LIGHTS** Front and rear LED, controlled by display**MOTOR** Brushless 36V 250W, on rear hub**MAX TORQUE** 35Nm**SENSOR TYPE** Speed sensor w/12 pulses**BATTERY** Li-Ion 36V, 518Wh, under carrier, with Smart BMS, integrated rear light**RANGE** level1: up to 130km – level2: up to 100km  
level3: up to 80km – level4: up to 62km  
level5: up to 50km**CHARGER TYPE** 2 A**CHARGER TIME** 100%: 7h30m / 80%: 5h40m**MAX ASSISTED SPEED** 25 km/h**DISPLAY** Atala A15 LED UART, Power +/- Light**POWER ADJUST** 5 levels, Speed/Torque adjustlevel1: 11km, 26Nm – level2: 14km, 28Nm  
level3: 17km, 30Nm – level4: 21km, 32Nm  
level5: 25km, 35Nm**OTHER FUNCTIONS** Soft start: 0 – 6km/h, with no pedaling  
External light control**ULTRALIGHT/NEON RED**

0115290000

€ 1.149,00

**Atala**

# E-RUN FS 360 MAN

ecologic

- 35Nm
- 360Wh
- A15 LED
- 6S

**FRAME** Alu. Formed 700c, trekking, internal cables**FORK** HL CH-187 700c, alu with alu crown, 40mm**HEADSET** Steel 1"1/8, threaded, with cap**CRANKSET** Byte steel 42T cartridge, with cap**REAR DERAILLEUR** Shimano Tourney RD-TY300**SHIFTERS LEVERS** Shimano Tourney SL-RS36 RevoShift, 6s**BRAKES** Promax alu, V-Brake, with brake lever switch**FREEWHEEL** Shimano Tourney 6s 14-28**PEDALS** Resin City**HUBS** Alu 36h, Shimano front, motor on rear**RIMS** Beretta 700c, double wall w/eylets, 36h**STEM** Byte alu, adjustable**HANDLEBAR** Byte steel TKK**SEATPOST** Byte alu with clamp, 27,2mm**SADDLE** Selle Royal Wave**TYRES** Byte Trento 700x38c**MUDGUARDS** Single stay safety-clip**CHAINCOVER** Steel painted, L type**CARRIERS** Battery rear carrier, 25kg**LIGHTS** Front and rear LED, controlled by display**MOTOR** Brushless 36V 250W, on rear hub**MAX TORQUE** 35Nm**SENSOR TYPE** Speed sensor w/12 pulses**BATTERY** Li-Ion 36V, 518Wh, under carrier, with Smart BMS, integrated rear light**RANGE** level1: up to 85km – level2: up to 60km  
level3: up to 50km – level4: up to 40km  
level5: up to 35km**CHARGER TYPE** 2 A**CHARGER TIME** 100%: 5h 15m / 80%: 4h**MAX ASSISTED SPEED** 25 km/h**DISPLAY** Atala A15 LED UART, Power +/- Light**POWER ADJUST** 5 levels, Speed/Torque adjustlevel1: 11km, 26Nm – level2: 14km, 28Nm  
level3: 17km, 30Nm – level4: 21km, 32Nm  
level5: 25km, 35Nm**OTHER FUNCTIONS** Soft start: 0 – 6km/h, with no pedaling  
External light control**BLACK/NEON GREEN MATT**

49 cm 0115290300

€ 1.049,00

**Atala**

# E-RUN FS 360 LADY

ecologic

- ⚙ 35Nm
- ⚡ 360Wh
- ◻ A15 LED
- ㉖ 6S

**FRAME** Alu. Formed 26", easy access, internal cables**FORK** HL CH-187 26", alu with alu crown, 40mm**HEADSET** Steel 1"1/8, threaded, with cap**CRANKSET** Byte steel 42T cartridge, with cap**REAR DERAILLEUR** Shimano Tourney RD-TY300**SHIFTERS LEVERS** Shimano Tourney SL-RS36 RevoShift, 6s**BRAKES** Promax alu, V-Brake, with brake lever switch**FREEWHEEL** Shimano Tourney 6s 14-28**PEDALS** Resin City**HUBS** Alu 36h, Shimano front, motor on rear**RIMS** Beretta 26" alu, double wall w/eylets, 36h**STEM** Byte alu, adjustable**HANDLEBAR** Byte steel City**SEATPOST** Byte alu with clamp, 27,2mm**SADDLE** Selle Royal Wave**TYRES** Byte Garda 26"x1,75"**MUDGUARDS** Single stay safety-clip**CHAINCOVER** Steel painted, L type**CARRIERS** Battery rear carrier, 25kg / front carrier**LIGHTS** Front and rear LED, controlled by display**MOTOR** Brushless 36V 250W, on rear hub**MAX TORQUE** 35Nm**SENSOR TYPE** Speed sensor w/12 pulses**BATTERY** Li-Ion 36V, 518Wh, under carrier, with Smart BMS, integrated rear light**RANGE** level1: up to 85km – level2: up to 60km  
level3: up to 50km – level4: up to 40km  
level5: up to 35km**CHARGER TYPE** 2 A**CHARGER TIME** 100%: 5h 15m / 80%: 4h**MAX ASSISTED SPEED** 25 km/h**DISPLAY** Atala A15 LED UART, Power +/- Light**POWER ADJUST** 5 levels, Speed/Torque adjustlevel1: 11km, 26Nm – level2: 14km, 28Nm  
level3: 17km, 30Nm – level4: 21km, 32Nm  
level5: 25km, 35Nm**OTHER FUNCTIONS** Soft start: 0 – 6km/h, with no pedaling  
External light control**WHITE/NEON GREEN**

0115290400

€ 1.049,00

**Atala**

# E-RUN 500 MAN

ecologic

- ⚙ 35Nm
- ⚡ 518Wh
- ▢ A15 LED
- ⌚ 6S

**FRAME** Alu. Formed 700c, trekking, internal cables**FORK** Hi-Ten Tig 700c**HEADSET** Steel 1"1/8, threaded, with cap**CRANKSET** Byte steel 42T cartridge, with cap**REAR DERAILLEUR** Shimano Tourney RD-TY300**SHIFTERS LEVERS** Shimano Tourney SL-RS36 RevoShift, 6s**BRAKES** Promax alu, V-Brake, with brake lever switch**FREEWHEEL** Shimano Tourney 6s 14-28**PEDALS** Resin City**HUBS** Alu 36h, Shimano front, motor on rear**RIMS** Beretta 700c, double wall w/eylets, 36h**STEM** Byte alu, adjustable**HANDLEBAR** Byte steel TKK**SEATPOST** Byte alu with clamp, 27,2mm**SADDLE** Selle Royal Wave**TYRES** Byte Trento 700x38c**MUDGUARDS** Single stay safety-clip**CHAINCOVER** Steel painted, L type**CARRIERS** Battery rear carrier with spring, 25kg**LIGHTS** Front and rear LED, controlled by display**MOTOR** Brushless 36V 250W, on rear hub**MAX TORQUE** 35Nm**SENSOR TYPE** Speed sensor w/12 pulses**BATTERY** Li-Ion 36V, 518Wh, under carrier, with Smart BMS, integrated rear light**RANGE** level1: up to 120km – level2: up to 90km  
level3: up to 73km – level4: up to 58km  
level5: up to 50km**CHARGER TYPE** 2 A**CHARGER TIME** 100%: 7h 30m / 80%: 5h 40m**MAX ASSISTED SPEED** 25 km/h**DISPLAY** Atala A15 LED UART, Power +/- Light**POWER ADJUST** 5 levels, Speed/Torque adjustlevel1: 11km, 26Nm – level2: 14km, 28Nm  
level3: 17km, 30Nm – level4: 21km, 32Nm  
level5: 25km, 35Nm**OTHER FUNCTIONS** Soft start: 0 – 6km/h, with no pedaling  
External light control**ULTRALIGHT/NEON RED**

49 cm 0115290100

€ 1.049,00

**Atala**

# E-RUN 500 26"

ecologic

⚙ 35Nm  
⚡ 518Wh  
💡 A15 LED  
26 6S

**FRAME** Alu. Formed 26", easy access, internal cables**FORK** Hi-Ten Tig 26"**HEADSET** Steel 1"1/8, threaded, with cap**CRANKSET** Byte steel 42T cartridge, with cap**REAR DERAILLEUR** Shimano Tourney RD-TY300**SHIFTERS LEVERS** Shimano Tourney SL-RS36 RevoShift, 6s**BRAKES** Promax alu, V-Brake, with brake lever switch**FREEWHEEL** Shimano Tourney 6s 14-28**PEDALS** Resin City**HUBS** Alu 36h, Shimano front, motor on rear**RIMS** Beretta 26" alu, double wall w/eylets, 36h**STEM** Byte alu, adjustable**HANDLEBAR** Byte steel City**SEATPOST** Byte alu with clamp, 27,2mm**SADDLE** Selle Royal Wave**TYRES** Byte Garda 26"x1,75"**MUDGUARDS** Single stay safety-clip**CHAINCOVER** Steel painted, L type**CARRIERS** Battery rear carrier with spring, 25kg / front carrier**LIGHTS** Front and rear LED, controlled by display**MOTOR** Brushless 36V 250W, on rear hub**MAX TORQUE** 35Nm**SENSOR TYPE** Speed sensor w/12 pulses**BATTERY** Li-Ion 36V, 518Wh, under carrier, with Smart BMS, integrated rear light**RANGE** level1: up to 120km – level2: up to 90km  
level3: up to 73km – level4: up to 58km  
level5: up to 50km**CHARGER TYPE** 2 A**CHARGER TIME** 100%: 7h 30m / 80%: 5h 40m**MAX ASSISTED SPEED** 25 km/h**DISPLAY** Atala A15 LED UART, Power +/- Light**POWER ADJUST** 5 levels, Speed/Torque adjustlevel1: 11km, 26Nm – level2: 14km, 28Nm  
level3: 17km, 30Nm – level4: 21km, 32Nm  
level5: 25km, 35Nm**OTHER FUNCTIONS** Soft start: 0 – 6km/h, with no pedaling  
External light control**WHITE/NEON GREEN**

45 cm 0115290200

**ANTHRACITE/ORANGE MATT**

45 cm 0115290203

€ 1.049,00

**Atala**

# E-RUN 500 28" LADY

ecologic

- ⚙ 35Nm
- ⚡ 518Wh
- ▢ A15 LED
- ⌚ 6S

**FRAME** Alu. Formed 700c, trekking, internal cables**FORK** Hi-Ten Tig 700c**HEADSET** Steel 1"1/8, threaded, with cap**CRANKSET** Byte steel 42T cartridge, with cap**REAR DERAILLEUR** Shimano Tourney RD-TY300**SHIFTERS LEVERS** Shimano Tourney SL-RS36 RevoShift, 6s**BRAKES** Promax alu, V-Brake, with brake lever switch**FREEWHEEL** Shimano Tourney 6s 14-28**PEDALS** Resin City**HUBS** Alu 36h, Shimano front, motor on rear**RIMS** Beretta 700c, double wall w/eylets, 36h**STEM** Byte alu, adjustable**HANDLEBAR** Byte steel TKK**SEATPOST** Byte alu with clamp, 27,2mm**SADDLE** Selle Royal Wave**TYRES** Byte Trento 700x38c**MUDGUARDS** Single stay safety-clip**CHAINCOVER** Steel painted, L type**CARRIERS** Battery rear carrier with spring, 25kg / front carrier**LIGHTS** Front and rear LED, controlled by display**MOTOR** Brushless 36V 250W, on rear hub**MAX TORQUE** 35Nm**SENSOR TYPE** Speed sensor w/12 pulses**BATTERY** Li-Ion 36V, 518Wh, under carrier, with Smart BMS, integrated rear light**RANGE** level1: up to 120km – level2: up to 90km  
level3: up to 73km – level4: up to 58km  
level5: up to 50km**CHARGER TYPE** 2 A**CHARGER TIME** 100%: 7h 30m / 80%: 5h 40m**MAX ASSISTED SPEED** 25 km/h**DISPLAY** Atala A15 LED UART, Power +/- Light**POWER ADJUST** 5 levels, Speed/Torque adjustlevel1: 11km, 26Nm – level2: 14km, 28Nm  
level3: 17km, 30Nm – level4: 21km, 32Nm  
level5: 25km, 35Nm**OTHER FUNCTIONS** Soft start: 0 – 6km/h, with no pedaling  
External light control**ULTRALIGHT/NEON GREEN**

45 cm 0115290150

€ 1.069,00

**Atala**

# E-RUN 360 26"

ecologic

- ⚙ 35Nm
- ⚡ 360Wh
- ▢ A15 LED
- 26° 6S

**FRAME** Alu. Formed 26", easy access, internal cables**FORK** Hi-Ten Tig 26"**HEADSET** Steel 1"1/8, threaded, with cap**CRANKSET** Byte steel 42T cartridge, with cap**REAR DERAILLEUR** Shimano Tourney RD-TY300**SHIFTERS LEVERS** Shimano Tourney SL-RS36 RevoShift, 6s**BRAKES** Promax alu, V-Brake, with brake lever switch**FREEWHEEL** Shimano Tourney 6s 14-28**PEDALS** Resin City**HUBS** Alu 36h, Shimano front, motor on rear**RIMS** Beretta 26" alu, double wall w/eylets, 36h**STEM** Byte alu, adjustable**HANDLEBAR** Byte steel City**SEATPOST** Byte alu with clamp, 27,2mm**SADDLE** Selle Royal Wave**TYRES** Byte Garda 26"x1,75"**MUDGUARDS** Single stay safety-clip**CHAINCOVER** Steel painted, L type**CARRIERS** Battery rear carrier, 25kg / front carrier**LIGHTS** Front and rear LED, controlled by display**MOTOR** Brushless 36V 250W, on rear hub**MAX TORQUE** 35Nm**SENSOR TYPE** Speed sensor w/12 pulses**BATTERY** Li-Ion 36V, 518Wh, under carrier, with Smart BMS, integrated rear light**RANGE** level1: up to 120km – level2: up to 90km  
level3: up to 73km – level4: up to 58km  
level5: up to 50km**CHARGER TYPE** 2 A**CHARGER TIME** 100%: 7h 30m / 80%: 5h 40m**MAX ASSISTED SPEED** 25 km/h**DISPLAY** Atala A15 LED UART, Power +/- Light**POWER ADJUST** 5 levels, Speed/Torque adjustlevel1: 11km, 26Nm – level2: 14km, 28Nm  
level3: 17km, 30Nm – level4: 21km, 32Nm  
level5: 25km, 35Nm**OTHER FUNCTIONS** Soft start: 0 – 6km/h, with no pedaling  
External light control**WHITE/NEON GREEN**

45 cm 0115290500

**BLACK/WHITE MATT**

45 cm 0115290503

€ 989,00

**Atala**

# EXTRAFOLDING

ecologic

- 80Nm
- 522Wh
- LCD
- 20 7S

**FRAME** Alu 20" FAT, foldable**FORK** Susp 30mm 20"x4", alloy crown**HEADSET** Integrated 1"1/8, threaded**CRANKSET** Alu 152mm, 36T, cartridge**REAR DERAILLEUR** Shimano Tourney RD-FT35D**SHIFTERS LEVERS** Shimano Tourney SL-RS35 RevoShift, 7s**BRAKES** Hydraulic disk, Rotor 160 mm**FREEWHEEL** Shimano Tourney 7s 14-28**PEDALS** Resin foldable**HUBS** Alu 36h, axle 135 F/175 R, motor on rear**RIMS** 20" alu, double wall, 36h**STEM** Alu, foldable, adjustable**HANDLEBAR** Alu, flat**SEATPOST** Alul with clamp, 27,2mm, 400mm long**SADDLE** City**TYRES** 20"x4"**MUDGUARDS** Steel painted**CHAINCOVER** Plastic L type**CARRIERS** Alu integrato al telaio**LIGHTS** Spanninga front (16Lux) and rear LED, controlled by display**MOTOR** Bafang, brushless 36V 250W, on rear hub**MAX TORQUE** 80Nm**SENSOR TYPE** Speed sensor w/12 pulses**BATTERY** Li-Ion 36V, 522Wh, Samsung cells behind seat tube, with BMS**RANGE** Up to 100km**CHARGER TYPE** 2 A**CHARGER TIME** 100%:: 7h 40m / 80%: 5h 50m**MAX ASSISTED SPEED** 25 km/h**DISPLAY** Atala A15 LED UART, Power +/- - Light**POWER ADJUST** 5 levels, Speed adjust**OTHER FUNCTIONS** Soft start: 0 - 6km/h, with no pedaling  
External light control - Speed information**BLACK/NEON YELLOW MATT**

43 cm 0115290700

**NEON GREEN/BLACK MATT**

43 cm 0115290700

€ 1.399,00

**Atala**

# E-FOLDING

ecologic

- ⚙ 35Nm
- ⚡ 317Wh
- ▢ A15 LED
- ⌚ 7S

**FRAME** Alu 20", foldable, with integrated battery**FORK** Hi-Ten Tig 20"**HEADSET** Integrated 1"1/8, threaded, with cap**CRANKSET** Alu 152mm, 42T**REAR DERAILLEUR** Shimano Tourney RD-TF35**SHIFTERS LEVERS** Shimano Tourney SL-RS35 RevoShift, 6s**BRAKES** Promax alu, V-Brake, with brake lever switch**FREEWHEEL** Shimano Tourney 7s 14-28**PEDALS** Resin foldable**HUBS** Alu 36h, Shimano front, motor on rear**RIMS** Beretta 20" alu, double wall w/eylets, 36h**STEM** Alu, foldable, adjustable**HANDLEBAR** Alu, flat**SEATPOST** Alu with clamp, 34mm, 500mm long**SADDLE** Selle Royal Mach**TYRES** 20"x1,75" CST**MUDGUARDS** Single stay safety-clip**CHAINCOVER** Plastic, L type**CARRIERS** Alu rear carrier with spring**LIGHTS** Front and rear LED, controlled by display**MOTOR** Brushless 36V 250W, on rear hub**MAX TORQUE** 35Nm**SENSOR TYPE** Speed sensor w/12 pulses**BATTERY** Li-Ion 36V, 313Wh, inside down tube, Samsung cells with BMS**RANGE** level1: up to 75km – level2: up to 55km  
level3: up to 45km – level4: up to 36km  
level5: up to 30km**CHARGER TYPE** 2 A**CHARGER TIME** 100%: 4h50m / 80%: 3h10m**MAX ASSISTED SPEED** 25 km/h**DISPLAY** Atala A15 LED UART, Power +/- Light**POWER ADJUST** 5 levels, Speed/Torque adjustlevel1: 11km, 26Nm – level2: 14km, 28Nm  
level3: 17km, 30Nm – level4: 21km, 32Nm  
level5: 25km, 35Nm**OTHER FUNCTIONS** Soft start: 0 – 6km/h, with no pedaling  
External light control**BLACK/NEON GREEN MATT**

33 cm 0115290800

€ 1.149,00

**Atala**

# E-WAY 36 VOLT

ecologic

- ⚙ 35Nm
- ⚡ 360Wh
- ▢ A15 LED
- 26 6S

**FRAME** Hi-Ten Tig 26", easy access, internal cables**FORK** Hi-Ten Tig 26"**HEADSET** Steel 1"1/8, threaded, with cap**CRANKSET** Byte steel 42T cartridge, with cap**REAR DERAILLEUR** Shimano Tourney RD-TZ500**SHIFTERS LEVERS** Shimano Tourney SL-RS36 RevoShift, 6s**BRAKES** Promax alu, V-Brake, with brake lever switch**FREEWHEEL** Shimano Tourney 6s 14-28**PEDALS** Resin City**HUBS** Alu 36h, Shimano front, motor on rear**RIMS** Beretta 26" alu, double wall w/eylets, 36h**STEM** Alu**HANDLEBAR** Byte steel City**SEATPOST** Alu, 25,4mm**SADDLE** Selle Royal Wave**TYRES** Byte Garda 26"x1,75"**MUDGUARDS** Single stay safety-clip**CHAINCOVER** Steel painted, L type**CARRIERS** Rear carrier, 25kg / front carrier**LIGHTS** Front and rear LED, controlled by display**MOTOR** Brushless 36V 250W, on rear hub**MAX TORQUE** 35Nm**SENSOR TYPE** Speed sensor w/12 pulses**BATTERY** Li-Ion 36V, 360Wh, behind seat tube, with BMS**RANGE** level1: up to 85km – level2: up to 60km  
level3: up to 50km – level4: up to 40km  
level5: up to 35km**CHARGER TYPE** 2 A**CHARGER TIME** 100%: 5h15m / 80%: 4h**MAX ASSISTED SPEED** 25 km/h**DISPLAY** Atala A15 LED UART, Power +/- Light**POWER ADJUST** 5 levels, Speed/Torque adjustlevel1: 11km, 26Nm – level2: 14km, 28Nm  
level3: 17km, 30Nm – level4: 21km, 32Nm  
level5: 25km, 35Nm**OTHER FUNCTIONS** Soft start: 0 – 6km/h, with no pedaling  
External light control**WHITE/NEON GREEN**

42 cm 0115290603

**BLACK/LIGHT BLUE MATT**

42 cm 0115290600

€ 879,00

**Atala**

# E-CARGO

ecologic

- ⚙ 25Nm
- ⚡ 418Wh
- ▢ A790 LED
- 20 16 1S

**FRAME** Hi-Ten Tig Easy Access, Fix-Flex system**FORK** Hi-Ten Tig 20"**HEADSET** Steel 1", threaded**CRANKSET** Alu, 44T**BRAKES** Front: Promax alu, V-Brake con stazionamento – Rear: Drum**FREEWHEEL** 16T**PEDALS** Resin TKK**HUBS** Front: Motor – Rear: Cargo special**STEM** Alu, adjustable**HANDLEBAR** Steel City**SEATPOST** Alu, 25,4mm**SADDLE** Trekking with elastomers**TYRES** Front: 20"x1,95", e-bike – Rear: 16"x2,125", e-bike**MUDGUARDS** Steel painted**CHAINCOVER** Steel painted, L type**CARRIERS** Big rear basket 30L**MOTOR** Brushless 36V 250W, on rear hub**MAX TORQUE** 25Nm**SENSOR TYPE** Speed sensor**BATTERY** Li-Ion 36V, 418Wh, under carrier, Samsung cells with BMS**RANGE** Up to 60km**CHARGER TYPE** 2 A**CHARGER TIME** 100%: 6h30m / 80%: 4h30m**MAX ASSISTED SPEED** 25 km/h**DISPLAY** Atala A790, with LED, On-Off, Power**POWER ADJUST** 3 levels, Speed adjust**OTHER FUNCTIONS** Soft start: 0 – 6km/h, with no pedaling**BLUE**

42 cm 115239502

**NEW PRICE**

€ 1.599,00

**Atala**

# E-FOLDING 6S

ecologic

- ⚙ 35Nm
- ⚡ 360Wh
- ◻ A320 LED
- 26 6S

**FRAME** Alu 20", foldable, with integrated battery**FORK** Hi-Ten Tig 20"**HEADSET** Integrated 1"1/8, threaded, with cap**CRANKSET** Alu 152mm, 44T**REAR DERAILLEUR** Shimano Tourney RD-TY300**SHIFTERS LEVERS** Shimano Tourney SL-RS35 RevoShift, 6s**BRAKES** Promax alu, V-Brake**FREEWHEEL** Shimano Tourney 6s 14-28**PEDALS** Resin foldable**HUBS** Alu 36h, Shimano front, motor on rear**RIMS** 20" alu, double wall, 36h**STEM** Alu, foldable, adjustable**HANDLEBAR** Alu, 20mm rise**SEATPOST** Alu with clamp, 34mm, 500mm long**SADDLE** Selle Royal / Atala Ergonomic**TYRES** 20"x1,75"**MUDGUARDS** Steel painted**CHAINCOVER** Bicolour L type**CARRIERS** Alu rear carrier with spring**LIGHTS** Front and rear LED, front controlled by display**MOTOR** Bafang, brushless 36V 250W, on rear hub**MAX TORQUE** 25Nm**SENSOR TYPE** Speed sensor w/7 pulses**BATTERY** Li-Ion 36V, 280Wh, inside down tube,  
Samsung cells with BMS**RANGE** Up to 50km**CHARGER TYPE** 2 A**CHARGER TIME** 100%: 4h20m / 80%: 3h10m**MAX ASSISTED SPEED** 25km/h**DISPLAY** Atala A320, with LED, Power +/- Light**POWER ADJUST** 4 levels, Speed adjust**OTHER FUNCTIONS** Soft start: 0 – 6km/h, with no pedaling  
External light control**ANTHRACTITE/ORANGE MATT**

33 cm 115290802

**NEW PRICE**

€ 1.049,00

**Atala**

# E-WAY 24 VOLT

ecologic

- 20Nm
- 337Wh
- A320 LED
- 26 6S

**FRAME** Hi-Ten Tig 26", easy access, internal cables**FORK** Hi-Ten Tig 26"**HEADSET** Steel 1"1/8, threaded, with cap**CRANKSET** Byte steel 42T cartridge, with cap**REAR DERAILLEUR** Shimano Tourney RD-TZ50**SHIFTERS LEVERS** Shimano Tourney SL-RS35 RevoShift, 6s**BRAKES** Promax alu, V-Brake**CASSETTE** Shimano Tourney 6s 14-28**PEDALS** Resin City**HUBS** Alu 36h, Shimano front, motor on rear**RIMS** Beretta 26" alu, double wall w/eylets, 36h**STEM** Alu**HANDLEBAR** Byte steel City**SEATPOST** Alu, 25,4mm**SADDLE** Selle Royal Wave**TYRES** Byte Garda 26"x1,75"**MUDGUARDS** Steel painted**CHAINCOVER** Steel painted, L type**CARRIERS** Rear carrier, 25kg / front carrier**LIGHTS** Front and rear LED, with battery**MOTOR** Bafang, brushless 24V 250W, on rear hub**MAX TORQUE** 20Nm**SENSOR TYPE** Speed sensor w/7 pulses**BATTERY** Li-Ion 24V, 337Wh, behind seat tube, with BMS**RANGE** Up to 50km**CHARGER TYPE** 2 A**CHARGER TIME** 100%: 7h / 80%: 5h30m**MAX ASSISTED SPEED** 25km/h**DISPLAY** Atala A320, with LED, Power +/-**POWER ADJUST** 3 levels, Speed adjust**ANTHRAHITE/RED MATT**

42 cm 0115277700

**NEW PRICE**

€ 819,00



## ADVANCED (e)BIKING

Con Fazua siamo riusciti trovare la perfetta soluzione tra design e performance e nel 2019 è nata **FLOW** la prima eBike per un utilizzo su strada con motore e batteria invisibili che coniuga le prestazioni di una bici da corsa con l'assistenza del motore.

Grazie al design elegante e integrato non sembra una eBike. Il motore è silenziosissimo e la ruota libera si attiva completamente a velocità sopra i 25 km/ora. Inoltre, è compatibile con le trasmissioni 2x ed è in grado di erogare potenza a sufficienza per salite ripide e tratti controvento.

FAZUA nasce con l'obiettivo di rivoluzionare il mercato proponendo un sistema elettrico che fornisce una sensazione naturale alla pedalata.

**FLAME** è la nuova linea di eBike Whistle per il cross country veloce. Il sistema è **FAZUA EVATION 1.0**, completamente integrato nel telaio. Il motore è da 250 W, la coppia massima di 60 Nm e la batteria, facilmente removibile con un "click", da 255 Wh.

*With the Fazua drive unit, we have finally found the perfect solution and in 2019 we created FLOW, the first eRoad with the drivepack invisibles that combines the performance of a road bike with the assistance of the electric drive system.*

*It doesn't immediately look like an e-bike thanks to its smart, integrated design. The drive unit is virtually silent and the freewheel completely disengages at speeds over 25 km/h. It's also compatible with 2x drivetrains and delivers enough power to climb the steepest climb and riding into a headwind.*

*FAZUA was founded with the goal of revolutionizing the eBike market, creating a natural feeling of non-motorized bike riding.*

*Flame is the new lineup of eMTB Whistle for a fast Cross Country.*

*The FAZUA EVATION 1.0 is the electric driving system fully integrated into the frame. The motor has 250 W, the torque sensor 60 Nm and the battery, easily removable with a "click" has 255 Wh.*

# IL SISTEMA DI ASSISTENZA PIÙ LEGGERO E COMPATTO



## BLOCCO MOTORE DRIVE UNIT

UN MOTORE RIMOVIBILE E UNA BATTERIA FACILMENTE INTERCAMBIABILE  
*A REMOVABLE MOTOR AND BATTERY UNIT THAT FLATTENS YOUR WAY*



E TRAIL

E GRAVEL

E ROAD

E TREKKING

# MOVIMENTO CENTRALE BOTTOM BRACKET

UN ROBUSTO MOVIMENTO CENTRALE  
CHE TIENE ANALIZZA LA TUA PEDALATA

A ROBUST GEARED BOTTOM BRACKET  
THAT KEEPS TRACK OF YOUR PEDALS

## 1 INTERFACCIA INTERFACE

Interfacce elettriche e meccaniche personalizzate  
*Custom electrical and mechanical interfaces*

## 2 MISURA DELLE PRESTAZIONI PEDALS TRACKING

Misurazione della coppia ogni lato e della cadenza  
*Double-side torque measurement and cadence tracking*

## 3 ASSE E CORONA SHAFT & SPIDER

Interfaccia corona Isis  
*Isis interface*



# TELECOMANDO REMOTE CONTROL

SEMPLICE, FACILE PERMETTE UN CONTROLLO SU  
TUTTO CIÒ DI CUI HAI BISOGNO

SIMPLE, EASY AND GIVES YOU CONTROL OVER  
EVERYTHING YOU NEED

## BREEZE MODE

Senti l'aumento del supporto fino a 125W ed estendi la durata della batteria  
*Feel the evation tailwind while extending your battery runtime up to 125W*

## RIVER MODE

Aggiungi un pò di potenza e spingi fino a 250W  
*Add some solid power and sail the trail up to 250W*

## ROCKET MODE

Vai al massimo fino a 400W!  
*And rock on! Up to 400W.*

## CONNELLITIVITÀ BLUETOOTH BLUETOOTH READY

Migliora la tua esperienza con l'App FAZUA  
*Pimp up your ride with the FAZUA App*





## BLOCCO MOTORE DRIVE UNIT

Estraendo motore e batteria con un semplice "click", Flow può essere utilizzata come bicicletta da corsa tradizionale senza alcuna resistenza alla pedalata.

È disponibile una cover per nascondere il vuoto lasciato da batteria e motore.

*The drivepack can be added and removed with one "click" and allows a quick switch from a bike to a pedelec whenever you like. An additional cover is available to hide the empty space left by the drivepack once removed.*

### 1 DRIVEPACK

Unità motore rimovibile

*Removable motor unit*

250 W - 1,92 kg

### 2 BATTERY PACK

Batteria agli ioni sostituibile

*Replaceable Li-on battery pack*

36V - 1,38 kg

### 3 BOTTOM BRACKET

60 Nm - 1,31 kg

### 4 REMOTE CONTROL

3 livelli di supporto

*3 support modes*

Bluetooth ready





# BOSCH



## FEEL THE FLOW

I prodotti Bosch eBike Systems si distinguono per la straordinaria qualità e per la lunga durata, per una tecnologia affascinante accoppiata a un design moderno. Motori ad alta efficienza, batterie di qualità, ciclo-computer intelligenti abbinati alle competenze tecniche del dipartimento Ricerca e Sviluppo di Atala che studia l'integrazione di tutti i componenti, conducono allo sviluppo delle migliori eBike presenti sul mercato.

*All Bosch products are characterised by outstanding quality and a long service life, fascinating technology paired with modern design. Highly efficient drive motors, high-quality rechargeable batteries and smart on-board computers combined with the high technology skills of Atala R&D department whose experts study the integration of all components, lead to the development of the best performing eBikes on the market.*

## DRIVE UNIT

Che tu sia un pendolare, un eBiker appassionato di trekking, di escursioni all mountain o enduro, esiste una Drive Unit sviluppata appositamente per te.

La Drive Unit comprende nel movimento centrale: motore, centralina elettronica e sensori che consentono un'assistenza energica, progressiva e diretta su tutto il range di velocità con una spinta fino a 25 km/h.

*Whether you're in the city, on trails or in alpine terrain: with the right Drive Unit, every bike ride will be your very own, enthralling eBike experience.*

*The Drive Unit is composed by the following components located into the BB set: the motor, the electronic controller and the sensors, that ensure an energetic, progressive and direct assistance with a thrust up to 25 km/h.*

# PERFORMANCE LINE CX NEW

## A NEW ERA

Le salite non sono più un problema e nessuna sfida è impossibile: la nuova Performance Line CX è stata realizzata per tutti coloro che considerano il trail come una seconda casa.

Il potente motore Bosch per i ciclisti più esigenti è particolarmente leggero, compatto e con una resistenza minima alla pedalata. La Performance Line CX accelera con estrema forza, reagisce senza ritardi e convince grazie alla sua agilità di marcia e al controllo sempre maggiore.

*No path too steep, no challenge too great: the new Performance Line CX is made for anyone for whom the trail is a second home. The most powerful drive from Bosch for ambitious riders is particularly lightweight and compact and has minimal pedal resistance. The Performance Line CX accelerates extremely powerfully, responds without delay and features convincing agile handling and even more control.*

## DIVERTIMENTO SPORTIVO SPORTY RIDING ENJOYMENT

Il sistema a più sensori consente una risposta dinamica e sensibile delmotore per un'accelerazione precisa e un'avventura straordinaria sul trail.

*The multi-sensor concept enables a dynamic and responsive drive unit response for precise acceleration and a unique trail experience.*



## RESISTENZA MINIMA DI PEDALATA MINIMAL PEDAL RESISTANCE

Supporto costante fino a 25 km/h anche sulle lunghe salite in montagna.

*Sustained support up to 25 km/h, even on long mountain rides.*

## STRUTTURA COMPATTA COMPACT CONSTRUCTION

2,9 kg e dimensione ridotta del 48%!

*2.9 kg with a size reduced by 48%!*

## COPPIA MASSIMA 75 Nm 75 Nm MAXIMUM TORQUE

Per un'accelerazione potente anche con una struttura compatta.

*Powerful acceleration despite compact size.*

## SUPPORTO MASSIMO 340% 340% MAXIMUM SUPPORT

Spinta potente, guida estremamente sportiva e più sprint.

*For powerful acceleration, an extremely sporty riding style and fast sprints.*

# PERFORMANCE LINE

## FEEL THE ADVENTURE

La trazione sportiva Performance Line è ideale per tutti i ciclisti più ambiziosi, appassionati di trekking, mtb o pendolari. Chiunque trarrà vantaggio dal suo sistema bilanciato con precisione che garantisce elevata potenza per uno stile di guida sportivo.

*Whether trekking, all-mountain riding or commuting: the sporty Performance Line is the perfect choice for ambitious riders. Benefit from a finely balanced system that delivers maximum performance for a sporty riding style.*

### COPPIA MASSIMA 65 Nm 65 Nm MAXIMUM TORQUE

Consente un'accelerazione sportiva anche con frequenze di pedalata elevate.

*It facilitates sporty acceleration even in high cadences.*

### SUPPORTO MASSIMO 275% 275% MAXIMUM SUPPORT

La Drive Unit garantisce un potente supporto anche a basse frequenze di pedalata, ad esempio per fornire più potenza durante la partenza in salita.

*The drive unit provides strong support at low cadences for more power on hill starts.*



# ACTIVE LINE PLUS

## THE DRIVE UNIT FOR EXPLORERS

Ben 50 Nm per le gite fuori porta dopo il lavoro o nel weekend. La sensazione di pedalata armonica senza fastidiosi rumori di sottofondo fino a max 25 km/h è garantita da tre sensori, che rilevano i dati di marcia effettuando oltre 1.000 misurazioni al secondo. A tutto questo si aggiungono il peso ridotto e le dimensioni compatte.

*Powerful 50 Nm support is available for voyages of discovery after work or at weekends. Three sensors that record your riding data more than 1,000 times per second are responsible for a gentle riding sensation without the annoyance of extraneous noises up to a maximum of 25 km/h. This is combined with the lighter weight and reduced size.*

### COPPIA MASSIMA 50 Nm 50 Nm MAXIMUM TORQUE

La coppia massima di 50 Nm garantisce un'accelerazione agile e armonica.

*A maximum torque of up to 50 Nm ensures agile acceleration.*

### SUPPORTO MASSIMO 270% 270% MAXIMUM SUPPORT

Supporto sufficiente e perfetto per viaggiare in città o su percorsi di bassa difficoltà.

*Sufficient support, perfect for city trips or relaxed tours.*



# ACTIVE LINE

## DISCOVER THE CITY

Ideale per tutti colori che prediligono una linea minimal ed elegante. Le sue dimensioni compatte ne consentono una migliore integrazione nel telaio della bici.

*Ideal drive for anyone who wants a light and elegant look. Thanks to its compact size, allows improved integration within the bicycle frame.*

## COPPIA MASSIMA 40 Nm 40 Nm MAXIMUM TORQUE

La coppia massima di 40 Nm garantisce un'accelerazione di supporto armonica.

*A maximum torque of up to 40 Nm ensures gentle supporting acceleration.*


## SUPPORTO MASSIMO 250% 250% MAXIMUM SUPPORT

Supporto fluido e perfetto per viaggiare in città o su percorsi di bassa difficoltà.

*Gentle support, perfect for city trips.*



## PERFORMANCE LINE eMTB MODE



\*Supporto in % rispetto alla potenza del ciclista

## DISPLAY ON BOARD COMPUTERS

Il perfetto compagno di viaggio: Bosch ha sviluppato 5 differenti ciclo-computer - Purion, Intuvia, Nyon, Kiox e il nuovo Smartphone Hub - per soddisfare le esigenze di tutti i bikers.

*The perfect companion for every rider: Bosch has developed five different on-board computers with the Purion, Intuvia, Kiox, Nyon and the new Smartphone Hub, thereby addressing the individual needs of eBike riders.*

# SMARTPHONE HUB

La SmartphoneHub trasforma la pedelec in un'eBike sempre collegata in rete che entra a pieno titolo nella vita digitale: grazie allo smartphone e all'app COBI.Bike, la SmartphoneHub diventa una centrale di comando intelligente che naviga, registra attività e può essere collegata con servizi e app.

*The SmartphoneHub transforms the pedelec into a fully networked eBike and part of digital life: thanks to the smartphone and the COBI.Bike app, the SmartphoneHub can become an intelligent control centre that navigates, records activities and connects them to other services and apps.*



## CONNELLIVITÀ CONNECTIVITY

La SmartphoneHub e l'app COBI.Bike collegano l'eBike con il mondo digitale: dalla navigazione, allo streaming musicale, al fitness-tracking, alle telefonate fino all'integrazione di altri servizi e app come Strava e komoot.

*The SmartphoneHub and the COBI.Bike app connect the eBike to the digital world - from navigation, music streaming, fitness tracking, or pairing to other services and apps such as Strava or komoot.*

## SOLUZIONE INTELLIGENTE INTELLIGENT SOLUTION

Il collegamento di SmartphoneHub, app COBI.Bike e smartphone crea un'esperienza di guida completamente connessa. Al tempo stesso l'eBiker può decidere di guidare con o senza lo smartphone collegato.

*The combination of SmartphoneHub, COBI.Bike app and smartphone creates a completely connected riding experience. At the same time, the eBiker can use their eBike with or without a smartphone connected.*

## DISPLAY INTEGRATO INTEGRATED DISPLAY

La pedelec può essere comandata anche senza smartphone tramite il grande display a cristalli liquidi da 1,52 pollici che è integrato nella SmartphoneHub. Il display mostra i principali dati di marci.

*The pedelec can also be controlled without a smartphone using the 1.52-inch LC display integrated in the SmartphoneHub. The display shows the most important riding data.*



## PERSONAL TRAINER TRAINING PARTNER

L'app COBI.Bike trasforma lo smartphone in un personal trainer grazie al collegamento con servizi relativi al fitness e alla salute come Apple Health, Google Fit, Strava e komoot.

*The COBI.Bike app turns the smartphone into a personal trainer by connecting to fitness and health services like Apple Health, Google Fit, Strava and komoot.*



## DATI DI FITNESS FITNESS DATA

A disposizione i dati di allenamento come potenza, cadenza di pedalata e consumo di calorie. Inoltre è possibile collegare anche un cardiofrequenzimetro.

*A permanent overview the training data such as performance, cadence and calorie consumption. It is also possible to connect a heart rate monitor.*



## AGGIORNAMENTO WIRELESS WIRELESS UPDATE

Sempre aggiornati: gli aggiornamenti software per la SmartphoneHub possono essere eseguiti senza l'utilizzo di cavi e molto comodamente tramite l'app.

*Always up-to-date: software updates for the SmartphoneHub can be installed with ease using wireless technology with the help of the app.*

## NAVIGAZIONE NAVIGATION

L'app COBI.Bike mostra la strada, con l'opzione di visualizzazione della mappa in 2D e 3D. Le indicazioni di navigazione vengono fornite anche vocalmente.

*The COBI.Bike app points the way - with optional 2D or 3D map view. The navigation instructions are also issued by voice output.*

## METEO IN TEMPO REALE LIVE WEATHER

Viaggiare spensierati nella natura: grazie all'app COBI.Bike, gli eBiker sono sempre informati sulle condizioni meteo in tempo reale.

*The carefree way to cruise through the countryside: up-to-the-minute weather forecasts and precise weather data ensure that eBikers are always well-informed thanks to the COBI.Bike app.*

## COMANDO DA REMOTO REMOTE CONTROL

Con l'unità di comando separata, gli eBiker possono comandare tutte le funzioni dal manubrio in modo semplice, sicuro e comodo.

*The separate control unit enables eBikers to control all functions easily, safely and comfortably from the handlebar.*

## DIVERTIMENTO ENTERTAINMENT

Ascoltare la tua musica preferita o l'ultimo giallo uscito: gli eBiker possono accedere ai servizi di streaming come Spotify o Audible.

*The easy way to listen to your favourite music or the latest thriller: the eBikers can access to music and audio book streaming services, such as Spotify or Audible.*

## PRATICITÀ OPERABILITY

Avvio semplice: l'eBike può essere comandata in modo intuitivo tramite lo smartphone; inoltre, l'unità di comando e la guida vocale garantiscono un utilizzo semplice.

*Get started: the eBike can be operated intuitively with the smartphone and is designed for easy handling thanks to the control unit and voice output.*

## FUNZIONI DI RICARICA CHARGING FUNCTION

Lo smartphone può essere collegato al relativo hub e alimentato comodamente con l'energia della batteria dell'eBike.

*The smartphone can be connected to the SmartphoneHub and conveniently powered from the eBike battery.*

# NYON

Il ciclocomputer all-in-one Nyon integra la funzione di navigazione, il controllo eBike, i dati di marcia e molto altro in un unico dispositivo. Grazie all'app eBike Connect è possibile collegare Nyon al proprio smartphone mediante Bluetooth. Nyon può essere comandato in modo pratico con il pollice da un'unità di comando separata con joystick a più vie: le mani restano così sempre sul manubrio.

*The Nyon all-in-one on-board computer combines navigation, eBike control, riding data and a host of other features in a single device. You can use the eBike Connect app to connect Nyon to your smartphone via Bluetooth. Nyon can be operated by means of a separate control unit with a multi-way joystick using the thumb - the rider's hands remain on the handlebar at all times.*



# KIOX

Il design si fonde con la funzionalità: il ciclo-computer Kiox è studiato per ciclisti ambiziosi. Robusto, piccolo e compatto, Kiox è l'accompagnatore perfetto, sia fuoristrada che come partner per l'allenamento.

*Design meets functionality: The Kiox on-board computer was specially developed for ambitious riders. Robust and small, the compact Kiox is the perfect companion - whether used off-road or as a partner in training.*



## CONNELLIVITÀ CONNECTIVITY

Il display sportivo è il collegamento con il mondo eBike connesso di Bosch. Tutti i dati vengono registrati da Kiox e trasmessi all'eBike Connect App tramite Bluetooth, creando così una panoramica e una valutazione di tutte le attività.

*The sporty display is the connection to the networked eBike world of Bosch. All relevant riding data is recorded by Kiox and transmitted via Bluetooth to the eBike Connect app, for an overview and analysis of all activities.*

## SINCRONIZZAZIONE AUTOMATICA AUTOMATIC SYNCHRONISATION

Tutte le informazioni sempre a portata di mano: i dati vengono sincronizzati automaticamente tra Kiox e l'app tramite Bluetooth.

*All information at your fingertips at all times: Data is automatically synchronised by Bluetooth between Kiox and the app.*



# INTUVIA

Praticità e controllo della tua ebike garantiti: il display è sempre ben visibile in qualsiasi situazione e mostra tutte le informazioni importanti. Il ciclo-computer viene controllato in modo intuitivo dall'unità di comando separata, così le mani restano sul manubrio.

*Easy and intuitive control of your eBike guaranteed. The display is easy to read in any situation and shows you all the important information.  
The separate control unit allows you to keep your hands safely on the handlebar.*



# PURION

Praticità e controllo della tua ebike garantiti: il display è sempre ben visibile in qualsiasi situazione e mostra tutte le informazioni importanti. Il ciclo-computer viene controllato in modo intuitivo dall'unità di comando separata, così le mani restano sul manubrio.

*Easy and intuitive control of your eBike guaranteed. The display is easy to read in any situation and shows you all the important information.  
The separate control unit allows you to keep your hands safely on the handlebar.*



## BATTERIE POWERTUBE

Per le esigenze più elevate in termini di potenza ed estetica: i Bosch PowerTube garantiscono un alto potenziale energetico durante ogni tour e, grazie alle dimensioni compatte e alla forma minimalistica, si integrano perfettamente nel design dell'eBike. Novità di quest'anno: i PowerTube 400 e PowerTube 625 entrambi integrabili nel telaio.

*For the highest demands in terms of performance and aesthetics: Bosch PowerTubes have the power to drive any ride and, thanks to their compact size and minimalist design, can be integrated with the eBike almost seamlessly. There are two options for installing the battery: horizontal or vertical. New this year: PowerTube 400 and PowerTube 625.*

# POWERTUBE



## 625 WH

Di più non si può: con il PowerTube 625 è possibile fare lunghe escursioni in montagna, con il massimo dell'autonomia e il massimo dislivello.

*What else? The PowerTube 625 lets you ride long and mountainous rides, bringing maximum ranges and altitudes within reach.*



## 500 WH

Con il PowerTube 500, le eMountain bike e le eBike da trekking coprono le lunghe distanze senza problemi.

*The PowerTube 500 enables trekking and eMountain bikes to take long distances in their stride.*



## 400 WH

Il PowerTube 400 rende la city bike ancora più stilosa.

*The PowerTube 400 brings city bike styling on tour.*

# POWERPACK

I PowerPack con tecnologia a ioni di litio di Bosch sono disponibili in diverse versioni: 300, 400, 500 Wh. Le batterie per telaio sono collocate nel punto più vicino al baricentro della bicicletta. Ciò ha un effetto positivo sulla guida. In caso di scavalco basso è disponibile la variante per portapacchi che agevola al massimo la salita e la discesa dalla bicicletta. I PowerPack possono essere rimossi con un semplice movimento della mano o ricaricati comodamente sulla bici.

*PowerPacks with lithium-ion technology from Bosch come in a variety of type 300, 400, 500 Wh. Frame batteries are close to the bike's centre of gravity. This has a positive effect on riding behaviour. The rack variant is ideal for step-through models, offering greater freedom when mounting or dismounting. The PowerPacks can be removed with just one hand movement or conveniently charged on the bike itself.*



	PowerPack 300	PowerPack 400	PowerPack 500	PowerTube 400 NEW	PowerTube 500	PowerTube 625 NEW
<b>Montaggio</b> <b>Mounting type</b>	Telaio e portapacchi <i>Frame and rack</i>	Telaio e portapacchi <i>Frame and rack</i>	Telaio e portapacchi <i>Frame and rack</i>	Nel telaio <i>In the frame</i>	Nel telaio <i>In the frame</i>	Nel telaio <i>In the frame</i>
<b>Tensione</b> <b>Voltage</b>	36 V	36 V	36 V	36 V	36 V	36 V
<b>kg telaio /Frame</b> <b>kg portapacchi /carrier</b>	Ca. 2,5 kg Ca. 2,6 kg	Ca. 2,5 kg Ca. 2,6 kg	Ca. 2,5 kg Ca. 2,6 kg	Ca. 2,9 kg	Ca. 2,8 kg	Ca. 3,5 kg
<b>Tempo di ricarica*</b> <b>Charge time*</b>	Ca. 2,5 h <i>approx 2,5 h</i>	Ca. 2,5 h <i>approx 2,5 h</i>	Ca. 3 h <i>approx 3 h</i>	Ca. 2,5 h <i>approx 2,5 h</i>	Ca. 3 h <i>approx 3 h</i>	Ca. 3,7 h <i>approx 3,7 h</i>

\*con il Fast Charger da 6 A

\*with the 6A Fast Charger

# POWER SUPPLY

Bosch ha sviluppato tre modelli in grado di fornire energia alla vostra eBike in modo rapido e affidabile, indipendentemente dalla vostra meta. I caricabatterie Bosch sono maneggevoli, leggeri, robusti e stabili.

*Bosch has developed three models that will charge your eBike quickly and reliably, wherever your journey may take you. Bosch chargers are handy, lightweight and robust.*



## FAST CHARGER

Il Fast Charger è il caricabatteria più rapido in commercio, ideale per chi utilizza frequentemente la propria eBike. Per ricaricare una batteria al 50%, il Fast Charger impiega poco più di 1 ora.

*The Fast Charger is currently the fastest eBike charger on the market and will recharge the eBike battery in the shortest possible time. The Fast Charger needs just over 1 hour to charge a battery to 50% capacity.*



## STANDARD CHARGER – 4A

Lo Standard Charger da 4A, robusto e funzionale, convince grazie a un ottimo rapporto tra prestazioni e dimensioni/peso ed è un caricabatteria adatto a tutti.

*The robust and functional 4A Standard Charger features a convincingly good balance between performance and size/weight and is suitable for every possible use.*



## COMPACT CHARGER – 2A

Il Compact Charger è il caricabatteria ideale per tutti i viaggiatori. Con un peso minore di 600 grammi e un volume inferiore del 40% rispetto allo Standard Charger, si adatta a ogni tasca della sella. Compatibile con voltaggi compresi tra 110 e 230 Volt.

*The Compact Charger is the ideal charger for all eBikers who are constantly on the move. It weighs less than 600 grams and is 40 % smaller than the Standard Charger - small enough to fit into many saddlebags. It can be used with supply voltages of 110 to 230 volts.*

	FAST CHARGER	STANDARD CHARGER	COMPACT CHARGER
Montaggio <i>Mounting type</i>	220 - 240 V	230 V	110 - 230 V
Dimensioni <i>Dimensions</i>	200 x 90 x 60 mm	190 x 86 x 54 mm	160 x 75 x 45 mm
Peso (incl. cavo) <i>Weight (incl. cable)</i>	1000 g	800 g	600 g
Tempi di ricarica <i>Charging time</i>	PowerPack 300: 2,5 h PowerPack / PowerTube 400: 2,5 h PowerPack / PowerTube 500: 3 h PowerTube 625: 3,7 h	PowerPack 300: 2,5 h PowerPack / PowerTube 400: 3,5 h PowerPack / PowerTube 500: 4,5 h PowerTube 625: ca. 4,9 h	PowerPack 300: 5 h PowerPack / PowerTube 400: 6,5 h PowerPack / PowerTube 500: 7,5 h PowerTube 625: 8,8 h

# AUTONOMIE AUTONOMIES



Ciclista



eBike



Ambiente



Rider



eBike

Environment

## DURATA RIDOTTA      DURATA INTERMEDIA      DURATA PROLUNGATA



Condizioni difficilose\*



Condizioni favorevoli\*



Condizioni ideali\* /\*\*

Frequenza di pedalata	70-90 giri/min	50-70 giri/min	70-90 giri/min
Peso (Peso totale = ciclista incl. eBike e bagaglio)	115 kg	105 kg	95 kg
Ø-Velocità media approssimativa Cruise (25 km/h) Speed (45 km/h)	18 km/h 28 km/h	21 km/h 31 km/h	24 km/h 34 km/h
Sistema Bosch eBike	Drive Unit, batteria e Intuvia	Drive Unit, batteria e Intuvia	Drive Unit, batteria e Intuvia
Cambio	Cambio a deragliatore	Cambio a deragliatore	Cambio a deragliatore
Profilo delle gomme	Ruote MTB	Ruote da trekking	Ruote da trekking
Tipo di ruota e posizione	Bicicletta per gite/MTB sportiva	Bicicletta per gite/MTB sportiva	Bicicletta per gite/MTB sportiva
Tipo di fuoristrada	Media montagna	Collinoso	Salite sporadiche
Fondo stradale	Sentieri sterrati nel bosco e in campagna (ad es. trail)	Prevalenza di sentieri nel bosco impegnativi e con pietrisco	In prevalenza asfalto di buona qualità
Frequenza di partenza	Gita in bici con ripartenze frequenti	Gita in bici con ripartenze occasionali	Gita in bici con poche pause
Condizioni di vento	Vento moderato	Vento leggero	Vento assente

## REDUCED RANGE



Difficult conditions\*

## INTERMEDIATE RANGE



Favourable conditions\*

## LONG RANGE



Ideal conditions\* /\*\*

Cadence	70-90 rpm	50-70 rpm	70-90 rpm
Total weight (Overall weight consisting of rider incl. eBike and luggage)	115 kg	105 kg	95 kg
Ø speed approx. Cruise (25 km/h) Speed (45 km/h)	18 km/h 28 km/h	21 km/h 31 km/h	24 km/h 34 km/h
Bosch eBike system	Drive Unit, battery and Intuvia	Drive Unit, battery and Intuvia	Drive Unit, battery and Intuvia
Gears	Derailleur system	Derailleur system	Derailleur system
Tyre tread	MTB tyres	Trekking tyres	Trekking tyres
Bicycle type and posture	Touring bike/sporty MTB	Touring bike/sporty MTB	Touring bike/sporty MTB
Terrain type	Low mountain ranges	Hilly	Some inclines
Surface	Dirt tracks and off-road trails	Mainly gravel and paved forest paths	Predominantly smooth asphalt
Starting frequency	Bike ride with regular standing starts	Bike ride with occasional standing starts	Bike ride with few breaks
Wind conditions	Moderate wind	Slight wind	Calm

# AM80



## CUORE ITALIANO

Alta qualità, affidabilità e convenienza con cuore italiano: questi i valori del sistema elettrico proposto da Atala, AM80. Nato da un'idea del dipartimento Ricerca e Sviluppo di Atala per rispondere all'esigenza di sviluppare biciclette di alta qualità e prestazione con motore centrale.

*High quality, reliability and convenience together with an Italian heart: these are the values of the new electric System developed by Atala AM80.*

*Developed upon an idea of the Atala R&D Department to answer the customer needs of quality and performing eBike with central drive unit.*

# I DRIVE UNIT

## LIVELLI DI ASSISTENZA

### POWER MODES

5 livelli di assistenza supportano il ciclista dal 50 al 400% della forza espressa (calcolata tramite il sensore di coppia all'interno del movimento centrale).

*5 power modes support the rider from 50 to 400% of its power (calculated by the torque sensor inside the bottom bracket). assistance even to sportive bikers.*



## 3 SENSORI

### 3 SENSORS

Sistema a 3 sensori che garantisce una prontezza di risposta ai massimi livelli e regala un feeling di guida naturale.

*3-sensor system that provides immediate response at the highest levels and offers a natural riding feeling.*

## CADENZA

### CADENCE

Cadenza ideale di 60 rpm con output del motore elevato anche a velocità di rotazione superiori per garantire assistenza anche ai più sportivi.

*Drive Unit is designed to supply the max thrust up 60 rpm, keeping anyway a high output value at higher rpms to ensure assistance even to sportive bikers.*

# I DISPLAY

## INFORMAZIONI ACCESSIBILI

### ACCESSIBLE INFORMATION

Velocità, stato di carica e livello di assistenza sono immediatamente accessibili, in schermata completa sono visualizzate le informazioni di potenza istantanea erogata dal motore e potenza espressa dall'utente per gestire l'autonomia della batteria.

*The backlit display shows speed, charge status and power level, while on full screen the user can find the engine power information and expressed power to manage the battery life.*



## FACILE UTILIZZO

### EASY OPERATION

Il comando remoto di piccole dimensioni, è posizionato a sinistra del manubrio e facilmente raggiungibile dal pollice della mano sinistra, non influenzando l'operatività di altri comandi presenti.

*The small remote control, placed at the left side of the handlebar, is easily accessible by the thumb of the left hand without affecting any other control operations.*

## CAMMINATA ASSISTITA

### WALK FUNCTION

La funzione "camminata assistita" è attivabile in qualsiasi modalità di assistenza semplicemente con la pressione prolungata del tasto "V" sul comando remoto. La massima velocità raggiungibile non supera i 6 km/h previsti dalla normativa.

*The "walk" function can be activated simply by pressing the "V" button on the control. The maximum speed never exceed 6 km/h as per Italian law.*

# ENERGY PACK

## BATTERIE 400/500 WH

### BATTERIES 400/500 WH

Le EnergyPack sono accumulatori con tecnologia a ioni di litio, non soffrono di effetto memoria e possono essere caricate e scaricate a piacimento senza preoccupazioni.

*EnergyPack are batteries with lithium-ion technology inside, they don't suffer from memory effect and can be charged and discharged at will without any worries.*

## AUTONOMIA\*

### RANGE\*

L'autonomia è di 190 Km con batteria da 500 Wh, fino a 160 km con la batteria da 400 Wh.

*The range with a battery of 500 Wh is till 190 Km, 160 km with a 400 Wh one.*

## TECNOLOGIA

### TECHNOLOGY

La BMS delle energyPack è di tipo Smart: motore e display sono in continua comunicazione con la batteria per ottimizzare la gestione del flusso di corrente in uscita dalla batteria stessa ed in entrata nel motore.

*The BMS of energyPack is Smart type: motor and display are in continuous communication with the battery to optimize the management of the current flow output from the battery and input to the engine.*



\*Le condizioni ideali per un'autonomia ottimale sono: terreno pianeggiante con velocità media di ca. 15 km/h, senza vento contrario, circa 20°C, componenti di alta qualità, profilo e pressione delle gomme con minima resistenza al rotolamento, utilizzo del cambio sempre corretto, peso dell'utente <70 kg.

*\*Ideal condition for best range are: flat terrain, approx. 15 km/h average speed, no headwind, approx. 20°C temperature, high-quality bike components, tire tread and pressure with minimal rolling resistance, always shifts gears correctly, additional weight <70 kg.*



E TRAIL



Introdotto con successo nel 2019, il sistema elettrico AM80 Agile è compatto, agile e scattante, progettato per il trekking e il commuting urbano.

Il nuovo\* AM 80 Agile è stato aggiornato nel rispetto della Normativa Europea sulle bici a pedalata assistita (EN15194:2017) ed ha livelli di sicurezza superiori in tutti i suoi componenti elettronici (motore, display e batteria). L'aggiornamento coinvolge anche il sistema di comunicazione fra i vari dispositivi che presenta la più moderna rete CAN, per una facile integrazione degli aggiornamenti futuri.

*Successfully introduced last year, the electrical system AM80 Agile is small, agile and snappy, designed for trekking and for commuting.*

*The new\* AM 80 Agile has been updated in compliance with the European regulation on e-bikes (EN15194: 2017) and has therefore higher safety levels in all its electronic components (drive unit, display and battery).*

## DRIVE UNIT

Piccolo, compatto e leggero e con i sensori di coppia e di pedalata, fornisce un supporto progressivo e silenzioso per restituire un'esperienza in sella eccezionale. Il ridotto angolo di ingaggio della pedivella (15°) rende il sistema molto comodo e diretto sui percorsi urbani con più fermate e ripartenze.

*Small, compact and light and with torque and pedaling sensors, provides progressive and silent support for an exceptional riding experience. The reduced angle of the crankset (15 °) makes the drive unit very comfortable and direct on urban routes where numerous stops and restarts are required.*



COPPIA MASSIMA 80 Nm  
80 Nm TORQUE SENSOR

## DISPLAY LED A15

Il display a LED è semplice, immediato e compatto. Integra pulsanti di accensione/spegnimento, + e - per selezionare i 5 livelli di assistenza, comando delle luci esterne e funzione soft start fino 6 km/h. Il display visualizza la carica della batteria e il livello di assistenza impostato.

*The LED display is simple, immediate and compact. It integrates: on / off functions, + and - buttons to select the 5 assistance levels, external light control and soft start function up to 6 km/h. It shows the battery charge status and the assistance level set.*



## DISPLAY LCD A10

Impreziosito dalla cover in metallo e dallo schermo in vetro, il display LCD fornisce indicazioni chiare e luminose, grazie alla retro illuminazione.

È posizionato centralmente per una visione più comoda ed ha un comando remoto vicino la mano sinistra con 5 tasti. Oltre alle funzioni del display a LED il display LCD integra le classiche funzioni del ciclo computer con velocità, percorrenza e tempi. Integra un sensore crepuscolare che accende le luci in automatico quando risulti necessario.

*The LCD display gives clear and bright indications, thanks to the back lighting; it is embellished by a metal cover and a glass screen. Centrally positioned on the handlebar for a more clear view; the remote control near the left hand with 5 buttons. In addition to the functions of the LED display, the LCD one integrates the functions typical of an on-board computer with speed, distance and time. It integrates a twilight sensor that allows the lights to turn on automatically when needed.*



## BATTERIA SMART BMS

La batteria ha un'elettronica intelligente (Smart BMS) che gestisce in modo sofisticato le singole celle di memoria monitorando i parametri di funzionamento, errori, bilanciamento e correnti di auto scarica. Si ha una migliore gestione nel tempo della carica/scarica, una diagnosi sul funzionamento della batteria e una immediata visualizzazione a display della reale capacità immagazzinata.

*The battery has an intelligent electronics (Smart BMS) that manages the individual memory cells in a sophisticated manner, monitoring the operating parameters, errors, balancing and self-discharge currents. There is better management over time of charge / discharge, a diagnosis of battery operation and an immediate visualization of the real capacity stored in the display.*





# YAMAHA



## BEING ONE WITH THE MACHINE

Un progetto che va oltre l'eBike, derivato dall'esperienza pluriennale di Yamaha nella realizzazione di tecnologie proveniente dalla MotoGP e dalle gare fuoristrada.

La filosofia che caratterizza da sempre lo spirito di sviluppo in Yamaha è unire ciclista e macchina come se fossero una cosa sola, senza la minima disarmonia. Dal DNA di Yamaha che da lungo tempo trasforma ogni sogno di mobilità, una nuova esperienza senza precedenti, progettata per far divertire qualsiasi ciclista sulla strada e off-road.

*A project that goes beyond the eBike, derived from Yamaha's experience in the creation of technologies for MotoGP and off-road racing. The Yamaha philosophy behind the spirit of development is to unite cyclist and machine as if they were one, without the slightest disharmony. From the DNA of Yamaha that has long transformed every dream of mobility, an unprecedented new experience, designed to entertain any cyclist on the road and off-road.*

# PW-X



E TRAIL

## I DRIVE UNIT

### PURE RIDE

La drive unit PW-X consente ai ciclisti di immergersi completamente nella pedalata con una risposta più rapida e diretta ed una potenza eccezionale del motore.

*The PW-X drive unit allows cyclists to immerse themselves completely in the pedaling with a faster and more direct response and exceptional engine power.*

### COPPIA MASSIMA 80 Nm 80 Nm TORQUE SENSOR

### 5 LIVELLI DI ASSISTENZA 5 POWER MODES

Eco+, Eco, Standard, High, Extra Power. Con la modalità EXPW, la drive unit sfrutta meglio la potenza del motore grazie agli effetti di raffreddamento drasticamente migliorati.

*Eco+, Eco, Standard, High, Extra Power. With EXPW mode, the drive unit better harnesses the motor's power thanks to the drastically improved cooling effects.*

### POWERFUL AND COMPACT

Design compatto, 13% di volume ridotto e peso diminuito di 380 gr. Interfaccia BB ISIS da 128 mm normalmente usata nelle MTB, per una pedalata più autentica. Per ridurre il ritardo meccanico è stato ridotto di 1/3 il gioco del meccanismo a cremagliera. Anche l'alleggerimento dei componenti mobili di grandi dimensioni, come il semiasse e l'ingranaggio riduttore, ha contribuito a migliorare la reattività.

*Compact design, 13% reduced volume and weight reduced by 380 gr. BB ISIS 128 mm interface normally used in MTBs, for a more authentic ride. The play of the rack mechanism has been reduced by 1/3 to reduce the mechanical delay. Even the lightening of large mobile components, such as the axle shaft and the reduction gear, helped improve responsiveness.*

### AUTONOMIA RANGE

175 km (500 Wh in Eco+)

## I DISPLAY

### ESSENTIAL

Display LCD semplice e robusto, posizionato a fianco dell'attacco manubrio, specifico per la MTB.

*Simple and tough LCD display realized specifically for MTB, located near the stem in a protected position from any shocks.*



# PW

## I DRIVE UNIT

### SMOOTH AND POWERFUL

Oltre ad offrire un'assistenza elettrica fluida, i sistemi Yamaha sono dotati di un'incredibile assistenza naturale. La PW series mira a conquistare tanto il cuore degli amatori, quanto quello dei ciclisti professionisti.

*Yamaha systems are endowed with incredible natural assistance, offering fluid electrical assistance. The PW series aims to win the amateurs hearts as much as of professional cyclists.*



### 3 SENSORI

### 3 SENSOR

Sensore di coppia che rileva la potenza di pedalata, sensore di velocità e sensore di velocità di rotazione della pedalata, permettono di offrire al ciclista assistenza continua in tutte le condizioni.

*A torque sensor that detects pedaling power, a speed sensor and a rotation speed sensor that detects the number of rotations in the pedal stroke, allow the cyclist to be offered continuous assistance in all conditions.*

### 4 LIVELLI DI ASSISTENZA

### 4 POWER MODES

Eco+, Eco, Standard, High. Il biker può calibrare la potenza erogata dal motore, in base al percorso e all'autonomia rimanente della batteria.

*Eco+, Eco, Standard, High. The biker can calibrate the power delivered by the engine, based on the distance and remaining battery life.*

### CENTRAL MOUNTING

Il sistema Power Assist utilizza un sistema a montaggio centrale in cui unità motrice e batteria sono vicino ai pedali per un baricentro basso. Il risultato è un bilanciamento del peso e una stabilità eccellenti.

*The Power Assist System employs a center mount system in which the power unit and battery are mounted close to the pedals to create a low center of gravity. This results in outstanding weight balance and excellent running stability.*

### AUTONOMIA RANGE

140 km (400 Wh in Eco+)

## I DISPLAY

*Layout verticale e la retroilluminazione per una migliore leggibilità in tutte le condizioni; il comando remoto sulla manopola sinistra aumenta l'ergonomia e la sicurezza del sistema.*

*The vertical layout and the backlight of the removable LCD display improve the readability in all riding conditions; the remote control on left grip increase ergonomics and safety of the system.*



## I 400/500 Wh BATTERIES

Batterie con capacità di 400 e 500 Wh performanti, leggere, ricaricabili anche a bordo della bicicletta e removibili lateralmente.

*Batteries with a capacity of 400 and 500 Wh performing, light, rechargeable on the bicycle and removable laterally.*



E TRAIL

# SHIMANO



## EXPLORE NEW GROUNDS GREATER FUN! MORE TRAIL!

Proverete una sensazione di libertà che finora non avete mai conosciuto.

È davvero semplice. Con SHIMANO STEPS MTB affrontare rapidamente gli angoli e alzare la ruota anteriore in caso di ostacoli è un gioco da ragazzi. Il sistema offre più assistenza per un'arrampicata agevole, è leggero per una facile maneggevolezza e spiana il terreno ai rider di qualsiasi livello. Vanta una maggiore assistenza per cadenze elevate e riesce comunque a far sembrare la pedalata completamente naturale. Con questo sistema, i limiti personali non saranno che un ricordo lontano. Provate la massima libertà!

*Experience freedom like never before. It's simple really. Only a system designed specifically for mountain bikes can give you a truly new riding experience. With SHIMANO STEPS MTB, handling corners quickly and getting the front up for obstacles is a breeze. The system gives you more support for easy climbing. It's lightweight for easy handling. And it levels the field for riders of all skill levels. It has greater support for higher cadence and still makes your ride feel completely natural. With this system, personal limitations are a thing of the past, experience ultimate freedom!*

# STEPS E8000

## I DRIVE UNIT

### PEDALATA NATURALE NATURAL PEDALLING FEEL

Sensazione di pedalata diretta e naturale (con o senza assistenza attivata).

*Direct and natural pedalling feel (with or without pedal-assist activated).*

### COPPIA MASSIMA 70 Nm 70 Nm TORQUE SENSOR

*Il supporto continuo garantisce al ciclista una trazione potente, sprint rapidi e una guida molto sportiva.*

*Lasting support for riders enables powerful drive, fast sprints and a very sporty riding style.*

### TRAZIONE MASSIMA 250W 250W MAXIMUM DRIVE

Elevata potenza con erogazione massima di 250W.

*High power with max output of 250W.*

### PESO 2,8 Kg WEIGHT 2,8Kg

## I DISPLAY

### DINAMICO E FUNZIONALE DYNAMIC AND FUNCTIONAL

Display LCD dinamico, mostra il numero di rapporto, la modalità di assistenza e il livello della batteria.

*LCD display shows battery capacity information based on which gear you are riding, which support setting you are using.*

### CONTROLLO REMOTO REMOTE CONTROL

La leggera centralina è controllabile da un comando sinistro che permette di selezionare tre modalità di potenza per i diversi tipi di terreno.

*The lightweight drive unit is controlled by a left-hand power mode switch with three settings for different types of terrain.*

## I BATTERY

### TEMPO DI RICARICA 2–5 h CHARGING TIME 2–5 h

La leggera centralina è controllabile da un comando sinistro che permette di selezionare tre modalità di potenza per i diversi tipi di terreno.

*Two battery types available (down-tube mounted and integrated) can be charged to 80% within two hours and 100% in five hours (battery life of 1,000 cycles).*

### 1000 CICLI DI RICARICA 1000 CHARGE CYCLES

### CAPACITÀ 504 Wh CAPACITY 504 Wh

Batteria agli ioni di litio per percorrere una maggior distanza.

*High capacity long-lasting Li-Ion battery to cover more territory.*



# ecologic



## PEDALARE CON LEGGEREZZA

EcoLogic è la famiglia di eBike realizzate da Atala con motore all'interno del mozzo ruota.  
Per rispondere ai nuovi requisiti di sicurezza della Norma Europea EN:15194:2017 sulle bici a pedalata assistita, la gamma si presenta rinnovata per tutte le parti elettriche.

*EcoLogic is the eBike range developed by Atala with the motor on the wheel hub.  
For 2020 Atala renews every model with new electrical systems.*

# I DRIVE UNIT

## MOTORE AL MOZZO HUB MOTORS

Nuovi motori EcoLogic con 2 differenti livelli di coppia massima: 35 Nm e 45 Nm. Motori compatti e affidabili, con coppia aumentata a 35N per le famiglie E-Run/E-Way/E-Folding, tutti da 36V. Sono tutti dotati di sensori ad effetto hall per una partenza silenziosa. Il riduttore di velocità interno ha ingranaggi elicoidali doppi, per ridurre la silenziosità in marcia e allungarne la durata per usura.

*New EcoLogic engines with 2 different maximum torque levels: 35 Nm and 45 Nm. Compact and reliable engines, with increased torque to 35N for the E-Run / E-Way / E-Folding range, all from 36V. They are all equipped with hall effect sensors for a silent start. The internal speed reducer has double helical gears to reduce running noise and extend its life due to wear.*

## SENSORE SPEED SENSOR

In sensore di pedalata è di tipo integrato in un unico modulo. Sostituisce il disco magneti più sensore esterno che tal volta possono causare malfunzionamenti per la loro posizione relativa non corretta. I 12 impulsi per giro offrono un angolo di ingaggio della pedivella molto più ridotto. Si passa dai 100-150° tipico delle bici tradizionali a ben 30-60°. L'utente ha controllo più diretto della bici e una partenza più veloce.

*The pedaling sensor is integrated in a single module. Replaces the magnet disk plus external sensor which can sometimes cause malfunctions due to their incorrect relative position.*

*The 12 pulses per revolution allow the engagement angle of the pedal crank to be much smaller. It goes from 100-150 ° typical of traditional bikes to 30-60 °. The user has more direct control of the bike and a faster start.*

# I DISPLAY

## DISPLAY LED A15

Il display a LED è semplice, immediato e compatto. Integra pulsanti di accensione/spegnimento, + e - per selezionare i 5 livelli di assistenza, comando delle luci esterne e funzione soft start fino 6 km/h. Il display visualizza sempre la carica della batteria ed il livello di assistenza impostato.

*The LED display is simple, immediate and compact. It integrates: on / off functions, + and - buttons to select the 5 assistance levels, external light control and soft start function up to 6 km/h. It always shows the battery charge status and the assistance level set. The LCD display gives clear and bright indications, thanks to the back lighting; it is embellished by a metal cover and a glass screen.*

## DISPLAY LCD A10

Impreziosito dalla cover in metallo e dallo schermo in vetro, fornisce indicazioni chiare e luminose, grazie alla retro illuminazione. È posizionato centralmente per una visione più comoda e ha un comando remoto vicino la mano sinistra con 5 tasti. Oltre alle funzioni del display a LED il display LCD integra i dati di velocità, percorrenza e tempi. È dotato di un sensore crepuscolare che permette di far accendere le luci in automatico quando risultò necessario.

*Centrally positioned on the handlebar for a more clear view; the remote control near the left hand with 5 buttons. In addition to the functions of the LED display, the LCD one integrates the functions typical of an on-board computer with speed, distance and time. It integrates a twilight sensor that allows the lights to turn on automatically when needed.*

# I EASY POST SALE ASSISTANCE

Leva freno e display con connettore del cavo elettrico in zona manubrio, per facili interventi di manutenzione e assistenza.

*Brake levers and display with electric cable connector in the handlebar area, for easy maintenance and assistance.*

# I SMART BMS BATTERY

Una batteria Smart BMS gestisce in modo sofisticato le singole celle di memoria monitorando funzionamento, errori, bilanciamento e correnti di auto scarica. Miglior gestione di durata nel tempo, diagnosi sul funzionamento della batteria e visualizzazione a display della reale energia immagazzinata e dell'autonomia.

*The new battery has an intelligent electronics (Smart BMS), which manages the individual memory cells in a sophisticated manner, monitoring the operating parameters, errors, balancing and self-discharge currents. There is better management over time, a diagnosis of battery operation and a visualization of the real capacity stored in the display.*

# I WATERPROOF CONNECTIONS

Connessioni impermeabili stampate per tutti i componenti, per la massima affidabilità e una facile manutenzione del sistema.




*Waterproof connections printed for all components, for maximum reliability and easy maintenance of the system.*

MODELLO	SISTEMA	MOTORE	DISPLAY	ELETTRONICA BATTERIA
<b>E-Spike / E-Space</b>	EcoLogic 45S Smart	45 Nm	A10 LCD	Smart BMS
<b>E-Run 500</b>	EcoLogic 35S Smart	35 Nm	A15 LED	Smart BMS
<b>E-Run 360 / E-Way / E-Folding</b>	EcoLogic 35S	35 Nm	A15 LED	BMS

# INFO

## I GEOMETRIES

A	Lunghezza tubo sella <i>Seat tube lenght</i>	J	Distanza perni ruota <i>Wheelbase</i>	X	Lunghezza attacco manubrio Stem lenght
B	Lunghezza virtuale orizzontale <i>Top tube lenght - virtual</i>	K	Lunghezza tubo sterzo Head tube lenght	Y	Larghezza piega manubrio Handlebar width
C	Drop movimento centrale <i>Bottom braket drop</i>	L	Reach Reacht	Z	Lunghezza pedivelle Crankset lenght
D	Altezza movimento centrale <i>Bottom braket height</i>	M	Stack Stack	W	Larghezza sella Saddle width
E	Lunghezza carro <i>Chainstay lenght</i>	O	Avancorsa Stack	T	Lunghezza reggisella Seat post length
F	Angolo canotto reggisella <i>Seat tube angle - actual</i>	P	Lunghezza forcella Fork length	U	Statura consigliata Advised height
G	Angolo tubo sella <i>Seat tube angle - effective</i>	Q	Quota di standover Standover height		
H	Angolo sterzo <i>Head tube angle</i>				
I	Offset forcella <i>Fork offset</i>				



### B-RUSH




	S	M	L
A mm	400	430	460
B mm	593	603	614
C mm	-10	-10	-10
D mm	340	340	340
E mm	450	450	450
F deg	69,5	69,5	69,5
G deg	69,5	69,5	69,5
H deg	66,5	66,5	66,5
I mm	46	46	46
J mm	1204	1214	1225
K mm	110	110	115
L mm	440	450	458
M mm	618	618	623
N mm	754	764	775
O mm	113	113	113
P mm	573	573	573
Q mm	720	720	737
X mm	40	40	40
Y mm	780	780	780
Z mm	165	165	165
W mm	138	138	138
T mm	100	125	150
U m	1,55 - 1,60	1,70 - 1,85	1,85 - 2,00

### B-LYNX

	S	M	L
A mm	410	440	490
B mm	580	604	627
C mm	-12	-12	-12
D mm	356	356	356
E mm	480	480	480
F deg	74,2	74,2	74,2
G deg	-	-	-
H deg	67	67	67
I mm	51	51	51
J mm	1198	1224	1248
K mm	115	125	135
L mm	406	427	447
M mm	622	631	640
N mm	35	35	35
O mm	780	780	800
P mm	170	170	175
Q mm	1,55 - 1,60	1,70 - 1,85	1,85 - 2,00
X mm	40	40	40
Y mm	780	780	780
Z mm	165	165	165
W mm	138	138	138
T mm	100	125	150
U m	1,55 - 1,60	1,70 - 1,85	1,85 - 2,00

### B-RUSH GEN2

	S	M	L
A mm	410	440	490
B mm	580	604	627
C mm	-5	-5	-5
D mm	363	363	363
E mm	480	480	480
F deg	73,5	73,5	73,5
G deg	-	-	-
H deg	67	67	67
I mm	51	51	51
J mm	1188	1213	1238
K mm	115	125	135
L mm	407	428	448
M mm	584	594	603
N mm	35	35	35
O mm	780	780	800
P mm	170	170	175
Q mm	1,55 - 1,60	1,70 - 1,85	1,85 - 2,00
X mm	40	40	40
Y mm	780	780	780
Z mm	165	165	165
W mm	138	138	138
T mm	100	125	150
U m	1,55 - 1,60	1,70 - 1,85	1,85 - 2,00



### B-XGR8 GEN2


	S	M	L
A mm	400	430	460
B mm	593	603	614
C mm	-10	-10	-10
D mm	340	340	340
E mm	450	450	450
F deg	69,5	69,5	69,5
G deg	69,5	69,5	69,5
H deg	66,5	66,5	66,5
I mm	46	46	46
J mm	1204	1214	1225
K mm	110	110	115
L mm	440	450	458
M mm	618	618	623
N mm	754	764	775
O mm	113	113	113
P mm	573	573	573
Q mm	720	720	737
X mm	40	40	40
Y mm	780	780	780
Z mm	165	165	165
W mm	138	138	138
T mm	100	125	150
U m	1,55 - 1,60	1,70 - 1,85	1,85 - 2,00

### SHOW

	S	M	L
A mm	420	460	500
B mm	595	615	630
C mm	-25	-25	-25
D mm	343	343	343
E mm	445	445	445
F deg	74	74	74
G deg	74	74	74
H deg	67	67	67
I mm	51	51	51
J mm	1169	1176	1183
K mm	110	110	110
L mm	441	458	476
M mm	614	623	632
X mm	35	35	35
Y mm	780	780	780
Z mm	170	170	175
U m	1,55 - 1,60	1,70 - 1,85	1,85 - 2,00


### FLAME

	S	M	L
A mm	420	460	500
B mm	592	608	628
C mm	-68	-68	-68
D mm	299	299	299
E mm	454	454	454
F deg	74,5	74,5	74,5
G deg	74,5	74,5	74,5
H deg	69,8	69,8	69,8
I mm	44	44	44
J mm	1119	1135	1157
K mm	104	107	130
L mm	420	435	449
M mm	621	624	646
N mm	674	690	712
O mm	90	90	90
P mm	499	499	499
Q mm	719	721	736
X mm	70	70	70
Y mm	760	760	760
Z mm	165	165	165
W mm	146	146	146
T mm	400	400	400
U m	1,50 - 1,70	1,70 - 1,85	1,85 - 2,00




### B-RACE / B-CROSS

	S	M	L
A mm	400	460	500
B mm	590	590	600
C mm	-62	-62	-62
D mm	308	308	308
E mm	455	455	455
F deg	73	73	73
G deg	73	73	73
H deg	68,5	68,5	68,5
I mm	46	46	46
J mm	1124	1124	1134
K mm	140	130	120
L mm	384	388	401
M mm	671	662	653
N mm	676	676	686
O mm	96	96	96
P mm	530	530	530
Q mm	726	775	803
X mm	60	75	90
Y mm	720	720	720
Z mm	170	170	175
W mm	148	148	148
T mm	350	350	350
U m	1,50 - 1,70	1,70 - 1,85	1,85 - 2,00






### B-RACE CX / B-CROSS CX

	S	M	L
A mm	400	460	500
B mm	590	590	600
C mm	-62	-62	-62
D mm	308	308	308
E mm	455	455	455
F deg	73	73	73
G deg	73	73	73
H deg	68,5	68,5	68,5
I mm	46	46	46
J mm	1124	1124	1134
K mm	140	140	140
L mm	387	387	397
M mm	662	662	662
N mm	676	676	686
O mm	96	96	96
P mm	520	520	520
Q mm	725	776	806
X mm	60	75	90
Y mm	720	720	720
Z mm	170	170	175
W mm	148	148	148
T mm	350	350	350
U m	1,50 - 1,70	1,70 - 1,85	1,85 - 2,00



### YONDER / YOUTH

	S	M	L
A mm	405	460	515
B mm	575	615	645
C mm	-62	-62	-62
D mm	308	308	308
E mm	490	490	490
F deg	73,5	73,5	73,5
G deg	73,5	73,5	73,5
H deg	69	69	69
I mm	46	46	46
J mm	1142	1183	1214
K mm	110	120	130
L mm	394	429	456
M mm	629	629	639
N mm	659	699	730
O mm	93	93	93
P mm	515	515	515
Q mm	724	775	805
X mm	60	75	90
Y mm	720	720	720
Z mm	170	170	175
W mm	148	148	148
T mm	350	350	350
U m	1,50 - 1,70	1,70 - 1,85	1,85 - 2,00



**B-CROSS / B-RACE / B-WARE GEN2**


	S	M	L
<b>A mm</b>	400	460	500
<b>B mm</b>	590	590	600
<b>C mm</b>	-62	-62	-62
<b>D mm</b>	308	308	308
<b>E mm</b>	455	455	455
<b>F deg</b>	73	73	73
<b>G deg</b>	73	73	73
<b>H deg</b>	68,5	68,5	68,5
<b>I mm</b>	46	46	46
<b>J mm</b>	1124	1124	1134
<b>K mm</b>	140	130	120
<b>L mm</b>	384	388	401
<b>M mm</b>	671	662	653
<b>N mm</b>	676	676	686
<b>O mm</b>	96	96	96
<b>P mm</b>	530	530	530
<b>Q mm</b>	726	775	803
<b>X mm</b>	60	75	90
<b>Y mm</b>	720	720	720
<b>Z mm</b>	170	170	175
<b>W mm</b>	148	148	148
<b>T mm</b>	350	350	350
<b>U m</b>	1,50 - 1,70	1,70 - 1,85	1,85 - 2,00

**SAEROS**

	S	M	L
<b>A mm</b>	420	460	500
<b>B mm</b>	595	615	630
<b>C mm</b>	-56	-56	-56
<b>D mm</b>	306	306	306
<b>E mm</b>	450	450	450
<b>F deg</b>	73	73	73
<b>G deg</b>	73	73	73
<b>H deg</b>	69	69	69
<b>I mm</b>	51	51	51
<b>J mm</b>	1124	1145	1161
<b>K mm</b>	110	120	130
<b>L mm</b>	448	465	477
<b>M mm</b>	654	664	673
<b>N mm</b>	60	75	90
<b>O mm</b>	720	720	720
<b>P mm</b>	170	170	175
<b>Q mm</b>	1,50 - 1,70	1,70 - 1,85	1,85 - 2,00
<b>X mm</b>	60	75	90
<b>Y mm</b>	720	720	720
<b>Z mm</b>	170	170	175
<b>W mm</b>	148	148	148
<b>T mm</b>	350	350	350
<b>U m</b>	1,50 - 1,70	1,70 - 1,85	1,85 - 2,00


**SHIVA**

	S	M	L
<b>A mm</b>	420	460	515
<b>B mm</b>	595	615	645
<b>C mm</b>	62	62	62
<b>D mm</b>	313	313	313
<b>E mm</b>	465	465	465
<b>F deg</b>	73,5	73,5	73,5
<b>G deg</b>	73,5	73,5	73,5
<b>H deg</b>	71	71	71
<b>I mm</b>	46	46	46
<b>J mm</b>	1093	1133	1164
<b>K mm</b>	110	120	130
<b>L mm</b>	391	429	456
<b>M mm</b>	620	629	639
<b>N mm</b>	635	675	706
<b>O mm</b>	81	81	81
<b>P mm</b>	495	495	495
<b>Q mm</b>	717	753	789
<b>X mm</b>	60	75	90
<b>Y mm</b>	720	720	720
<b>Z mm</b>	170	170	175
<b>W mm</b>	148	148	148
<b>T mm</b>	350	350	350
<b>U m</b>	1,50 - 1,70	1,70 - 1,85	1,85 - 2,00






**B-RACE CX / B-CROSS CX GEN2**

	S	M	L
A mm	400	460	500
B mm	590	590	600
C mm	-62	-62	-62
D mm	308	308	308
E mm	455	455	455
F deg	73	73	73
G deg	73	73	73
H deg	68,5	68,5	68,5
I mm	46	46	46
J mm	1124	1124	1134
K mm	140	140	140
L mm	387	387	397
M mm	662	662	662
N mm	676	676	686
O mm	96	96	96
P mm	520	520	520
Q mm	725	776	806
X mm	60	75	90
Y mm	720	720	720
Z mm	170	170	175
W mm	148	148	148
T mm	350	350	350
U m	1,50 - 1,70	1,70 - 1,85	1,85 - 2,00



**BISON**

	M
A mm	457
B mm	590
C mm	-56
D mm	310
E mm	450
F deg	71,6
G deg	71,6
H deg	69
I mm	55
J mm	1143
K mm	120
L mm	393
M mm	601
X mm	75
Y mm	720
Z mm	170
U m	1,70 - 1,85



### B-TOUR MAN POWERTUBE




	M	L	XL
A mm	490	540	590
B mm	605	610	630
E mm	500	500	500
G deg	73	73	73
H deg	69	69	69
J mm	1175	1180	1201
K mm	150	150	160
Q mm	789	829	866
Z mm	170	170	175
U m	1,60 - 1,75	1,75 - 1,90	1,90 - 2,05

### B-TOUR MAN POWERPACK

	M	L	XL
A mm	490	540	590
B mm	590	610	630
E mm	490	490	490
G deg	73	73	73
H deg	70	70	70
J mm	1137	1159	1180
K mm	135	150	160
Q mm	791	832	871
Z mm	170	170	175
U m	1,60 - 1,75	1,75 - 1,90	1,90 - 2,05

### CUTE MAN

	M	L
A mm	490	540
B mm	600	630
C mm	-45	-45
E mm	470	470
G deg	73	73
H deg	71	71
J mm	1126	1156
K mm	150	150
Q mm	782	794,5
Z mm	170	170
U m	1,60 - 1,75	1,75 - 1,90



### B-TOUR LADY POWERTUBE


	XS	S	M
A mm	400	440	490
B mm	605	605	605
E mm	500	500	500
G deg	73	73	73
H deg	69	69	69
J mm	1175	1175	1175
K mm	150	150	150
Q mm	675	675	675
Z mm	170	170	175
U m	1,50 - 1,60	1,60 - 1,70	1,70 - 1,80

### B-TOUR LADY POWERPACK

	XS	S	M
A mm	400	440	490
B mm	555	570	590
E mm	490	490	490
G deg	73	73	73
H deg	70	70	70
J mm	1103	1118	1140
K mm	125	135	156
Q mm	638	638	638
Z mm	170	170	175
U m	1,50 - 1,60	1,60 - 1,70	1,70 - 1,80


### CUTE LADY

	S
A mm	450
B mm	585
C mm	-45
E mm	470
G deg	73
H deg	71
J mm	1111
K mm	150
Q mm	550
Z mm	170
U m	1,50 - 1,65




### B-EASY POWERTUBE

	S/M	M/L
<b>A mm</b>	450	500
<b>B mm</b>	605	610
<b>E mm</b>	500	500
<b>G deg</b>	73	73
<b>H deg</b>	69	69
<b>J mm</b>	1177	1192
<b>K mm</b>	175	175
<b>Q mm</b>	452	452
<b>Z mm</b>	170	170
<b>U m</b>	1,55 - 1,70	1,70 - 1,85




### B-EASY 26''

	S
<b>A mm</b>	420
<b>B mm</b>	580
<b>E mm</b>	463
<b>G deg</b>	72
<b>H deg</b>	71
<b>J mm</b>	1084
<b>K mm</b>	160
<b>Q mm</b>	463
<b>Z mm</b>	170
<b>U m</b>	1,60 - 1,75




### B-EASY POWERPACK

	S/M	M/L
<b>A mm</b>	480	520
<b>B mm</b>	610	630
<b>E mm</b>	490	490
<b>G deg</b>	72	72
<b>H deg</b>	69	69
<b>J mm</b>	1160	1180
<b>K mm</b>	170	170
<b>Q mm</b>	466	466
<b>Z mm</b>	170	170
<b>U m</b>	1,60 - 1,75	1,75 - 1,90




**CULT 28"**

	S
A mm	450
B mm	580
C mm	-45
E mm	470
G deg	73
H deg	70
J mm	1108
K mm	170
Q mm	413
Z mm	170
U m	1,50-1,65




**CLUB**

	33 CM
A mm	335
B mm	605
C mm	30
E mm	410
G deg	77,2
H deg	73
J mm	1097
K mm	130
Q mm	585
Z mm	152
U m	1,50-1,65




**E-SPIKE MAN**

	M
A mm	490
B mm	600
E mm	455
G deg	73
H deg	71
J mm	1104
K mm	150
Q mm	783
Z mm	170




**CULT 26"**

	S
A mm	450
B mm	580
C mm	-35
E mm	450
G deg	72,3
H deg	70
J mm	1088
K mm	170
Q mm	393
Z mm	170
U m	1,50-1,65




**E-SPIKE LADY**

	S
A mm	450
B mm	585
E mm	455
G deg	73
H deg	71
J mm	1090
K mm	150
Q mm	548
Z mm	170




### E-SPACE EVO

	S
A mm	450
B mm	585
E mm	445
G deg	73
H deg	70
J mm	1092
K mm	155
Q mm	369
Z mm	170




### E-RUN LADY 28''

	S
A mm	450
B mm	585
E mm	455
G deg	73
H deg	71
J mm	1092
K mm	165
Q mm	445
Z mm	170




### E-WAY

	XS
A mm	410
B mm	580
E mm	534
G deg	71
H deg	71
J mm	1146
K mm	150
Q mm	397
Z mm	170




### E-FOLDING

	33CM
A mm	335
B mm	580
E mm	412
G deg	77,2
H deg	73
J mm	1032
K mm	130
Q mm	558
Z mm	152




### E-RUN MAN 28''

	M
A mm	490
B mm	600
E mm	455
G deg	73
H deg	71
J mm	1104
K mm	150
Q mm	783
Z mm	170




### E-RUN LADY 26''

	S
A mm	450
B mm	585
E mm	455
G deg	73
H deg	70,5
J mm	1099
K mm	150
Q mm	405
Z mm	170



### EXTRAFOLDING

	43CM
A mm	430
B mm	610
E mm	475
G deg	71,5
H deg	70
J mm	1145
K mm	120
Q mm	698
Z mm	170



### E-CARGO

	XS
A mm	422
B mm	515
E mm	522
G deg	72
H deg	72
J mm	1156
K mm	200
Q mm	282
Z mm	170
WIDTH	560

# SERVICE

Gentile Rivenditore,  
per essere in grado di consentire una rapida e veloce elaborazione delle domande e dei reclami e di offrire il miglior servizio possibile, è essenziale prendere conoscenza di tutte le informazioni necessarie riportate qui in forma sintetica.

Nelle pagine seguenti trova tutte le informazioni importanti riguardo la garanzia, le norme ed il trattamento dei reclami (ad esempio i danni da trasporto).

Ulteriori informazioni più specifiche sui nostri prodotti si trovano nel nostro manuale di base Atala / Whistle allegato a ciascuna delle nostre biciclette.

Dear specialist dealer,  
to being able to grant a smooth and quick processing of your enquires and complaints and to offer you the best service possible it is essential that we receive all necessary information promptly and in compressed form.

On the following pages we woud like to provide all important information amongst others about warranty, rules and complaint processing (e.g. damage in transport).

Furthermore specific information about our products and these topics you can find in our Atala/Whistle basic manual, which is enclosed to each of our bicycles.

## I PRATICA DI ASSISTENZA

Per garantire una rapida elaborazione, la pratica di assistenza in forma scritta e con tutti i documenti necessari, deve essere inserita nel nostro sistema assistenza.atala.it.

Di seguito informazioni importanti riguardanti i reclami relativi ai danni al trasporto e alla consegna non completa:

Le merci consegnate devono essere controllate per verificare la presenza di tutti i componenti e i danni esterni al momento del ricevimento.

Eventuali danni devono essere confermati dall'autista sul documento di trasporto in maniera estesa. Non è valida una "riserva di controllo", ma va riportata la causa esatta della riserva stessa (ad esempio "Riserva per collo aperto", "Riserva per collo schiacciato").

Eventuali danni e mancanza di componenti quali manuali, documentazioni del veicolo e/o componenti o accessori, devono essere comunicati in forma scritta entro otto giorni lavorativi dal ricevimento della merce.

### INFORMAZIONI IMPORTANTI SUI RECLAMI DA PARTE DEI CONSUMATORI FINALI PRESSO IL RIVENDITORE SPECIALIZZATO

Con riferimento al prodotto oggetto della segnalazione, il consumatore deve rivolgersi al rivenditore con i seguenti documenti:

prova di vendita e data di consegna, quale prova di acquisto come fattura, scontrino o bolla di consegna del veicolo.

Una segnalazione valida da parte del consumatore, può essere effettuata solo tramite il rivenditore presso il quale è stato acquistato il prodotto e con il quale è stato concluso il contratto di vendita.

Se il proprietario della bicicletta si reca da un altro rivenditore rispetto a dove è stato acquistato per eseguire una segnalazione, Atala non dovrà sostenere eventuali costi derivanti, che devono essere pagati dal consumatore.

Atala si riserva il diritto di addebitare i costi di trattamento per reclami non giustificati.

### INFORMAZIONI IMPORTANTI SUL RITIRO DI BICICLETTA

Richiedere il ritiro di un pezzo, di un accessorio o di una bicicletta difettosa tramite il portale dedicato all'assistenza.

Atala accetta solamente la consegna di biciclette che sono state ritirate secondo la procedura. Verranno respinte tutte le scatole restituite senza l'ordine di ritiro. Per il ritiro ingiustificato di biciclette, Atala si riserva il diritto di addebitare il trasporto, nonché una tassa di gestione.

I pedali devono essere smontati, il manubrio deve essere girato lateralmente e gli oggetti personali devono essere già stati rimossi dalla bicicletta da parte del rivenditore. Se ciò non dovesse avvenire, queste parti possono essere re-imballate in una scatola per la riconsegna. Atala non sarà responsabile in caso di perdita di alcuno di questi accessori.

Le batterie devono essere inserite nella rispettiva sede e devono essere spediti anche il caricatore, il display e le chiavi.

Deve essere inclusa una copia della fattura del consumatore e un modulo di non conformità completamente compilati.

Le biciclette ritirate devono essere pulite e trasportabili che significa imballate in custodia protettiva, inclusi manubrio e sella per evitare danni al trasporto. Lo spedizioniere non accetterà le biciclette non imballate. Se non è in grado di imballare la stessa come indicato, contatti il nostro team di assistenza.

Al momento del ritiro del veicolo, riceverà una copia firmata del documento di trasporto dal vettore.

Non accettiamo le seguenti ragioni per il ritiro:

- ordine non corretto
- regolazione del cambio o del freno
- centraggio della ruota

# I COMPLAINT PROCESSING

To grant a quick processing the complaint, in written form with all necessary documents, has to be registered in our system.

Important information regarding complaints concerning transport damages and non-complete delivery:

The delivered goods have to be checked for completeness and external damage upon receipt. Possible damages have to be confirmed by the driver on the consignment note in an extended way. Writing "Subject to check" is not valid, but you should write the real cause (for example, "Subject to check because box is open" or "Subject to check because box is crushed").

Hidden damage and non-completeness by missing manuals, vehicle documents and/or missing mounting parts or accessories have to be communicated in written form after eight working days at the latest.

## IMPORTANT INFORMATION ON COMPLETE COMPLAINTS BY END CONSUMERS AT THE SPECIALIST DEALER

Besides the product concerned by the complaint, the consumer has to approach the dealer with the following documents:

Proof of sale, date of delivery which is a proof of purchase like invoice or receipt of the vehicle or part.

A valid complaint by the consumer can only be made at the dealer at which he bought the product that is the dealer with whom the sales contract was concluded.

If the vehicle owner instructs another dealer than the dealer where the vehicle was bought with the complaint, Atala will not bear any possibly arising costs - these have to be paid by the customer himself.

Atala reserves the right to charge an additional processing fee for not justified complaints.

## IMPORTANT INFORMATION ON BICYCLE COLLECTION

Arrange pick-up of a defective bicycle mounting part or accessory via our technical support system.

We can only accept delivery of bicycles which have been picked-up on our account. We have to decline acceptance of any bicycles which are returned to us without pick-up order. For not justified bicycle collection we reserve the right to charge you the freight costs for transport and possible re-shipment as well as a handling fee.

Pedals must be demounted, the handlebar must be turned sideways and personal items should have already been removed from the bicycle by the dealer. If this should not happen, these parts may only be packed in the box loosely for reshipment. We will not be liable for any loss.

Batteries have to be put in the respective socket including charger, display and key(s). A copy of the consumer invoice and a completely filled compliant form has to be included.

Bikes retrieved by us have to be cleaned and in transportable state which means packed in slipcase, handlebar and saddle protection to prevent transport damage. The forwarder will not accept unpacked bicycles. If you are not able to pack the bicycle as mentioned, please contact our service team.

Upon pick-up of the vehicle you will receive a signed copy of the consignment note from the carrier.

We do not accept the following reasons for a bike retrieval:

- incorrect order
- adjustment work at gear or brake
- wheel re-centering

# GARANZIA

I prodotti Atala sono garantiti dal venditore secondo quanto previsto dalle attuali norme di legge vigenti in materia. La garanzia può essere estesa di ulteriori 6 mesi attraverso la registrazione del proprio acquisto sul sito Atala.it.

Non sono coperte da garanzia Atala tutte le parti meccaniche ed i componenti per i quali vale la garanzia del fabbricante.

L'azienda si riserva il diritto di modificare le immagini ed i componenti in ogni momento e senza alcun preavviso.

# WARRANTY

Atala's products are guaranteed by the dealer in accordance with the current Italian laws in force. Warranty can be extended of further 6 months by logging on the Atala website (atala.it). All the other mechanical parts or components are not included in this warranty but are under the manufacturer's warranty.

The company reserves the right to modify pictures and the bicycle parts at any time without prior notice.

Prezzo di listino consigliato al pubblico, iva inclusa. I prezzi possono essere soggetti a modifiche da parte di Atala S.p.A.

The price included VAT and may be modified by Atala S.p.A.

# I DIFETTI DI MATERIALE

## DIRITTI DEI COMPRATORI

Secondo le leggi di garanzia europee, aggiornate il 1° gennaio 2002, il rivenditore è responsabile per i difetti dei materiali per un periodo di due anni. Questo periodo inizia con la consegna del prodotto dal rivenditore al cliente. All'interno del periodo obbligatorio della durata di 2 anni, è da considerare anche il periodo di inversione dell'onere della prova fissato in 6 mesi oltre la data di consegna del prodotto. Ciò significa che il legislatore ha stabilito che qualsiasi difetto che si verifichi entro 6 mesi dalla consegna del prodotto era pre-esistente al momento della consegna stessa. Pertanto, in tal caso, qualora si verifichi un difetto, il venditore deve dimostrare che questo era inesistente al momento della consegna o è stato causato da uso improprio o usura correlata all'utilizzo. Passato questo periodo è il compratore a dover fornire questa prova.

## LA RESPONSABILITÀ PER I MATERIALI NON COPRE:

Difetti causati da uso improprio o forza maggiore.

Qualsiasi parte del veicolo soggetto a usura e usura a causa dell'utilizzo, purché non vi siano difetti di produzione o difetti nel materiale. Difetti causati da uso improprio, manutenzione insufficiente e riparazioni, conversioni o sostituzioni delle parti del veicolo eseguita da personale non qualificato. Ciò include, ad esempio, la manipolazione del motore di una eBike. Difetti causati dalla mancata osservanza di una sostituzione potenzialmente necessaria dei componenti relativi alla sicurezza, come manubri, freni etc.

Difetti dovuti ad incidenti o ad altre influenze esterne, a condizione che non siano causate da componenti difettose o guasti del prodotto.

Riparazioni effettuate con componenti usati o guasti derivanti da tali riparazioni

Difetti dovuti all'uso durante una competizione, a meno che non vi sia una esplicita autorizzazione. Componenti montati successivamente che non rientrano nell'ambito della consegna al momento della vendita o errori derivanti dall'assemblaggio non professionale di tali parti.

Danni causati dal mancato rispetto del peso massimo consentito del veicolo o dall'utilizzo non conforme alle restrizioni all'uso (sedili per bambini, ecc.)

Veicoli di seconda mano in cui è già avvenuto un cambiamento di proprietà.

# I MATERIAL DEFECTS

## BUYER'S RIGHTS

According to the European Warranty laws, adjusted on January 1st 2002, the retailer is liable for material defects for a period of 2 years. This period starts with the delivery of the product from the retailer to the customer.

Besides the fundamental 2 year period, there is also the legal so-called reversal of the burden of proof 6 months past the date of the product's delivery. This means that the legislator set a fiction that any defect that occurs within 6 months of delivery of the product was pre-existent at the time of delivery. Therefore in this case if a defect occurs the seller has to prove that the defect was non-existent at the time of delivery or was caused by improper use or function-related wear. Past that period the buyer has to proof the reverse.

## THE LIABILITY FOR MATERIAL DEFECTS DOES NOT COVER:

Defects that were caused by improper use or force majeure  
Any parts of the vehicle that are subject to function-related wear and tear, as long as there are no manufacturing defects or faults in material

Defects that were caused by improper or insufficient case and unprofessionally performed repairs, conversions or replacement of vehicle parts. This includes, the manipulation of the drive system of an eBike.

Defects that were caused by disregard of a potentially necessary replacement of safety related components, like handlebars, brakes and so on.

Defects due to accidents or other usual external influences as long as they are not caused by faulty information or product failures. Repairs, that use second-hand components or faults resulting from such repairs.

Defects due to competitive use of a product that has no explicit competition clearance.

Retrofitted parts, that are not part of the scope of delivery at the time of the product transfer of faults resulting from the unprofessional assembly of such parts.

Damages caused by not observing the maximum permissible weight of the vehicle or not complying with the restrictions on use (child seat, etc).

Second-hand vehicles where a change of ownership has already taken place.

## CONSEGNA DELLE PARTI DI RICAMBIO IN ANTICIPO

*Si prega di notare i seguenti punti quando si richiede la consegna anticipata di un pezzo di ricambio prima di presentare un modulo di non conformità adeguato:*

- I ritiri necessari saranno organizzati da Atala.
- Tutti i componenti di valore significativo che saranno anticipati, lo saranno in "conto anticipo": se su richiesta di Atala il componente difettoso non sarà restituito nel mese, il conto anticipo genererà una fattura di vendita del componente stesso.
- Le segnalazioni ingiustificate verranno restituite al rivenditore a proprie spese - Atala si riserva una commissione di gestione.
- Per le segnalazioni di difettosità di parti di veicoli o accessori dei marchi nella tabella sottostante, questi devono essere restituiti direttamente al produttore o al distributore con relativa ricevuta.

## SPARE PART DELIVERY IN ADVANCE

*Please note, before submitting a compliant, the following points when applying for a spare part delivery:*

- Necessary pick-ups will be arranged by us.
- All parts with a significant value that are sent in advance, will be sent in "advance replacement" form: if under Atala request, the defective component will not be sent back within one month, an invoice for the component will be automatically generated.
- Not justified complaints will be returned to the dealer at his own cost we reserve a processing fee.
- For complaints of vehicle parts or accessories by the below mentioned brands, these have to be returned directly to the manufacturer or distributor with receipt.

MARCHIO BRAND	PRODUTTORE O DISTRIBUTORE/ MANUFACTURER OR DISTRIBUTOR	INDIRIZZO ADDRESS	TELEFONO PHONE	E-MAIL WEB
Bosch	Magura GmbH		+39 0299953659	service@bosch-ebike.it
DT Swiss	DIB Cycling by Limar	Via Landri 4 24060 - Costa Di Mezzate (BG)	+39 035683550	info@dibcycling.com
Fox	Vittoria S.p.A.	Via Papa Giovanni XXIII 1 24040 - Madone (BG)	+39 0354993911	service.vittoria.com
FSA	F.S.A. s.r.l.	Via del Lavoro 56 20874 - Busnago (MB)	+39 0396885265	
Shimano	Shimano Italy Bicycle Components	Via Carlo Jucker 22 20025 - Legnano (MI)	+39 0331936911	assistenza@shimano-eu.com
Schwalbe	Schwalbe Italia s.r.l.	Via Giuseppe Verdi 3 20864 - Agrate Brianza (MB)	+39 0396058078	info@schwalbe.it
Sram	AMG S.p.A.	Viale della Brina 18 20865 - Usmate Velate (MB)	+39 039922581	info@amgsrl.com
Rock Shox	AMG S.p.A.	Viale della Brina 18 20865 - Usmate Velate (MB)	+39 039922581	info@amgsrl.com
SR Suntour	Antonio Rullo	Via Manzoni 368 22070 - Cassina Rizzardi (CO)	+39 031934573	info@assistentzarullo.com
Tektro	B.I.S s.r.l.	Via per Marzalesco 7/9 28060 - Cureggio (NO)	+39 0322839076	valentina@bissrl.it
King Shock	4Guimp s.r.l.	Via Pillea 17 16153 - Genova (GE)	+39 010 8935035	<a href="http://www.4guimp.it/">http://www.4guimp.it/</a>

*La richiesta di gestire attraverso Atala la pratica comporterà l'addebito dei costi al rivenditore e un significativo prolungamento dei tempi di soluzione della stessa a causa di un doppio passaggio. In questo caso inoltre, la decisione per la soluzione pratica rimane di completa pertinenza del produttore a cui è indirizzata.*

*La richiesta di gestire attraverso Atala la pratica comporterà l'addebito dei costi al rivenditore e un significativo prolungamento dei tempi di soluzione della stessa a causa di un doppio passaggio. In questo caso inoltre, la decisione per la soluzione pratica rimane di completa pertinenza del produttore a cui è indirizzata.*

# E-BIKE 2020

ATALA S.P.A.

Via della Guerrina, 108  
20900 Monza (MB)  
Tel. +39 039 2045311  
Fax +39 039 2045300

*[www.atala.it](http://www.atala.it)*

